

F · S · T
FINE SCIENCE TOOLS

2023



FINE SURGICAL INSTRUMENTS FOR RESEARCH™

Letter from the Managing Partner

Dear customers,

As many of you are a part of the world's most essential biomedical research communities – I would like to begin by thanking you for your commitment and dedication to the advancements, breakthroughs, and discoveries in science. The world continues to face challenges, but the innovative minds and hearts of our customers and worldwide team gives us hope for a brighter tomorrow. There has never been a more significant moment to lead with our values – trust, teamwork, empathy, equality, and sustainability, as we are committed to walk alongside this road of optimism with you.

It is important to me that we take you on our journey as a valuable partner of Fine Science Tools. With that said, I am proud to inform you that we have incorporated two bee colonies into our office garden in Germany. The reason behind the idea is the fact that bees have a large impact on ecological growth and preservation which we as a company would like to put focus on. Our catalog cover showcases a symbolic representation of the countless contribution's bees have in relation to a number of areas in our daily lives. Bees have cultural and environmental importance as pollinators and producers of honey and medicinal products. The movement of pollen between flowers is necessary for plants to fertilize and reproduce. Bees control growth and quality of vegetation and work closely together, which is in line with Fine Science Tools striving to contribute to a greener world. Our FST hives are currently flourishing and have produced their first batch of honey which we plan on sharing with our customers.

Therefore, this year we have once again focused on expanding our product range to meet the needs of our customers. As the saying goes, "where focus goes, energy flows." Growth takes time, and it is not about the reward at the end but the values and experiences you gain on the journey and the footprints you leave behind. We have come a long way and have already left many footprints but there is still so much to do, and we are dedicated to doing our part in becoming a more sustainable company. We are extremely excited for you to embark into 2023 alongside us.

On behalf of the entire Fine Science Tools team worldwide, thank you again for your continued partnership and support for nearly 50 years.



Markus Gawenda



Markus Gawenda
Managing Partner



Hans Gawenda
Founder



Rob Gawenda
President

Please note the following information for your safety.

All surgical instruments and devices from the Fine Science Tools product range are intended exclusively for use in experimental research laboratories and facilities or in veterinary medicine. Our Customer Support is available to answer any questions you may have about the field of application and the material properties.



Scissors	3 – 35
Spring	3 – 14
Fine	15 – 28
Surgical	29 – 35
Bone Instruments	36 – 51
Rongeurs	36 – 40
Cutters	41 – 48
Other Bone Instruments	49 – 50
Curettes & Chisels	51
Knives & Scalpels	52 – 63



Forceps	65 – 97
Dumont	65 – 74
Fine	75 – 85
Moria	78 – 79, 82
S&T	80, 82
Standard	86 – 97
Hemostats	98 – 103




Probes & Hooks	105 – 109
Spatulae	108 – 112
Hippocampal Tools & Spoons	112 – 113
Pins & Holders	114 – 115
Wound Closure	116 – 127
Needle Holders & Suture	116 – 124
Staplers, Clips & Applicators	125 – 127
Retractors	128 – 135
Vascular Instruments	136 – 145
Clamps & Occluders	136 – 141
Dilation & Cannulation	142 – 145
Ligation Aids	143



Animal Accessories	147 – 152
Feeding Needles	147 – 148
Animal Identification	149 – 152
Instrument Care & Accessories	153 – 166
Instrument Care	153 – 156
Sterilization & Storage	157 – 166
Surgical Accessories	167 – 170
Drill Accessories	167
Cauterizers	168 – 169
Accessories	170
Laboratory Accessories	171 – 182
Tools	171 – 174
Magnifiers & Lens Paper	175 – 183



Student Instruments	186 – 207
Quality instruments with the student in mind	
Scissors	186 – 191
Cutter	191
Scalpel Handles	192
Forceps	193 – 198
Fine Forceps	193 – 195
Standard Forceps	196 – 198
Hemostats	199 – 202
Artery Clamps	203 – 205
Pin & Needle Holders	206
Retractors, Vessel Dilator & Clamps	207



Reference Pages	209 – 228
Worldwide Locations	209
Scissors Test	210
Features and Alloys	211
Maintenance and Care	212 – 214
Quality Control	215
Selection	216
Dumont	217
Numerical and Alphabetical Indexes	218 – 227
Additional Information	228





Scissors, Bone Instruments, Knives & Scalpels

Spring Scissors	Pages	3 – 14
Fine Scissors	Pages	15 – 28
Surgical Scissors	Pages	29 – 35
Bone Instruments	Pages	36 – 51
Knives & Scalpels	Pages	52 – 63

Micro Vannas

These Vannas-style spring scissors have the smallest blades ever produced. They are ideal where space is restricted and where absolute precision is demanded.



Straight
Sharp/Sharp

8 cm
Cutting edge: 2 mm
Tip Ø: 0.05 mm

No. 15000-03



Curved
Sharp/Sharp

8 cm
Cutting edge: 2 mm
Tip Ø: 0.05 mm

No. 15000-04

Micro Vannas

The short taper is ideal for small, precise cuts.



Straight
Sharp/Sharp

8 cm
Cutting edge: 2.5 mm
Tip Ø: 0.05 mm

No. 15000-08



Curved
Sharp/Sharp

8 cm
Cutting edge: 2.5 mm
Tip Ø: 0.05 mm

No. 15001-08



Angled to side
Sharp/Sharp

8 cm
Cutting edge: 2.5 mm
Tip Ø: 0.05 mm

No. 15002-08

Micro Vannas

The long taper is ideal for cutting vessel walls or when a longer cutting edge is needed.



15000-00



**FST
HAND
CRAFTED**

For more information
see page 38.



300%

Vannas



**FST
HAND
CRAFTED**

For more information
see page 38.



Vannas-Tübingen



15003-08



**FST
HAND
CRAFTED**

For more information
see page 38.



Straight
Sharp/Sharp

8.5 cm
Cutting edge: 5 mm
Tip Ø: 0.075 mm

No. 15003-08



Angled to side
Sharp/Sharp

8.5 cm
Cutting edge: 5 mm
Tip Ø: 0.075 mm

No. 15008-08



Straight
Sharp/Sharp

8 cm
Cutting edge: 3 mm
Tip Ø: 0.05 mm

No. 15000-00



Curved
Sharp/Sharp

8 cm
Cutting edge: 3 mm
Tip Ø: 0.05 mm

No. 15000-10



Straight
Sharp/Sharp

10.5 cm
Cutting edge: 4 mm
Tip Ø: 0.15 mm

No. 15018-10



Curved
Sharp/Sharp

10.5 cm
Cutting edge: 4 mm
Tip Ø: 0.15 mm

No. 15019-10



Curved
Sharp/Sharp

8.5 cm
Cutting edge: 5 mm
Tip Ø: 0.075 mm

No. 15004-08



Angled up
Sharp/Sharp

9.5 cm
Cutting edge: 5 mm
Tip Ø: 0.075 mm

No. 15005-08

Vannas Scissors with Microserrations

Microserrated to minimize slippage.



FST
HAND
CRAFTED

For more information
see page 38.



Straight
Sharp/Sharp

8.5 cm
Cutting edge: 5 mm
Tip Ø: 0.1 mm

No. 15070-08



Straight
Sharp/Sharp

8.5 cm
Cutting edge: 7 mm
Tip Ø: 0.1 mm

No. 15007-08



Curved
Sharp/Sharp

8.5 cm
Cutting edge: 5 mm
Tip Ø: 0.1 mm

No. 15071-08

Miniature Vannas

Hand finished under high magnification, these tips are especially useful when incising vessel walls for catheter insertion.



Moria 9600



Straight
Sharp/Sharp

8 cm
Cutting edge: 5 mm
Tip Ø: 0.1 mm

No. 15396-00

Moria 9601



Curved
Sharp/Sharp

8 cm
Cutting edge: 5 mm
Tip Ø: 0.1 mm

No. 15396-01

Titanium Vannas



For more information
see page 211.



**FST
HAND
CRAFTED**

For more information
see page 38.



Straight
Sharp/Sharp

9.5 cm
Cutting edge: 5 mm
Tip Ø: 0.3 mm

No. 15610-08



Curved
Sharp/Sharp

9.5 cm
5 mm
Tip Ø: 0.3 mm

No. 15615-08



Angled up
Sharp/Sharp

9.5 cm
5 mm
Tip Ø: 0.3 mm

No. 15617-08

Cohan-Vannas

Long cutting blades for
a more controlled cut.



**FST
HAND
CRAFTED**

For more information
see page 38.



Straight
Sharp/Sharp

6 cm
Cutting edge: 6 mm
Tip Ø: 0.1 mm

No. 15000-02



Curved
Sharp/Sharp

6 cm
6 mm
Tip Ø: 0.1 mm

No. 15000-01

Straight
Blunt/Blunt

6 cm
6 mm
Tip Ø: 0.15 mm

No. 15000-12

Curved
Blunt/Blunt

6 cm
6 mm
Tip Ø: 0.15 mm

No. 15000-11

ToughCut® Spring Scissors



For more information
see page 211.



**FST
HAND
CRAFTED**

For more information
see page 38.



Straight
Sharp/Sharp

12.5 cm
6 mm
Tip Ø: 0.3 mm

No. 15124-12



Curved
Sharp/Sharp

12.5 cm
6 mm
Tip Ø: 0.3 mm

No. 15123-12

Round Handled Vannas

Round handles allow easy fingertip adjustments.



For more information
see page 38.



Straight
Sharp/Sharp

12.5 cm
Cutting edge: 6 mm
Tip Ø: 0.075 mm

No. 15400-12



Curved
Sharp/Sharp

12.5 cm
Cutting edge: 6 mm
Tip Ø: 0.075 mm

No. 15401-12



For more information
see page 38.



Straight
Sharp/Sharp

14 cm
Cutting edge: 6 mm
Tip Ø: 0.15 mm

No. 15020-15



Curved
Sharp/Sharp

14 cm
Cutting edge: 6 mm
Tip Ø: 0.15 mm

No. 15021-15



For more information about
our ceramic instruments
please visit page 211.



For more information
see page 38.



Straight
Sharp/Sharp

10 cm
Cutting edge: 7 mm
Tip Ø: 0.1 mm

No. 15750-11



Curved
Sharp/Sharp

10 cm
Cutting edge: 7 mm
Tip Ø: 0.1 mm

No. 15751-11

Vannas-Wolff



Moria MC52



Straight
Sharp/Sharp

10 cm

Cutting edge: 7 mm

Tip Ø: 0.15 mm

No. 15370-52

Moria MC50



Curved
Sharp/Sharp

10 cm

Cutting edge: 7 mm

Tip Ø: 0.15 mm

No. 15370-50

Vannas

Ultra long cutting edge
without sacrificing tip width.



**FST
HAND
CRAFTED**

For more information
see page 38.



Straight
Sharp/Sharp

8.5 cm

Cutting edge: 8 mm

Tip Ø: 0.1 mm

No. 15009-08

Castroviejo



**FST
HAND
CRAFTED**

For more information
see page 38.



Angled to side
Sharp/Sharp

10 cm


Cutting edge: 10 mm

Tip Ø: 0.125 mm

No. 15006-09

Castroviejo with Ball Tip

Same as No. 15006-09 but with a ball tip to prevent piercing of underlying tissue.



Angled to side
Sharp/Sharp

9 cm
Cutting edge: 8 mm
Tip Ø: 1.3 mm Ball

No. 15033-09

Spring Scissors



Straight
Sharp/Sharp

10 cm
Cutting edge: 8 mm
Tip Ø: 0.15 mm

No. 15024-10



Straight
Blunt/Blunt

10 cm
Cutting edge: 8 mm
Tip Ø: 0.3 mm

No. 15025-10



Curved
Sharp/Sharp

10 cm
Cutting edge: 8 mm
Tip Ø: 0.15 mm

No. 15023-10

Dowell



Straight
Sharp/Sharp

11.5 cm
Cutting edge: 10 mm
Tip Ø: 0.1 mm

No. 15040-11



Angled up
Sharp/Sharp

11.5 cm
Cutting edge: 10 mm
Tip Ø: 0.1 mm

No. 15042-11

Noyes



**FST
HAND
CRAFTED**

For more information
see page 38.



Straight
Sharp/Sharp

12 cm
Cutting edge: 14 mm
Tip Ø: 0.2 mm

No. 15012-12



Curved
Sharp/Sharp

12 cm
Cutting edge: 14 mm
Tip Ø: 0.2 mm

No. 15011-12



Angled up
Sharp/Sharp

12 cm
Cutting edge: 14 mm
Tip Ø: 0.2 mm

No. 15013-12

Tungsten Carbide Noyes

Tungsten carbide cutting edges
provide long lasting sharpness.

**TUNGSTEN
CARBIDE**

For more information
see page 211.



**FST
HAND
CRAFTED**

For more information
see page 38.



Straight
Sharp/Sharp

12 cm
Cutting edge: 14 mm
Tip Ø: 0.275 mm

No. 15514-12

Castroviejo



**FST
HAND
CRAFTED**

For more information
see page 38.



Sharply curved
Sharp/Sharp

10 cm
Cutting edge: 10 mm
Tip Ø: 0.2 mm

No. 15017-10

Ceramic Coated Titanium Castroviejo




For more information
see page 38.

•TITANIUM•

For more information
see page 211.

CERAMIC
COATED

For more information about
our ceramic instruments
please visit page 211.



Straight
Sharp/Sharp

11 cm
Cutting edge: 5 mm
Tip Ø: 0.2 mm

No. 15650-11



Curved
Sharp/Sharp

11 cm
Cutting edge: 5 mm
Tip Ø: 0.2 mm

No. 15651-11

Westcott



For more information
see page 38.



Slightly curved
Sharp/Sharp

11 cm
Cutting edge: 15 mm
Tip Ø: 0.25 mm

No. 15015-11

Fine Angled Spring Scissors

These spring scissors aid in cutting
tissues from various angles.



For more information
see page 38.



Angled up
Sharp/Sharp

9.5 cm
Cutting edge: 2 mm
Tip Ø: 0.1 mm

No. 15010-09



Angled up
Sharp/Sharp

10 cm
Cutting edge: 4 mm
Tip Ø: 0.125 mm

No. 15010-10

Trident II

A re-release of a popular spring scissors now with a new innovative design for a better feel.



Straight
Sharp/Sharp

8 cm
Cutting edge: 8 mm
Tip Ø: 0.2 mm

No. 15110-08



Angled to side
Sharp/Sharp

8 cm
Cutting edge: 8 mm
Tip Ø: 0.2 mm

No. 15111-08

Pascheff-Wolff

Very delicate blades.



Moria MC19/B



Angled up
Sharp/Sharp

10.5 cm
Cutting edge: 3 mm
Tip Ø: 0.15 mm

No. 15371-92

Long Handle Spring Scissors



Straight
Sharp/Sharp

18.5 cm
Cutting edge: 5 mm
Tip Ø: 0.2 mm

No. 15028-18



Curved
Sharp/Sharp

18.5 cm
Cutting edge: 5 mm
Tip Ø: 0.2 mm

No. 15027-18


Micro Scissors

With microserrations to minimize slippage.




**FST
HAND
CRAFTED**

For more information
see page 38.



300%



300%



Straight
Sharp/Sharp

14.5 cm
Cutting edge: 2.5 mm
Tip Ø: 0.175 mm

No. 15030-14



Angled to side
Sharp/Sharp

14.5 cm
Cutting edge: 2.5 mm
Tip Ø: 0.175 mm

No. 15031-14


Micro Scissors

The finest blades on spring scissors. Designed for ophthalmic surgery (vitrectomy). The spring handles are made of ribbed plastic to ensure a solid grip. **Autoclavable.**



**FST
HAND
CRAFTED**

For more information
see page 38.



300%



300%



Straight
Sharp/Sharp

14 cm
Cutting edge: 2.2 mm
Tip Ø: 0.15 mm

No. 15036-14



Angled 90°
Sharp/Sharp

14 cm
Cutting edge: 1 mm
Tip Ø: 0.1 mm

No. 15037-14

Ultra Fine Clipper Scissors II

For microscopic dissections of soft and mucous tissue. The minute fineness of the blades allows clear visualization of the tissue being dissected.



Uses:

- Removing sheath of ganglia to access neurons in aplysia.
- Cutting single nerve axons in aplysia, mollusk and snail.
- Stripping fascia off arteries and muscles.
- Ultra fine brain tissue dissection.
- Cutting of minute fiber optic strands.



Straight
Sharp/Sharp

10 cm
Cutting edge: 1.5–2 mm
Tip Ø: 0.05–0.08 mm
Blade shape: Triangular
Blade thickness: 0.1 mm

No. 15300-00

Biemer Scissors

These scissors are designed to securely cut vessels without slipping.



Straight
Blunt/Blunt

8.5 cm
Cutting edge: 4 mm
Tip Ø: 2 mm

No. 15032-08



Straight
Blunt/Blunt

13 cm
Cutting edge: 2 mm
Tip Ø: 2 mm

No. 15032-13

Extra Fine Bonn

Our finest iris scissors, best suited for microdissection under high magnification.

**MOST
POPULAR**

14084-08
14085-08



Straight
Sharp/Sharp

8.5 cm
Cutting edge: 10 mm

No. 14084-08



Curved
Sharp/Sharp

8.5 cm
Cutting edge: 10 mm

No. 14085-08



Straight
Sharp/Blunt

8.5 cm
Cutting edge: 10 mm

No. 14083-08

Bonn

Highly polished.



Straight
Sharp/Sharp

9 cm
Cutting edge: 10 mm

No. 14184-09



Curved
Sharp/Sharp

9 cm
Cutting edge: 10 mm

No. 14185-09

ToughCut® Bonn-Strabismus

A fusion of two light and delicate iris scissors with ToughCut cutting edges.

**TOUGH
CUT**

For more information
see page 211.



Straight
Blunt/Blunt

9 cm
Cutting edge: 10 mm

No. 14084-09



Curved
Blunt/Blunt

9 cm
Cutting edge: 10 mm

No. 14085-09

Hardened Fine Iris Scissors

These scissors have an anti-reflective finish to reduce glare.

**MOST
POPULAR**

14090-09



Straight
Sharp/Sharp

9 cm

Cutting edge: 16 mm

No. 14090-09



Curved
Sharp/Sharp

9 cm

Cutting edge: 16 mm

No. 14091-09

11 cm

Cutting edge: 16 mm

No. 14090-11

11 cm

Cutting edge: 16 mm

No. 14091-11

Fine Iris Scissors

Made from Martensitic stainless steel, combined with Molybdenum and Vanadium.



Straight
Sharp/Sharp

10.5 cm

Cutting edge: 16 mm

No. 14094-11



Curved
Sharp/Sharp

10.5 cm

Cutting edge: 16 mm

No. 14095-11

Iris Scissors

Delicate pattern.

**MOST
POPULAR**


14060-11

Straight
Sharp/Sharp9 cm
Cutting edge: 16 mm


No. 14060-09

Curved
Sharp/Sharp9 cm
Cutting edge: 16 mm

No. 14061-09

Curved to side
Sharp/Sharp9 cm
Cutting edge: 16 mm

No. 14062-09

Angled to side
Sharp/Sharp9 cm
Cutting edge: 16 mm

No. 14063-09

10.5 cm
Cutting edge: 16 mm

No. 14060-10

10.5 cm
Cutting edge: 16 mm

No. 14061-10

10.5 cm
Cutting edge: 16 mm

No. 14062-10

11.5 cm
Cutting edge: 16 mm

No. 14063-11

11.5 cm
Cutting edge: 18 mm

No. 14060-11

11.5 cm
Cutting edge: 18 mm

No. 14061-11

Left Handed Iris Scissors**LEFT
HANDED** Straight
Sharp/Sharp10.5 cm
Cutting edge: 18 mm

No. 14160-10

Curved
Sharp/Sharp10.5 cm
Cutting edge: 18 mm

No. 14161-10

Moria Iris Scissors



Moria 4877



Straight
Sharp/Sharp

12.5 cm
Cutting edge: 14 mm

No. 14370-22

Moria 4878



Shallow curve
Sharp/Sharp

10.5 cm
Cutting edge: 14 mm

No. 14370-23

Extra Narrow Iris Scissors

Extra narrow, delicate pattern. Very
slim blades with gentle cutting action.




Side-view showing
extra narrow pattern

Straight
Sharp/Sharp

10.5 cm
Cutting edge: 16 mm

No. 14088-10

Large Loops Scissors



Straight
Sharp/Sharp

10 cm
Cutting edge: 16 mm

No. 14040-10



Curved
Sharp/Sharp

10 cm
Cutting edge: 16 mm

No. 14041-10

Wagner



14070-12
14071-12



Straight
Sharp/Sharp

12 cm
Cutting edge: 20 mm

No. 14068-12



Curved
Sharp/Sharp

12 cm
Cutting edge: 20 mm

No. 14069-12



Straight
Sharp/Sharp

12 cm
Cutting edge: 20 mm

No. 14070-12



Curved
Sharp/Sharp

12 cm
Cutting edge: 20 mm

No. 14071-12

ToughCut®

MOST
POPULAR14058-09
14058-11TOUGH
CUTFor more information
see page 211.Straight
Sharp/Sharp9 cm
Cutting edge: 16 mm

No. 14058-09

Curved
Sharp/Sharp9 cm
Cutting edge: 16 mm

No. 14059-09

11.5 cm
Cutting edge: 16 mm

No. 14058-11

11.5 cm
Cutting edge: 16 mm

No. 14059-11

Tungsten Carbide

MOST
POPULAR14568-09
14568-12TUNGSTEN
CARBIDEFor more information
see page 211.Straight
Sharp/Sharp9 cm
Cutting edge: 16 mm

No. 14568-09

Curved
Sharp/Sharp9 cm
Cutting edge: 16 mm

No. 14569-09

11.5 cm
Cutting edge: 16 mm

No. 14568-12

11.5 cm
Cutting edge: 16 mm

No. 14569-12

ToughCut® and Tungsten Carbide

For more information
see page 211.



Straight
Sharp/Sharp

9 cm
Cutting edge: 16 mm

No. 14558-09



Curved
Sharp/Sharp

9 cm
Cutting edge: 16 mm

No. 14559-09

11.5 cm
Cutting edge: 16 mm

No. 14558-11

11.5 cm
Cutting edge: 16 mm

No. 14559-11

CeramaCut®

These ceramic-coated scissors are the cleanest cutting, longest lasting scissors ever produced. Utilizing the unique properties of a ceramic coating, they will last six times longer than tungsten carbide instruments and cut even better than ToughCut® scissors. The black, corrosion-resistant coating has a non-glare finish.



For more information
see page 211.



Straight
Sharp/Sharp

9 cm
Cutting edge: 16 mm

No. 14958-09



Curved
Sharp/Sharp

9 cm
Cutting edge: 16 mm

No. 14959-09

11.5 cm
Cutting edge: 16 mm

No. 14958-11

11.5 cm
Cutting edge: 16 mm

No. 14959-11

Fine Scissors



Straight
Sharp/Blunt

10 cm
Cutting edge: 17 mm

No. 14028-10



Curved
Sharp/Blunt

10 cm
Cutting edge: 17 mm

No. 14029-10

Lexer-Baby



Straight
Blunt/Blunt

10 cm
Cutting edge: 16 mm

No. 14078-10



Curved
Blunt/Blunt

10 cm
Cutting edge: 16 mm

No. 14079-10

Strabismus

Tungsten Carbide Strabismus

**TUNGSTEN
CARBIDE**

For more information
see page 211.



Straight
Blunt/Blunt

9 cm
Cutting edge: 13 mm

No. 14074-09

11.5 cm
Cutting edge: 17 mm

No. 14074-11



Curved
Blunt/Blunt

9 cm
Cutting edge: 13 mm

No. 14075-09

11.5 cm
Cutting edge: 17 mm

No. 14075-11



Straight
Blunt/Blunt

9 cm
Cutting edge: 13 mm

No. 14574-09

11 cm
Cutting edge: 18 mm

No. 14574-11



Curved
Blunt/Blunt

9 cm
Cutting edge: 13 mm

No. 14575-09

11 cm
Cutting edge: 18 mm

No. 14575-11

Walton



Slightly curved
Sharp/Sharp

9.5 cm
Cutting edge: 10 mm

No. 14077-09



Slightly curved
Sharp/Sharp

10.5 cm
Cutting edge: 12 mm

No. 14077-10

Stevens Tenotomy



Straight
Sharp/Sharp

11 cm
Cutting edge: 13 mm


No. 14064-11



Straight
Blunt/Blunt

11 cm
Cutting edge: 13 mm

No. 14066-11



Curved
Sharp/Sharp

11 cm
Cutting edge: 13 mm

No. 14065-11



Curved
Blunt/Blunt

11 cm
Cutting edge: 13 mm

No. 14067-11

LaGrange

One edge is serrated to minimize slippage of tissue during cutting. Curved handle helps when cutting from an awkward angle.



Side View



Curved
Sharp/Sharp

11.5 cm
Cutting edge: 11 mm

No. 14173-12

Shea

Transplant scissors with light and delicate pattern.




Curved
Blunt/Blunt

12 cm
Cutting edge: 13 mm

No. 14105-12

Dissector Scissors

Slim blades for cutting tissue.



Angled to side
Sharp/Sharp

10 cm
Cutting edge: 5 mm

No. 14081-09

Dissector Scissors

Similar to 14081-09, but with stronger blades for cutting fine bone.



Angled to side
Sharp/Sharp

10.5 cm
Cutting edge: 8 mm

No. 14082-09

Spencer Ligature

Used for cutting stitches or suture.



Straight
Sharp/Sharp

9 cm
Cutting edge: 13 mm

No. 14076-09

Bonn Artery

Iris scissors with one ball tip to prevent piercing of underlying tissue.



Straight
Sharp/Ball tip

9 cm
Cutting edge: 8 mm
Tip Ø: 1.5 mm Ball

No. 14086-09



Straight
Sharp/Ball tip

11.5 cm
Cutting edge: 15 mm
Tip Ø: 1.5 mm Ball


No. 14080-11

Tissue Separating Scissors

Straight
Blunt/Blunt

11.5 cm
Cutting edge: 15 mm

No. 14072-10

Graefe

Sharply angled up
Sharp/Sharp

10.5 cm
Cutting edge: 9 mm

No. 14037-10

Adjustable Loops Fine Scissors

The finger loops can be enlarged
to fit almost any size.



Straight
Sharp/Sharp

9.5 cm
Cutting edge: 8 mm

No. 14106-09



Straight
Blunt/Blunt

9.5 cm
Cutting edge: 8 mm

No. 14108-09

Kaye

These scissors have semi-sharp outer
edges to better facilitate dissection.



Slightly curved
Blunt/Blunt

10.5 cm
Cutting edge: 14 mm

No. 14171-10

Standard Pattern

MOST
POPULAR

14001-12 – 14001-18

LEFT
HANDED

14008-14

Our standard surgical scissors are recognized for these important features:

- Excellent feel and handling capability.
- Overall execution that marks them as fine examples of German craftsmanship.



Length (cm)	Cutting edge (mm)	Straight Sharp/Sharp	Price	Straight Sharp/Blunt	Price	Straight Blunt/Blunt	Price
12	26	No. 14002-12		No. 14001-12		No. 14000-12	
13	26	No. 14002-13		No. 14001-13		No. 14000-13	
14.5	29	No. 14002-14		No. 14001-14		No. 14000-14	
16.5	33	No. 14002-16		No. 14001-16		No. 14000-16	
18.5	36			No. 14001-18		No. 14000-18	
20	39					No. 14000-20	

Length (cm)	Cutting edge (mm)	Straight Sharp/Blunt	Price
14.5	29	No. 14008-14	



Length (cm)	Cutting edge (mm)	Curved Sharp/Sharp	Price	Curved Sharp/Blunt	Price	Curved Blunt/Blunt	Price
12	26	No. 14005-12		No. 14004-12		No. 14003-12	
13	26	No. 14005-13		No. 14004-13		No. 14003-13	
14.5	29	No. 14005-14		No. 14004-14		No. 14003-14	
16.5	33	No. 14005-16		No. 14004-16		No. 14003-16	
18.5	36			No. 14004-18		No. 14003-18	
20	39					No. 14003-20	

ToughCut® Standard Pattern



14054-13



For more information
see page 211.



80% of
actual size



Straight
Sharp/Blunt

13 cm
Cutting edge: 27 mm

No. 14054-13



Straight
Sharp/Blunt

17.5 cm
Cutting edge: 40 mm

No. 14130-17

Tungsten Carbide Standard Pattern



For more information
see page 211.



80% of
actual size



Straight
Sharp/Sharp

14.5 cm
33 mm

No. 14502-14



Straight
Sharp/Blunt

14.5 cm
33 mm

No. 14501-14



Curved
Sharp/Sharp

14.5 cm
33 mm

No. 14505-14



Curved
Sharp/Blunt

14.5 cm
33 mm

No. 14504-14

Standard Pattern with Serrations



80% of
actual size



Straight
Sharp/Blunt

14 cm
29 mm

No. 14007-14

**Standard Pattern with
Large Finger Loops**



80% of
actual size



Straight
Sharp/Blunt

14.5 cm
Cutting edge: 27 mm

No. 14101-14

**Tungsten Carbide
Mini-Lister**



For more information
see page 211.



Angled to side
Blunt/Blunt

9 cm
Cutting edge: 15 mm

No. 14531-09

Lister

Excellent skin cutting scissors. Longer, blunt
blade prevents damaging tissue underneath
skin without losing the cutting line.



80% of
actual size




Angled to side
Blunt/Blunt

14 cm
Cutting edge: 26 mm

No. 14131-14

Metzenbaum Baby



80% of
actual size



Straight
Blunt/Blunt

13 cm
Cutting edge: 21 mm

No. 14018-13



Curved
Blunt/Blunt

13 cm
21 mm

No. 14019-13

14.5 cm
Cutting edge: 21 mm

No. 14018-14

14.5 cm
21 mm

No. 14019-14

18 cm
Cutting edge: 23 mm

No. 14018-18

18 cm
23 mm

No. 14019-18

Tungsten Carbide Metzenbaum Fino

**TUNGSTEN
CARBIDE**

For more information
see page 211.



80% of
actual size



Straight
Blunt/Blunt
Ultra fine tips

14.5 cm
21 mm

No. 14508-15



Straight
Blunt/Blunt

14.5 cm
21 mm

No. 14518-14



Curved
Blunt/Blunt
Ultra fine tips

14.5 cm
21 mm

No. 14509-15



Curved
Blunt/Blunt

14.5 cm
21 mm

No. 14519-14

18 cm
26 mm

No. 14518-18

18 cm
26 mm


No. 14519-18

Metzenbaum

ToughCut® Metzenbaum



For more information
see page 211.



80% of
actual size



80% of
actual size



Straight
Sharp/Blunt

14.5 cm
Cutting edge: 23 mm

No. 14024-14



Straight
Blunt/Blunt

14.5 cm
Cutting edge: 23 mm

No. 14016-14



Curved
Blunt/Blunt

14.5 cm
Cutting edge: 23 mm

No. 14017-14

18 cm
Cutting edge: 23 mm

No. 14016-18

18 cm
Cutting edge: 23 mm

No. 14017-18



Straight
Blunt/Blunt

14.5 cm
Cutting edge: 17 mm

No. 14116-14



Curved
Blunt/Blunt

14.5 cm
Cutting edge: 17 mm

No. 14117-14

18 cm
Cutting edge: 21 mm

No. 14116-18

18 cm
Cutting edge: 21 mm

No. 14117-18

Mayo

ToughCut® Mayo

Tungsten Carbide Mayo



For more information
see page 211.



For more information
see page 211.



14512-15 & 14512-17
For more information
see page 211.



80% of
actual size



80% of
actual size



80% of
actual size



Straight
Blunt/Blunt

15 cm
Cutting edge: 27 mm

No. 14010-15



Curved
Blunt/Blunt

15 cm
27 mm

No. 14011-15

17 cm
Cutting edge: 33 mm

No. 14010-17

17 cm
33 mm

No. 14011-17



Straight
Blunt/Blunt

15 cm
26 mm

No. 14110-15



Curved
Blunt/Blunt

15 cm
26 mm

No. 14111-15

17 cm
33 mm

No. 14110-17

17 cm
33 mm

No. 14111-17



Straight
Blunt/Blunt

15 cm
26 mm

No. 14510-15



Curved
Blunt/Blunt

15 cm
26 mm

No. 14511-15



Straight
Blunt/Blunt

15 cm
26 mm

No. 14512-15

17 cm
33 mm

No. 14510-17

17 cm
33 mm

No. 14511-17

17 cm
33 mm

No. 14512-17

Mayo-Stille



80% of
actual size



Straight
Blunt/Blunt

15 cm
Cutting edge: 27 mm

No. 14012-15



Curved
Blunt/Blunt

15 cm
Cutting edge: 27 mm

No. 14013-15

17 cm
Cutting edge: 31 mm

No. 14012-17

17 cm
Cutting edge: 31 mm

No. 14013-17

Mayo-Noble



80% of
actual size



Straight
Blunt/Blunt

16.5 cm
Cutting edge: 29 mm

No. 14014-17



Curved
Blunt/Blunt

16.5 cm
Cutting edge: 29 mm

No. 14015-17

Decapitation Scissors

Stop guard at tips to prevent slippage.



70% of
actual size



Straight
Blunt/Blunt

21 cm
Cutting edge: 47 mm

No. 14200-21


Friedman-Pearson

This popular, fine-tipped rongeur is suited for delicate work. The fine-cupped jaws have been designed with a longer and slimmer approach for better visibility.




**FST
HAND
CRAFTED**

For more information
see page 38.



200%



Cautionary note:
The fine rongeur tips
shown on this page
are extremely fragile.
Removal of material
with a twisting motion
can damage the tips.



Straight

14 cm
0.5 mm Cup

No. 16220-14



Curved

14 cm
0.5 mm Cup

No. 16221-14

14 cm
0.7 mm Cup

No. 16120-14

14 cm
0.7 mm Cup

No. 16121-14

14 cm
1 mm Cup

No. 16020-14

14 cm
1 mm Cup

No. 16021-14

Pearson


Provides excellent visibility at dissection site due to its extra long and narrow approach to the fine cutting jaws. Especially suitable for larger hands.



Luer

Cautionary note:

The fine rongeur tips shown on this page are extremely fragile. Removal of material with a twisting motion can damage the tips.



Slightly Curved

17 cm
1.2 mm Cup

No. 16015-17



Sharply Curved

17 cm
1.2 mm Cup


No. 16016-17



Curved

15 cm
4 mm Cup

No. 16001-15



Precision that makes a mark.

Our surgical mechanics refine and perfect instruments in FST's very own workshop, this is a step that only we take in this form. This is essential for the precision and quality of each and every one of our products.

For example, our Friedman-Pearson rongeurs with tip diameters of 0.5 or 0.7 mm, both are unique in the world. Also, our spring scissors have established themselves in the research industry and are second to none in terms of fineness.

The result: a level of quality that makes its mark - and to which we have now dedicated our own. Our new symbol "Hand-Crafted" stands for 100% guaranteed craftsmanship and instruments you can rely on in any situation.



Baby-Beyer


Double-action rongeur with strong jaws helps relieve hand strain.



Straight

15 cm
2 mm Cup

No. 16023-15



Curved

15 cm
2 mm Cup

No. 16022-15



**Diameter of this circle
determines cup size.**

Form an imaginary circle that will
fit in the very tip of the instrument
and measure its diameter.

Beyer

Double-action rongeur with strong jaws helps relieve hand strain.




Curved

18 cm
2.5 mm Cup

No. 16002-18

Friedman

Strong and large jaws are ideal for use on the harder, outer regions of the spinal cord. Also can be used to gain access to delicate structures encased in bone.



Curved

13 cm

2.5 mm Cup

No. 16000-14




Diameter of this circle determines cup size.

Form an imaginary circle that will fit in the very tip of the instrument and measure its diameter.

Lempert

Extra fine jaws.



Straight

16 cm

2.5 mm Cup

No. 16004-16



Curved

16 cm

2.5 mm Cup

No. 16005-16

Bone Trimmers

Curved
14 cm
Cutting edge: 8 mm
No. 16109-14

Cartilage Cutter

Round cutting blades for tissue, cartilage and soft bone.



Curved
14 cm
Cutting edge: 9 mm
No. 16107-14

Dumont #15a Bone Cutter

Cutting edge on both outside and inside bevel. Cuts suture, cartilage, bone and steel wire to 0.06 mm, and copper wire to 0.15 mm.



Angled

11.5 cm

Cutting edge: 10 mm

Jaw opening: 2.5 mm

Hard carbon steel

No. 11215-01

Dumont #15a Bone Cutter – Epoxy Coated

Same structure and functionality as Item No. 11215-01 (left), but with an epoxy coating up to the cutting edge for easier care and maintenance.



Angled

11.5 cm

Cutting edge: 6 mm

Jaw opening: 2.5 mm

Epoxy coated carbon steel


No. 11215-02

For information on
Dumont alloys
and tip styles,
see page 217.

Tungsten Carbide Bone Cutter

**TUNGSTEN
CARBIDE**

For more information
see page 211.



Angled

11.5 cm

Cutting edge: 10 mm

Stainless Steel handle with
Tungsten Carbide Tips

No. 11515-02

Micro Bone Cutter


Angled 25°

13 cm

Cutting edge: 5 mm

Rolling Bearing Steel handle
with TPE Grip

No. 16103-11

Bone Nipper

Angled

11 cm

Cutting edge: 5 mm

No. 16102-11

Offset Bone Nipper

Strong jaws for cutting
tough cartilage.




Angled

10 cm

Cutting edge: 7 mm

No. 16101-10


Malleus Nipper

Straight

11 cm

Cutting edge: 9 mm

No. 16140-11




Angled down

11 cm

Cutting edge: 9 mm

No. 16141-11




Angled up

11 cm

Cutting edge: 9 mm

No. 16142-11

Bone Cutting Spring Scissors

Straight

13 cm

Cutting edge: 12 mm

No. 16144-13

Delicate Bone Cutting Spring Scissors

Slim, strong blades for cutting fine bones and tissues.



Curved

12 cm

Cutting edge: 12 mm

No. 16143-12

Littauer Bone Cutter

Beebee Bone Scissors

Very strong jaws with sharp points.

Tungsten Carbide Bone Scissors

Strong heavy blades for cutting bone.

MOST
POPULAR

TUNGSTEN
CARBIDE

For more information
see page 211.

SERRATED



Straight

11 cm

Cutting edge: 15 mm

No. 16152-11



Straight

12.5 cm

Cutting edge: 17 mm

No. 16152-12



Straight

15 cm

Cutting edge: 19 mm

No. 16152-15



Straight

10 cm

Cutting edge: 15 mm

No. 16044-10



Straight

12.5 cm

Cutting edge: 15 mm

No. 16030-12



Straight

16 cm

Cutting edge: 15 mm

No. 16030-16

Boehler

Bone splitting cutter with very fine tips and double action joint to relieve strain on your hand.



Angled up 10°

15 cm

Cutting edge: 18 mm

No. 16130-15

Skull Flap Cutter

One tip has a flat and narrow platform which fits between dura and skull. Other tip has sharp cutting edge. The double action joint relieves strain on your hand.



Angled up 15°

14 cm

Cutting edge: 10 mm

No. 16050-15

Cleveland Cutter

Slightly angled

15 cm

Cutting edge: 14 mm

No. 16106-14

17 cm

Cutting edge: 15 mm

No. 16105-16

Liston

Gross anatomy bone cutter.



Straight

14 cm

Cutting edge: 20 mm

No. 16104-14


20 cm

Cutting edge: 30 mm

No. 16104-19

Bone Pliers

To peel back skull flaps.



Straight

15.5 cm

Flat surface

No. 16025-14

Bone Shears

60% of
actual size

Curved

24 cm

Cutting edge: 6.5 cm

No. 16150-24

Bone Forceps

Strong cross-serrated tips for bone crushing and removal.



Angled

11.5 cm

Tip Ø: 1 mm

Cross serrated

No. 16060-11

Miniature Self-Tapping Bone Screws

Used extensively to anchor dental cement to bone, these self-tapping screws have superior holding strength over ordinary machine screws. Stainless steel with fillister flat head.



4 mm
Shaft diameter: 0.86 mm
Pkg. of 100 screws

No. 19010-10

Pkg. of 10 screws

No. 19010-11

For pre-drilling use our
0.7 mm burs, see page 167.

4.8 mm
Shaft diameter: 1.19 mm
Pkg. of 100 screws

No. 19010-00

Pkg. of 10 screws

No. 19010-01

For pre-drilling use our
0.9 mm burs, see page 167.

Bone Wax

A beeswax-based compound for bone hemostasis. Soft, kneadable and ready to use.

Sterile.




Box of 12 foil packs (2.5 g each)

No. 19009-00


Micro Curette

Curette tips consist of a scoop with sharp edges and are used for scraping or cleaning. They can also be used for separating and transporting, inoculating plates or transferring small amounts of chemicals.




13 cm

No. 10080-05



13 cm


No. 10081-10



13 cm

No. 10082-15

Serrations on
cutting edge




12.5 cm

No. 10083-20


Delicate Bone Scraper

For scraping tissue without cutting into bone.




16.5 cm

No. 10075-16

Austin Chisel

16 cm

No. 10096-16



16 cm

No. 10097-16


Dissecting Chisel

12.5 cm

No. 10095-12

Von Graefe Knife

Used for cutting dura.



Angled 90°


13 cm

Cutting edge: 1.5 mm

No. 10059-13

Cataract Knife

One of the most popular dissecting knives with a microfine point. The cutting edge is lance shaped to provide the ideal cutting angle.




Straight

12.5 cm

Cutting edge: 4 mm

No. 10055-12




Angled 30°

12.5 cm

Cutting edge: 4 mm

No. 10056-12

Sichel


Curved

12 cm

Cutting edge: 9 mm

No. 10073-14

Micro Knife




Straight

13 cm
Cutting edge: 28 mm

No. 10370-13

Micro Knife Side Cut




Side blade 20°

15 cm
Cutting edge: 2 mm

No. 10058-15

Circle Knife

Sharp cutting edge around tip.



Angled 90°

16 cm
Cutting edge: 2 mm

No. 10059-15

Gross Anatomy Knives

Handles are made of fiberglass reinforced yellow nylon with a slip resistant surface that allows little chance of bacterial accumulation. The blades are made of German Molybdenum Stainless Steel.



40% of
actual size

Dissection knife

28 cm
Cutting edge: 13 cm
No. 10157-13

30 cm
Cutting edge: 15 cm
No. 10157-15

33 cm
Cutting edge: 18 cm
No. 10157-18



40% of
actual size

Brain sectioning knife

45 cm
Cutting edge: 30 cm
No. 10152-30

Obsidian Stone Age Scalpels

For applications where extremely fine cuts are required or for studies where trace metals from ordinary scalpel blades cannot be tolerated. These ultra fine cutting edges have been used in human surgical procedures where objectionable scar tissue results from the use of standard scalpels.

The blade is made from obsidian—a type of volcanic glass—which allows a much finer blade than is possible with the conventional steel blade. In some cases this makes the relatively inexpensive obsidian scalpel a suitable substitute for an expensive diamond knife.

Patterned after “stone age” knives which first made their appearance about 18.000 years ago, these modern versions utilize hard wood and plastic dowels for handles. Plastic dowels are made of polyoxymethylene.

Cautionary note:

Obsidian is a very fragile material. Great care should be taken to not exert any lateral pressure on the blade during cutting. Each blade is hand-fashioned, so sizes, shapes and points will vary. While all the blades will have at least one sharp edge, some will have two.



Wood Dowel
Not autoclavable

Straight
Approximate blade length: 6 mm
No. 10110-01

Straight
Approximate blade length: 12 mm
No. 10110-03



Plastic Dowel
Autoclavable

Straight
Approximate blade length: 6 mm
No. 10110-05



Plastic Dowel
Autoclavable

Angled
Approximate blade length: 6 mm
No. 10110-07



Ceramic Blades

Advantages:

- Ceramic edge stays sharp 100 times longer than steel edge
- Rust and corrosion free
- Chemical and acid resistant
- Withstands up to 2400°C (4352°F)
- No electrostatic discharge concerns
- No trace metal contamination
- Fully nonmagnetic



Ceramic Blades



45° Cutting Edge
33 x 6 x 0.5 mm
Cutting edge: 4.5 mm
Pkg. of 5 blades
No. 10025-44



45° Cutting Edge
33 x 6 x 0.5 mm
Cutting edge: 2.5 mm
Pkg. of 5 blades
No. 10025-43



23° Cutting Edge
33 x 6 x 0.5 mm
Cutting edge: 14 mm
Pkg. of 5 blades
No. 10025-23



Aluminum
Alloyed Handle
12.5 cm
No. 10025-50

45° Cutting Edge
33 x 6 x 0.5 mm
Cutting edge: 8 mm
Pkg. of 5 blades
No. 10025-45

Diamond Knives

This knife has a gem-quality, neutral diamond blade which is honed to the finest cutting edge possible. The blade is made to an ophthalmic surgical standard and is inspected under 400x magnification. The retractable handle aids in care and storage.

Cautionary note:

This blade is extremely fragile and vulnerable to lateral pressure.



Cutting angle: 30°
12 cm
Cutting edge: 1 mm
Tip thickness: 0.15 mm
No. 10100-30



Cutting angle: 45°
12 cm
Cutting edge: 1 mm
Tip thickness: 0.15 mm
No. 10100-45



Grip slides up the handle to protect the tip for safe storage and packing.

Blade Holders and Breakers



11 cm
Jaw width: 4 mm
Flat surface
No. 10052-11



9 cm
Jaw width: 4 mm
Surface with concave and convex jaws
Handle diameter: 5.5 mm
No. 10053-09

13 cm
Jaw width: 4 mm
Surface with concave and convex jaws
Handle diameter: 8 mm
No. 10053-13

Breakable Carbon Steel Blades

These special, high carbon content blades are the only blades that will break cleanly.
Not autoclavable.




Blade thickness: 0.1 mm

Box of 10 blades

No. 10050-00

Create Your Own Blade

With these blade holders/breakers and our special carbon steel blades, No. 10050-00, you can produce microblades in sizes that meet your own individual needs.




Carbon Steel Scalpel

Cold forged from carbon steel and sharpened to eliminate tissue distortion and blade drag. 12.5 cm plastic handle with slip-proof grip. **Sterile.**

**MOST
POPULAR**

10316-14
10315-12



Cutting angle: 22.5°

13.5 cm

Cutting edge: 4.5 mm

Tip thickness: 0.15 mm

No. 10316-14




Cutting angle: 15°

13 cm

Cutting edge: 5 mm

Tip thickness: 0.15 mm

No. 10315-12



Crescent blade

14 cm

Cutting edge: 11 mm

Tip thickness: 0.20 mm

No. 10317-14



Needle blade

14.5 cm

Cutting edge: 4 mm

Tip thickness: 0.20 mm

No. 10318-14

Interchangeable Carbon Steel Blades

**NOT
AUTOCLAVABLE**



Handle for
Interchangeable
Blades

9.5 cm

No. 10035-00

12.5 cm

No. 10035-12



Angled blade
Carbon steel

Cutting edge: 10 mm
Pkg. of 5 blades

No. 10035-15



Curved blade
Carbon steel

Cutting edge: 10 mm
Pkg. of 5 blades

No. 10035-20



Small flat blade
Carbon steel

Cutting edge: 1.5 mm
Pkg. of 5 blades

No. 10035-05



Large flat blade
Carbon steel

Cutting edge: 2.75 mm
Pkg. of 5 blades

No. 10035-10



Cane blade
Carbon steel

Cutting edge: 12 mm
Pkg. of 5 blades

No. 10035-25



Arc blade
Carbon steel

Cutting edge: 12 mm
Pkg. of 5 blades

No. 10035-30

Scalpel Handle #4 with Silicone

For heavy, gross anatomy work.
Molded to fit hand.



13.5 cm

No. 10009-13

Standard Scalpel Handle #4 Solid

Especially suitable for large dissections.



13 cm

No. 10004-13

Blades for #4 Scalpel Handle

The alloy used has a high carbon content which provides a longer lasting edge. Blades come individually wrapped. **Non-sterile.**



Box of 100 blades

No. 10020-00



Box of 100 blades

No. 10021-00



Box of 100 blades

No. 10022-00



Box of 100 blades

No. 10023-00

#3 Standard

MOST
POPULAR

12 cm


No. 10003-12

#3 Secure


A safety lock holds the blade securely, and allows simple and safe blade attachment and removal.




- 1 Slide blade onto front pin of the handle.



- 2 Then slide pin to front slot of blade. Rotate blade clockwise and secure blade to back pin on handle.



- 3 Scalpel is ready to use.



12 cm

No. 10003-13

Blades for #3 and #7 Scalpel Handles

The alloy used has a high carbon content which provides a longer lasting edge. Blades come individually wrapped. **Non-sterile.**



Box of 100 blades

No. 10010-00



Box of 100 blades

No. 10011-00



Box of 100 blades

No. 10012-00



Box of 100 blades

No. 10015-00

**Short Scalpel
Handle #7**


12 cm
No. 10007-12

**Standard Scalpel
Handle #7**

16.5 cm
No. 10007-16

Scalpel Blade Remover

For safe removal of scalpel blades, simply insert scalpel with blade into the Scalpel Blade Remover and press the sides together. This will dislodge the blade from handle and hold the blade securely for release.




6.5 cm
No. 10002-00

Scalpel Blade Removal and Disposal Box

This plastic device will remove used scalpel blades safely and retain them for safe disposal. Can be used for blades that fit the #3, #4, #7 and Gross Anatomy handles.



7.5 x 5 x 2.5 cm
Capacity approximately 80 blades
Carton of 10 boxes
No. 10002-50



Gross Anatomy Blade and Handle




7.5 cm
Box of 100 blades
No. 10060-00



13 cm
No. 10060-13

Disposable Safety Scalpels

Plastic handle #3 with stainless steel blades. The protective cartridge completely covers the blade for safe, fast, and easy disposal. **Single-use and non-sterile.**



#10 scalpels
Pkg. of 10
No. 10000-10



#11 scalpels
Pkg. of 10
No. 10000-11




#15 scalpels
Pkg. of 10
No. 10000-15



Scalpel shown with safety cartridge closed and locked into place.

Safety Scalpel Handle #3 and Blade Cartridges

The Safety Scalpel Handle #3 is compatible with all Safety Scalpel Blades. The handle is reusable and made of Teflon coated stainless steel which provides a non-stick surface. The Blade Cartridges are color-coded with clear windows for easy identification. The protective cartridge completely covers the blade for safe, fast, and easy disposal. **Handle is reusable and autoclavable. Blades are single-use and non-sterile.**



Safety Scalpel Handle #3



12.5 cm
Teflon coated stainless steel
No. 10006-12

Safety Scalpel Blade Cartridges



Safety Scalpel Blade Cartridges shown open and attached to handle.
Handle and cartridges sold separately.

#10 blades

Pkg. of 10

No. 10010-10

#11 blades


Pkg. of 10

No. 10011-10

#15 blades


Pkg. of 10

No. 10015-10




Forceps & Hemostats

Dumont	Pages	65 – 74	<i>See page 217 for alloy and additional information.</i>
Fine	Pages	75 – 85	
Moria	Page	78 – 79, 82	
S&T	Pages	80, 82	
Standard	Pages	86 – 97	
Hemostats	Pages	98 – 103	



Dumont #5SF

The finest tips ever produced by Dumont.



Super fine tip


11 cm
Inox
0.025 x 0.005 mm

No. 11252-00

Dumont #5 Fine Tips

Finished under magnification and polished on the inside, the tips close flat to 3 mm and are less likely to open under excess pressure.

MOST
POPULAR



Biology tip

11 cm
Inox
0.05 x 0.01 mm


No. 11254-20

Dumont #5 Ceramic Coated

These forceps are non-reflective. The scratch and corrosion resistant coating guarantees durability.

CERAMIC
COATED

For more information about our ceramic instruments please visit page 211.




Biology tip

11 cm
Ceramic coated inox
0.05 x 0.01 mm

No. 11252-50

Dumont #5CO

These forceps have been honed down to make this the lightest and most precise Dumont forceps available.



Biology tip

11 cm
Dumostar
0.05 x 0.01 mm

No. 11295-20

For information on Dumont alloys and tip styles, see page 217.

FORCEPS

Dumont Micro-Blunted, Atraumatic Tipped Forceps

The sides of these forceps are distinctively ribbed to provide a better holding surface for maximum control of the instrument. The shanks are arched toward each other to transmit more holding strength to the points. The smooth inside surfaces at the tips will close flat to 5 mm with gentle pressure, increasing the total holding area considerably. The microscopically matched tips are gently blunted to prevent tissue puncture and are recommended as micro needle holders.


For information on
Dumont alloys
and tip styles,
see page 217.



Medical #5	Medical #5A	Medical #7S	Medical #7	Medical #5/45	Medical #5/90
Straight	Off-center	Short curve	Curved	Angled 45°	Angled 90°
11 cm	11.5 cm	12 cm	11.5 cm	11 cm	11 cm
Inox	Inox	Inox	Inox	Inox	Inox
0.10 x 0.06 mm	0.13 x 0.08 mm	0.17 x 0.10 mm	0.17 x 0.10 mm	0.10 x 0.06 mm	0.10 x 0.06 mm
No. 11253-20	No. 11253-21	No. 11273-22	No. 11273-20	No. 11253-25	No. 11253-29

Dumont #55

Bevelled, like #5 but with extra light and fine shanks.




Biology tip

11 cm
Inox
0.05 x 0.02 mm
No. 11255-20

11 cm
Dumostar
0.05 x 0.02 mm
No. 11295-51


Dumont #5 Mirror Finish Forceps

The last 5 mm on the inside of the tips are highly polished to help prevent tissue from sticking. Ideal for embryos, nerves, or any other adhesive tissue.



Standard tip

11 cm
Inox
0.10 x 0.06 mm
No. 11251-23



Biology tip

11 cm
Inox
0.05 x 0.02 mm
No. 11252-23

Dumont #5

These are the most widely used Dumont forceps. Bevelled, very fine shanks for best visibility.

**MOST
POPULAR**


11251-20
11252-20

**135°C NOT
AUTOCLAVABLE**

11251-10

•TITANIUM•

11252-40
For more information
see page 211.



Standard tip

11 cm
Inox
0.10 x 0.06 mm
No. 11251-20


Dumoxel

No. 11251-30

Dumostar

No. 11295-00

11 cm
Carbon
0.08 x 0.04 mm
No. 11251-10



Biology tip

11 cm
Inox
0.05 x 0.02 mm
No. 11252-20

Dumoxel

No. 11252-30

Dumostar

No. 11295-10

Titanium
No. 11252-40

For information on
Dumont alloys
and tip styles,
see page 217.


Dumont WA #5

These specially designed forceps offer improved stability with an ergonomic body that allows the forceps to fit more comfortably in your hand. A domed end with no soldering grooves allows the forceps to be thoroughly and easily cleaned, preventing biofilm residues.

For information on
Dumont alloys
and tip styles,
see page 217.



Side View




Standard tip

12 cm

Inox

0.10 x 0.06 mm

No. 11251-21




Biology tip

12 cm

Inox

0.05 x 0.02 mm

No. 11252-21

Dumont #5XL

Standard tip

15 cm


Inox

0.10 x 0.06 mm

No. 11253-10

Dumont #L5

Slide sleeve keeps tips together so specimens may be securely held and retained. Slide may be locked in place so that forceps can be used in regular fashion.




Standard tip
11 cm
Inox
0.10 x 0.06 mm

No. 11253-27

Dumont #5 Teflon® Coated

These antimagnetic forceps are ideal for use in cryogenic environments and for EM samples. Teflon® coating provides a non-stick surface.



Standard tip
11 cm
Teflon coated inox
0.10 x 0.06 mm

No. 11626-11

Dumont #5/45

45° tips for improved visibility and control.

**MOST
POPULAR**



Standard tip
11 cm
Dumoxel
0.10 x 0.06 mm


No. 11251-35

Dumont #5/45 Cover Slip Forceps

Designed to pick up cover slips out of multi-well plates. The tip width is squared for a better grip.



300%



1 mm from tip to bend
11.5 cm
Dumoxel
Upper tip: 0.10 x 0.08 mm
Lower tip: 0.10 x 0.02 mm

No. 11251-33

For information on
Dumont alloys
and tip styles,
see page 217.

FORCEPS


Dumont #3

Tapered and
sturdy shanks.



FORCEPS


For information on
Dumont alloys
and tip styles,
see page 217.



Standard tip

12 cm
Dumoxel
0.17 x 0.10 mm


No. 11231-30



Standard tip

12 cm
Dumostar
0.17 x 0.10 mm

No. 11293-00

Dumont #3c

Standard tip

11 cm
Inox
0.17 x 0.10 mm

No. 11231-20

Dumont #6

Sharply angled tips for
access to difficult areas.




Standard tip

11.5 cm
Inox
0.17 x 0.10 mm

No. 11260-20

Dumont #7 Fine Tips

Finished under magnification and polished on the inside, the tips close flat to 3 mm and therefore less likely to open under excess pressure.



Biology tip

11 cm
Inox
0.07 x 0.03 mm
No. 11274-20

Dumont #7


•TITANIUM•

11272-40
For more information
see page 211.



Biology tip

11.5 cm
Dumoxel
0.07 x 0.04 mm
No. 11272-30



Standard tip

Dumoxel
No. 11271-30

Dumostar
No. 11297-00


Dumostar
No. 11297-10

Titanium
No. 11272-40

Dumont #7 Ceramic Coated

**CERAMIC
COATED**

For more information about
our ceramic instruments
please visit page 211.




Biology tip

11 cm
Ceramic coated inox
0.07 x 0.04 mm
No. 11272-50

Dumont #7B

SERRATED



Standard tip


11 cm
Inox
0.17 x 0.10 mm
No. 11270-20

For information on
Dumont alloys
and tip styles,
see page 217.

FORCEPS

Dumont #4

Similar to #5, but
with broader shanks.



Standard tip

11 cm


Dumoxel

0.13 x 0.08 mm

No. 11241-30

Dumostar

No. 11294-00



Biology tip

11 cm


Dumoxel

0.06 x 0.04 mm

No. 11242-40

Dumont #2 Laminectomy Forceps

These forceps can be used to break off
delicate bone during mouse laminectomies,
as well as fine skull bone removal.



Standard tip

12 cm


Inox

0.40 x 0.02 mm

No. 11223-20

Dumont #2AP Epoxy Coated

Provides good insulation for up to 220 AC voltage
work and highly impervious to chemical
solutions. Frozen or super cold sections will
not adhere to the gripping surfaces.



Standard tip

12 cm

Epoxy coated Inox

Tip width: 1.5 mm

No. 11220-21

For information on
Dumont alloys
and tip styles,
see page 217.


Dumont AA

Dumont AA Epoxy Coated

Slip-proof acid and electric shock resistant epoxy coating covering 17.5 mm from the tips.

Dumont SS


The tips are smooth on the inside for a gentle grip. Applying full strength will not separate tips and a strong hold on the smallest specimen is ensured.



Standard tip

12.5 cm
Inox
0.4 x 0.2 mm


No. 11210-20



Standard tip

12.5 cm
Epoxy coated inox
0.4 x 0.2 mm


No. 11210-10



Standard tip

13.5 cm
Inox
0.20 x 0.12 mm


No. 11203-23



Angled 45°

13.5 cm
Inox
0.20 x 0.12 mm

No. 11203-25



Biology tip

13.5 cm
Dumoxel
0.10 x 0.06 mm

No. 11200-33

For information on
Dumont alloys
and tip styles,
see page 217.


FORCEPS

Dumont Mini Forceps

Dumont #2E
Components Forceps

Dumont #5AC


FORCEPS

For information on
Dumont alloys
and tip styles,
see page 217.

Style 3

7 cm
Inox
0.12 x 0.07 mm


No. 11200-10



Style 4

7 cm
Inox
0.14 x 0.06 mm


No. 11200-12



Style 5

8 cm
Inox
0.09 x 0.05 mm


No. 11200-14

NEW
ITEM

For components

11.5 cm
Dumoxel
8 x 1.2 mm

No. 11229-08




For components

11.5 cm
Dumoxel
10 x 1.2 mm

No. 11229-10



300%


Biology Tip
Type #5 Anti-Capillary

11.5 cm
Inox
0.07 x 0.02 mm

No. 11258-20

Gold Plated Forceps

Gold-plating gives corrosion resistance to most chemicals, salts and acids. These forceps are perfect for any application where corrosion resistance and toughness are primary requirements.




Straight

11.5 cm
0.1 x 0.06 mm

Gold Plated
Stainless Steel

No. 11915-11




Curved

11.5 cm
0.2 x 0.1 mm

Gold Plated
Stainless Steel

No. 11917-12



Angled 30°


11.5 cm
0.1 x 0.06 mm

Gold Plated
Stainless Steel

No. 11911-11

Diamond Coated Forceps

Diamond coating provides increased corrosion resistance and greater protection from wear and tear, which extends the operational life of the forceps, as well as providing a stronger grip at the tips.




Straight

14 cm
0.15 x 0.1 mm

Diamond Coated
Stainless Steel

No. 11990-14




Angled 30°

14 cm
0.15 x 0.1 mm

Diamond Coated
Stainless Steel

No. 11991-14



Straight


12 cm
1.65 x 0.05 mm

Diamond Coated
Stainless Steel


No. 11992-12

Mirror Finish Broad Shanks


These forceps have long and narrow shanks with thin, highly polished tips to prevent tissue from sticking. Ideal for embryos, nerves, or other adhesive tissues.



Straight
13 cm
0.3 x 0.15 mm
No. 11923-13

#2A Forceps


Straight
12 cm
1.5 x 0.13 mm
Stainless Steel
No. 11992-20



Curved
13 cm
1.5 x 0.1 mm
Stainless Steel
No. 11972-20

Forceps with Replaceable Tips

Stainless steel body with replaceable plastic tips. Tips are made of polyvinylidene fluoride (PVDF) and are electrostatic discharge (ESD) safe. Body and plastic tips are corrosion and abrasion resistant.



Straight
13 cm
0.5 x 0.5 mm
Stainless Steel body
with replaceable
plastic tips
No. 11980-13



Pkg. of 2 tips and 3 screws
Replacement plastic tips
Straight, strong
4 cm
0.5 mm
No. 11988-01




Pkg. of 2 tips and 3 screws
Replacement plastic tips
Straight, very fine
4 cm
0.5 mm
No. 11988-02



Pkg. of 2 tips and 3 screws
Replacement plastic tips
Curved
4 cm
0.5 mm
No. 11988-03

Fine Forceps Broad Shanks

Straight forceps with sturdy coarse tips.




12 cm
0.2 x 0.12 mm

No. 11445-12


Fine Forceps Mirror Finish

The last 5 mm on the inside of the tips are highly polished to help prevent tissue from sticking. Ideal for embryos, nerves, or other adhesive tissue.



11 cm
0.10 x 0.06 mm

No. 11412-11




11 cm
0.05 x 0.02 mm

No. 11413-11


Fine Forceps Self-Closing

Ideal for lifting and holding EM grids. Consistent pressure at tips. Correctly tensioned "cross-over" shanks come to a microscopically matched point.




11.5 cm
0.08 x 0.04 mm

No. 11480-11



11 cm
0.10 x 0.06 mm

No. 11485-11



11.5 cm
0.20 x 0.12 mm


No. 11487-11

Moria Ultra Fine Forceps

These forceps have the most finely executed points available. They are extremely light, superbly balanced, and have a gentle spring action. The shanks are specially designed with an arch which ensures maximum force to the tips. The tips close flat for 6 mm from the points to give a large holding area. The tips have been expertly finished under magnification.



Moria MC40




Straight

11 cm

No. 11370-40

Moria MC40/B




Curved

11 cm

No. 11370-42



Moria 9980




Straight

13 cm

No. 11399-80

Moria 9987



Curved

13 cm


No. 11399-87

Moria Iris Forceps

Balanced with gentle spring action and tips that are perfectly matched.



Moria MC32/B


Smooth
Blunt

10 cm

Tip width: 0.5 mm

No. 11373-22

Moria MC31/B


Smooth
Blunt

10 cm

Tip width: 0.5 mm

No. 11373-12


Moria MC32



Microserrated

No. 11370-32

Moria MC31



Microserrated

No. 11370-31

Moria Bonn Forceps




•TITANIUM•

11383-56
For more information
see page 211.



Moria 7835




Straight
1x2 teeth and tying
platform

7.5 cm
Tip width: 0.3 mm
Tying platform: 4 mm
Stainless Steel

No. 11383-50

Moria TI7835




Straight
1x2 teeth and tying
platform

7.5 cm
Tip width: 0.3 mm
Tying platform: 4 mm
Titanium

No. 11383-56


Moria Paufigue Forceps



20x magnification



Moria 3225




Straight
1x2 teeth with tying
platform

8.5 cm
Tip width: 0.12 mm
Tying platform: 5 mm

No. 11390-25


Fine Forceps



Straight

11 cm
0.3 x 0.25 mm

No. 00108-11



Angled 45°

11 cm
0.3 x 0.25 mm

No. 00109-11


SuperGrip Forceps

The tips are processed with MicroCrystals®, a method developed by S&T® to infuse tungsten carbide on stainless steel. The formation of this ultra-fine coating guarantees atraumatic handling of tissue while improving the grip dramatically. The recommended use is where forceps are utilized as needle holders or when slippery tissues might be encountered.



300%


The gripping surface is similar to a match head.



Straight

11 cm
0.3 x 0.25 mm


No. 00632-11




Angled 45°

11 cm
0.3 x 0.25 mm

No. 00649-11

Bonn

20x magnification




Smooth

7 cm

Tip width: 0.3 mm

Tying Platform: 5 mm

No. 11083-07




1x2 teeth

7 cm


Tip width: 0.45 mm

Teeth width: 0.1 mm

No. 11084-07

Mirror Finish Bonn Forceps

20x magnification


Straight
1x2 teeth

10.5 cm

Tip width: 0.12 mm

Tying Platform: 5 mm
Partly polished

No. 11090-10



Straight

10.5 cm


Tip diameter: 0.3 mm

Tying Platform: 5 mm
Partly polished

No. 11093-10

Mirror Finish Suture Tying Forceps with Teeth

A unique tip style fusing a suture tying platform and a 1x2 teeth tip for tissue manipulation.



20x magnification



Straight

9 cm

Tip width: 0.3 mm

Platform with 1x2 teeth

No. 11090-09


Moria Suture Tying Forceps

Used to suture after surgery is complete. This requires the manipulation of a calibrated nylon thread and the use of a specific instrument: a tying forceps, straight or curved, without teeth.

Moria



Moria 9604




Straight
Smooth

9.5 cm
Tip diameter: 0.3 mm
Tying Platform: 8 mm

No. 11393-04

Moria 9605




Curved
Smooth

9.5 cm
Tip diameter: 0.3 mm
Tying Platform: 7.5 mm

No. 11393-05

McPherson Forceps

MOST
POPULAR



Angled 45°
Smooth


9 cm
Tip width: 0.4 mm
Tying Platform: 6 mm

No. 11063-07

Suture Tying Forceps

The platform tips close flat. This ensures a reliable grip on sutures.

S&T®




13.5 cm
Tip diameter: 0.3 mm
Tying platform: 6 mm

No. 00272-13

Suture Tying Forceps

The platform tips close flat. This ensures a reliable grip on sutures.




10 cm
Tip diameter: 0.5 mm
Tying platform: 5 mm

No. 18025-10

Round Handled Suture Tying Forceps

Round handles allow easy fingertip adjustments.





10.5 cm
Tip diameter: 0.35 mm
Tying platform: 5.5 mm

No. 18026-10

Vial Forceps


Tips taper for 6 cm allowing easy access to specimens in vials.



15 cm
Tip diameter: 0.5 mm


No. 11006-15

Vitro Grasping Forceps




14 cm
Serrated
Tip diameter: 0.7 mm

No. 11900-14

Graefe Forceps


Straight
Serrated

7 cm
Tip width: 0.6 mm
No. 11064-07




Curved
Serrated

7 cm
Tip width: 0.6 mm
No. 11065-07



Straight
1x2 teeth

No. 11066-07




Curved
1x2 teeth

No. 11067-07

Bishop-Harman

Extra light, fenestrated handles ensure a good grip.




10x magnification



Serrated

8.5 cm
Tip width: 0.5 mm
No. 11069-08




1x2 teeth

8.5 cm
Tip width: 0.5 mm
No. 11070-08


Octagon Forceps

The octagon shaped grip provides a particularly secure finger hold.




Straight
Serrated

9.5 cm
Tip width: 0.8 mm
No. 11040-08




Curved
Serrated

9.5 cm
Tip width: 0.8 mm
No. 11041-08



Straight
1x2 teeth


No. 11042-08



Curved
1x2 teeth

No. 11043-08

Extra Fine Graefe Forceps


80% of
actual size

Serrated

10 cm

Tip width: 0.5 mm

No. 11150-10




Serrated

10 cm

Tip width: 0.5 mm

No. 11151-10




Serrated

10 cm


Tip width: 0.5 mm

No. 11152-10




Smooth

No. 11158-10




Smooth

No. 11159-10




Smooth

No. 11160-10




1x2 teeth

No. 11153-10



1x2 teeth

No. 11154-10



1x2 teeth

No. 11155-10

Graefe Forceps

MOST
POPULAR11051-10
11054-10


• TITANIUM •

11650-10 – 11652-10
For more information
see page 211.

Serrated

Tip width: 0.8 mm

No. 11050-10



Serrated

Tip width: 0.8 mm


No. 11051-10



Serrated

Tip width: 0.8 mm


No. 11052-10



Serrated

Tip width: 0.8 mm


No. 11049-10



Titanium

Tip width: 1.2 mm


No. 11650-10



Titanium

Tip width: 1.2 mm


No. 11651-10



Titanium

Tip width: 1.2 mm


No. 11652-10



1x2 teeth

Tip width: 0.8 mm

No. 11053-10



1x2 teeth

Tip width: 0.8 mm

No. 11054-10



1x2 teeth

Tip width: 0.8 mm

No. 11055-10



Sliding Lock Forceps

Smooth

11 cm

Tip width: 1 mm
Slide lock

No. 11062-10

Episcleral Forceps

The tips of these forceps arch toward each other, closing flat. Exceptional gripping power is possible with minimal damage to tissue. A limit pin prevents excessive applied pressure.



10 cm

Tip thickness: 0.2 mm
Tip Dimension: 1.3 x 3 mm

No. 11071-10

Pierse Fixation Forceps

For exceptional gripping power with no damage to sclera, vascular sheath and epineurium.



Straight

13 cm

Tip Dimension: 0.1 x 0.4 mm

No. 18155-13

Plastic Forceps

These forceps are non-magnetic, acid resistant and able to withstand temperatures up to 240°C (464°F). Tips do not spread under pressure. Plastic forceps are made of Acetyl and will be sold in packages of 10 pieces.



Sharp
Straight

11.5 cm
0.40 x 0.25 mm

No. 11700-00



Blunt
Straight

11.5 cm
1.5 x 0.40 mm

No. 11700-03



Sharp
Curved

11.5 cm
0.30 x 0.20 mm


No. 11700-01



Blunt
Curved

11.5 cm
1.5 x 0.40 mm

No. 11700-04




Sharp
Angled 45°

11.5 cm
0.30 x 0.20 mm

No. 11700-02

Cross Action Forceps

These tissue transport forceps have a gentle action.




Cross serrated

10 cm
Tip Dimension: 4 x 8 mm

No. 11075-00

Cover Glass Forceps



Straight

10.5 cm
Tip Dimension:
4 x 5 x 10 mm

No. 11074-02



Angled

10.5 cm
Tip Dimension:
4 x 5 x 10 mm

No. 11073-10

Ring Forceps

For transport of tissue and organs. With limit screw to prevent excessive applied pressure.



8.5 cm
Inner Diameter: 1 mm
Outer Diameter: 1.5 mm
Ring width: 0.5 mm

No. 11101-09



9 cm
Inner Diameter: 2.2 mm
Outer Diameter: 3 mm
Ring width: 1.3 mm

No. 11103-09



9 cm
Inner Diameter: 4.8 mm
Outer Diameter: 6 mm
Ring width: 1.5 mm

No. 11106-09

Circle Forceps

Cupped forceps for atraumatic gripping of organs and tissues.



11.5 cm
Tip diameter: 0.7 mm

No. 11072-11

Live Insect Handling Forceps

Very delicate.



Narrow
10 cm

No. 26029-10




Wide
10 cm

No. 26030-10

Micro-Adson

Our most delicate version of the popular Adson forceps.




Serrated
12 cm
Tip width: 0.8 mm
No. 11018-12

1x2 teeth
12 cm
0.8 mm
No. 11019-12

Micro-Adson with Fenestrated Handle

Our delicate Micro-Adson forceps, with five windows to aid in stability and easy finger adjustments.



Serrated
12 cm
0.8 mm
No. 11020-12

1x2 teeth
12 cm
0.5 mm
No. 11032-12

1x2 teeth with
6 mm platform
12 cm
0.8 mm
No. 11022-12

Adson


Wide, strong grip with narrow tips.

**MOST
POPULAR**

11006-12
11027-12

**TUNGSTEN
CARBIDE**

11506-12
For more information
see page 211.




Serrated
12 cm
1.5 mm
No. 11006-12

1x2 teeth
12 cm
1.5 mm
No. 11027-12

Cross serrated
tungsten carbide
inlaid tip
12 cm
1.5 mm
No. 11506-12

Adson DeBakey


**Atraumatic
DeBakey Serrations**

This tooth pattern, as shown, consists of one row of atraumatic teeth meshed with two opposite rows of atraumatic teeth.

These two forceps are ideal for gentle, atraumatic gripping of vessels, tissue and other delicate structures.



DeBakey serrations

12.5 cm
Tip width: 1.5 mm

No. 11617-12



DeBakey serrations

15 cm
Tip width: 1.5 mm

No. 11616-15

Adson-Graefe




Fine sharp teeth

12.5 cm
Tip width: 4.5 mm

No. 11030-12

Adson-Brown



Shark teeth

12 cm
Tip width: 1.4 mm

No. 11627-12

Standard Pattern

Broad pattern with strong spring action.



Straight
Serrated

Tip width (mm)	Length (cm)	Item	Price
2.5	12	No. 11000-12	
2.8	13	No. 11000-13	
3.25	14.5	No. 11000-14	
3.3	16	No. 11000-16	
3.7	18	No. 11000-18	
3.75	20	No. 11000-20	
3.9	25	No. 11000-25	
4	30	No. 11000-30	



Curved
Serrated

Tip width (mm)	Length (cm)	Item	Price
2.5	12	No. 11001-12	
2.8	13	No. 11001-13	
3.25	14.5	No. 11001-14	
3.3	16	No. 11001-16	
3.7	18	No. 11001-18	
3.75	20	No. 11001-20	

Narrow Pattern

Lighter spring action than standard pattern
for grasping more delicate tissue.

•TITANIUM•

11602-14
For more information
see page 211.



Straight
Serrated

Tip width (mm)	Length (cm)	Item	Price
2	12	No. 11002-12	
2.15	13	No. 11002-13	
2.25	14.5	No. 11002-14	
2.25	14.5	No. 11602-14	
2.35	16	No. 11002-16	
2.4	18	No. 11002-18	
2.75	20	No. 11002-20	
3.2	25	No. 11002-25	



Curved
Serrated

Tip width (mm)	Length (cm)	Item	Price
2	12	No. 11003-12	
2.15	13	No. 11003-13	
2.25	14.5	No. 11003-14	
2.35	16	No. 11003-16	
2.4	18	No. 11003-18	
2.75	20	No. 11003-20	

Semken

Slim pattern with long, narrow shanks and gentle spring action.

•TITANIUM•

11608-15
For more information
see page 211.



Straight
Serrated

Tip width (mm)	Length (cm)	Item	Price
1.3	13	No. 11008-13	
1.5	15	No. 11008-15	
1.5	15	No. 11608-15	



Curved
Serrated

Tip width (mm)	Length (cm)	Item	Price
1.3	13	No. 11009-13	
1.5	15	No. 11009-15	

DeBakey Round Handle Forceps

Ideal for gentle, atraumatic gripping of vessels, tissue and other delicate structures. Two rows of atraumatic teeth interfit with one opposite row of atraumatic teeth. The round handles allow easy fingertip adjustments.



DeBakey serrations

15 cm
Tip width: 1.2 mm
No. 11076-15

Multipurpose Forceps

Balanced instruments are designed to put the center of gravity between the thumb and index finger. This is accomplished by adding a slight counter weight to the proximal end of the instruments. The design enhances tactile feel, aiding in better control and precision.

The tips of these multipurpose forceps are configured to enable their use as dilators at the front, as well as needle holders and tying forceps further in the back. The platform at the tips close parallel ensuring a reliable grip.



80% of
actual size



Straight

14.5 cm
Suture tying platform
Tip diameter: 0.1 mm

No. 18601-15



80% of
actual size



Straight

15 cm
Suture tying platform
Tip diameter: 0.3 mm

No. 18602-15



80% of
actual size



Angled

14.5 cm
Smooth
Tip diameter: 0.2 mm

No. 18603-14

Tissue Forceps



Straight
Standard 1x2 teeth
12 cm

Straight
Narrow 1x2 teeth
10 cm
No. 11023-10

Straight
Narrow 1x2 teeth
14.5 cm
No. 11023-14

No. 11021-12
14.5 cm
No. 11021-14

Straight
Standard 2x3 teeth
14.5 cm
No. 11022-14

12 cm
No. 11023-12

15.5 cm
No. 11023-15

15.5 cm
No. 11021-15


15.5 cm
No. 11022-15

Tissue Forceps

Used with rongeur No. 16021-14 (page 36) in laminectomy to securely hold spinal column.



Curved
Narrow 1x2 teeth
14 cm
No. 11029-14

Gillies


Cross-Serrated
1x2 teeth

15 cm
Tip Dimension: 1.5 x 2 mm

No. 11028-15

Russian

Special cupped pattern
for superior grip.




15 cm
Tip Dimension: 6 x 11 mm

No. 11026-15

Organ Holding Forceps


With limit screw to prevent
excessive applied pressure.



Serrated
14.5 cm
Tip Dimension: 8 x 11 mm

No. 11031-15

London Forceps



Angled
Serrated

16 cm

No. 11080-02

Titanium Forceps

•TITANIUM•

For more information
see page 211.



Straight
Serrated

16 cm

No. 11602-16


Gerald Forceps



Straight
Serrated

18 cm

No. 11014-18



Curved
Serrated

18 cm

No. 11015-18

Taylor Forceps

Serrated and smooth versions available.

**Potts-Smith Forceps****Mouse Handling Forceps**

Long handles make picking up small rodents easy and help prevent bites.



Ultra Fine Hemostat



Straight
Smooth

12 cm
Tip width: 0.6 mm

No. 13020-12



Curved
Smooth

12 cm
Tip width: 0.6 mm

No. 13021-12

Fine Hemostat



Straight
Smooth

12 cm
Tip width: 1 mm

No. 13006-12



Curved
Smooth

12 cm
Tip width: 1 mm

No. 13007-12

Micro-Mosquito



Straight
Serrated

12 cm
Tip width: 1.3 mm


No. 13010-12



Curved
Serrated

12 cm
Tip width: 1.3 mm

No. 13011-12



Angled 90°
Serrated

12 cm
Tip width: 1.3 mm

No. 13012-12

Halsted-Mosquito



13108-12



13008-12



13109-12



Straight
Serrated

12.5 cm
Tip width: 1 mm

No. 13008-12



Curved
Serrated

12.5 cm
Tip width: 1 mm

No. 13009-12



Straight
Serrated

12.5 cm
Tip width: 1 mm
Left handed

No. 13108-12



Curved
Serrated

12.5 cm
Tip width: 1 mm
Left handed

No. 13109-12

HEMOSTATS


Crile



Straight
Serrated

14 cm
Tip width: 1.5 mm

No. 13004-14



Curved
Serrated

14 cm
Tip width: 1.5 mm

No. 13005-14

Kelly



Straight
Serrated

14 cm
Tip width: 1.5 mm

No. 13018-14



Curved
Serrated


14 cm
Tip width: 1.5 mm

No. 13019-14

Baby-Mixer

Providence-Hospital

HEMOSTATS



Curved
Serrated
14 cm
Tip width: 1.3 mm
No. 13013-14



Straight
Serrated
14 cm
Tip width: 1.5 mm
No. 13014-14



Curved
Serrated
14 cm
Tip width: 1.5 mm
No. 13015-14

Hartman

MOST
POPULAR

13003-10



Straight
Serrated

10 cm
Tip width: 1 mm

No. 13002-10



Curved
Serrated

10 cm
Tip width: 1 mm

No. 13003-10

Backhaus Towel Clamp



9 cm

No. 11095-09



13 cm

No. 11095-13

Allis Clamp

Tissue and organ holding forceps.



Allis



5x6 teeth
15 cm
Tip width: 4 mm
No. 11091-15

Allis-Baby



4x5 teeth
12 cm
Tip width: 3 mm
No. 11092-12


Lorna Towel Clamp



Serrated
10 cm
Tip width: 6 mm
No. 11096-10




Serrated
13 cm
Tip width: 7 mm
No. 11096-13




Probes, Needle Holders, Wound Closure, Retractors & Clamps

Probes & Hooks	Pages	105 – 109
Spatulae	Pages	108 – 112
Hippocampal Tools	Page	112
Spoons	Page	113
Pins & Holders	Pages	114 – 115
Wound Closure	Pages	116 – 127
Retractors	Pages	128 – 135
Vascular Instruments	Pages	136 – 145




Double Pronged Pick


For peritoneum, pleura, endocardium, organ capsules and skin.
Grasps and lifts skin, tissue and dura, etc.



700%




The tip consists of two very sharp, nearly horizontally opposed points. By applying gentle downward pressure and twisting slightly in a clockwise fashion, the points will embed themselves horizontally into fine membranes or skin, etc., so that it may be lifted upward. This instrument also has been used successfully when separating fine tissue from an underlying area that is not to be cut.




11 cm
Tip diameter: 1 mm

No. 18067-11

Spinal Cord Hook



300%



Shaped like a ligation aid and sized to isolate the spinal cord from the dura of adult mice and neonatal rats. The cord can then be cut with minimal damage to the dura.



12 cm
Tip diameter: 3 mm

No. 10162-12

Bonn Micro Probes

Micro Points



Actual size
Angled 45°
13.5 cm
Tip diameter: 0.025 mm
No. 10032-13



Actual size
Straight
13.5 cm
Tip diameter: 0.025 mm
No. 10030-13



Actual size
Large curve
13.5 cm
Tip diameter: 0.038 mm
No. 10033-13



Actual size
Curved
13.5 cm
Tip diameter: 0.025 mm
No. 10031-13



300%
Angled 90° short
15.5 cm
Tip diameter: 0.05 mm
No. 10063-15



300%
Angled 45°
15.5 cm
Tip diameter: 0.038 mm
No. 10066-15



300%
Angled 90°
15.5 cm
Tip diameter: 0.02 mm
No. 10065-15



Probes and Explorers

Micro Hooks

MOST
POPULAR

10140-01



Actual size

Short angle

15.5 cm
Tip diameter: 0.12 mm

No. 10140-04



Actual size

Straight

15.5 cm
Tip diameter: 0.25 mm

No. 10140-01



Actual size

Long angled

15.5 cm
Tip diameter: 0.15 mm

No. 10140-03



Actual size

Angled

15.5 cm
Tip diameter: 0.15 mm

No. 10140-02



175%

Short round hook

13 cm
Tip diameter: 0.05 mm

No. 10064-14



175%

Blunt hook

12 cm
Tip diameter: 0.30 mm

No. 10062-12



175%

Sharp hook

12 cm
Tip diameter: 0.075 mm

No. 10061-12

Titanium Micro Point, Y-Hook, and Spatula

These instruments are lightweight, color coded for easy identification, have an ergonomic design and a non-reflective surface.

•TITANIUM•

For more information
see page 211.



650%

Micro Point



Angled 45°

12.5 cm
Tip diameter: 0.4 mm

No. 10165-11

•TITANIUM•

For more information
see page 211.



700%

Y-Hook



Angled 45°

12.5 cm
Tip width: 0.5 mm

No. 10166-11

•TITANIUM•

For more information
see page 211.



700%

Micro Spatula




Angled 30°

12.5 cm
Tip width: 0.6 mm
Tip thickness: 0.25 mm

No. 10167-11

Vessel Dilating Probe



Angled 45°

12.5 cm
Tip diameter: 0.6 mm

No. 10160-13

Gross Anatomy Probe

MOST
POPULAR



Angled 45°

15 cm
Tip diameter: 1.2 mm

No. 10088-15

Combination Probe and Spatula



14 cm
Spatula dimension: 13 x 7 x 0.6 mm
Tip diameter: 0.1 mm

No. 10090-13

Combination Spoon and Spatula



17.5 cm
Spatula dimension: 30 x 7 mm
Spoon diameter: 7 mm

No. 10090-17

SPATULAE

SPATULAE

Micro Spatula

Mirror Finish Micro Spatula

Mirror finished to provide a non-stick spatula.

Double-Ended Micro Spatula

MOST POPULAR

Iris Spatulae

SPATULAE



Straight

11 cm
Tip width: 1 mm
Tip thickness: 0.25 mm


No. 10089-11



Slightly curved

12 cm
Tip width: 0.8 mm
Tip thickness: 0.25 mm


No. 10087-12



Angled

13 cm
Tip width: 2 mm
Tip thickness: 0.3 mm

No. 10091-12



Straight

13 cm
Tip width: 3 mm
Tip thickness: 0.4 mm


No. 10094-13



Slightly curved

13 cm
Tip width: 1.7 mm
Tip thickness: 0.3 mm

No. 10093-13




Curved

12 cm
Tip width: 1.8 mm
Tip thickness: 0.3 mm

No. 10092-12

Micro Spatula Kit

Kit with 4 pieces



Black



Straight

6 cm
Tip width: 0.2 mm

Blue



Straight

6 cm
Tip width: 0.3 mm

Green



Straight

6 cm
Tip width: 0.5 mm

Red



Straight

6 cm
Tip width: 0.7 mm

No. 10098-06

Mini Hippocampal Dissecting Tool

The instrument ends are malleable to allow you to adjust their shape to the correct angle for optimal positioning.



14.5 cm
Spatula dimension: 20 x 6 mm & 13 x 3 mm
Tip thickness: 0.5 mm

No. 10099-12

Hippocampal Dissecting Tool

The instrument ends are malleable to allow you to adjust their shape to the correct angle for optimal positioning.



16 cm
Spatula dimension: 27 x 14 mm & 27 x 6 mm
Tip thickness: 0.5 mm

No. 10099-15

Spoon

Moria



Moria 1121B

12.5 cm
Diameter: 8 mm
Depth: 2 mm

No. 10321-08

Mini Perforated Spoon

Most commonly used to take embryos out of solution and handling very small organs.

Moria



Moria MC 17C

10 cm
Diameter: 8 mm
Depth: 1 mm

Perforations: 0.8 mm
in diameter


No. 10370-19

Perforated Spoon

Most commonly used to take embryos out of solution and handling very small organs.

MOST
POPULAR

Moria




Moria MC 17 BIS

14.5 cm
Diameter: 15 mm
Depth: 3 mm

Perforations: 0.9 mm
in diameter

No. 10370-18



Moria MC 17

14.5 cm
Diameter: 20 mm
Depth: 5 mm

Perforations: 0.9 mm
in diameter

No. 10370-17

**Mirror Finish
Cutting Spoon**

Non stick cutting spoon.



13 cm
Diameter: 4.5 mm
Depth: 0.15 mm

No. 10360-13

Pin Holder

Light weight



90% of
actual size

17 cm
Nickel-plated chuck
Aluminum handle
Jaw opening: 0–1 mm

No. 26018-17

Pin Holder



Moria MC1

12 cm
Nickel-plated
Jaw opening: 0–1 mm

No. 26016-12

Insert Pins

All insert pins fit any of our pin holders.
Pins are antimagnetic and acid resistant.



Black Anodized Minutien Pins

These high quality pins are black for best visibility under high magnification and bright light.

Tip diameter: 0.0175 mm
Rod diameter: 0.15 mm
12 mm

Box of 500 pins
No. 26002-15

**MOST
POPULAR**



Stainless Steel Minutien Pins

The thinnest and finest pins available.

**NEW
ITEM**

Tip diameter: 0.0125 mm
Rod diameter: 0.1 mm
12 mm

Box of 500 pins
No. 26002-10

**MOST
POPULAR**

Tip diameter: 0.0175 mm
Rod diameter: 0.15 mm
12 mm

Box of 500 pins
No. 26003-15

**MOST
POPULAR**


Tip diameter: 0.02 mm
Rod diameter: 0.2 mm
12 mm

Box of 500 pins
No. 26002-20

**MOST
POPULAR**

Black Anodized Insect Pins

Nylon heads
Tip diameter: 0.03 mm
Pkg. of 100 pins



Size	000	00	0	1	2	3	4	5	6	7
Rod diameter (mm)	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60	0.65	0.70
No. 26000	-25	-30	-35	-40	-45	-50	-55	-60	-65	-70


Stainless Steel Insect Pins

Nylon heads
Tip diameter: 0.03 mm
Pkg. of 100 pins

Size	000	00	0	1	2	3	4	5	6	7
Rod diameter (mm)	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60	0.65	0.70
No. 26001	-25	-30	-35	-40	-45	-50	-55	-60	-65	-70

Etched Tungsten Micro Needles

These tungsten micro needles are drawn to a 1 micron tip and three different rod diameters are offered. Each provides lateral stability as well as minimal spring action during manipulation. The micro needles can be used with our pin holders shown on page 114.



Tip diameter: 1 μ m (0.001 mm)
12 mm

Box of 10 needles

Rod diameter (mm)	Item	Price
0.125	No. 10130-05	
0.25	No. 10130-10	
0.5	No. 10130-20	

Castroviejo

Micro pattern, with slightly blunted tips.

Round Handled Needle Holder with Suture Cutter

Round handles allow easy fingertip adjustments.

Round Handled Needle Holder

Round handles allow easy fingertip adjustments.

Cautionary note: Never use a micro needle holder with needles that are too thick, as this can easily damage the fine jaws. Use only micro needles of less than 0.2 mm diameter (see page 122).



Straight

9 cm

With lock
No. 12060-01

Without lock
No. 12060-02




Curved

9 cm

With lock
No. 12061-01

Without lock
No. 12061-02



Curved
Cutting edge: 3.5 mm

14 cm

Without lock
No. 12075-14



Straight

12.5 cm

With lock
No. 12075-12

Without lock
No. 12076-12



Curved

12.5 cm

Without lock
No. 12074-12

Mathieu

Extra slim and narrow profile, with squeeze-lock.
Facilitates excellent wrist motion for suturing.

**TUNGSTEN
CARBIDE**

For more information
see page 211.



14 cm

With lock
No. 12010-14



With tungsten
carbide jaws
14 cm

With lock
No. 12510-14

Castroviejo with Tungsten Carbide Jaws

**TUNGSTEN
CARBIDE**

For more information
see page 211.



With tungsten carbide jaws
14 cm

With lock
No. 12565-14

WOUND CLOSURE

Halsey

**MOST
POPULAR**

**TUNGSTEN
CARBIDE**

For more information
see page 211.



13 cm
Smooth
With lock

No. 12001-13



13 cm
With tungsten
carbide jaws
With lock

No. 12501-13

Halsey with Tungsten Carbide Jaws

**TUNGSTEN
CARBIDE**

For more information
see page 211.



12.5 cm
With tungsten
carbide jaws
With lock

No. 12500-12

Olsen-Hegar with Suture Cutter

**MOST
POPULAR**

**LEFT
HANDED** 

12102-12



12 cm
10 mm cutting edge
With lock

No. 12002-12

No. 12102-12

14 cm
15 mm cutting edge
With lock

No. 12002-14

Olsen-Hegar with Suture Cutter and Tungsten Carbide Jaws

**TUNGSTEN
CARBIDE**

For more information
see page 211.

**LEFT
HANDED** 

12512-12



12 cm
With tungsten
carbide jaws
10 mm cutting edge
With lock

No. 12502-12

No. 12512-12

14 cm
With tungsten
carbide jaws
15 mm cutting edge
With lock

No. 12502-14

WOUND CLOSURE

Crile-Wood

**TUNGSTEN
CARBIDE**

For more information
see page 211.

**LEFT
HANDED** 

12504-15



15 cm
With lock

No. 12003-15



15 cm
With tungsten
carbide jaws
With lock

No. 12503-15

No. 12504-15

Mayo-Hegar



16 cm
With lock

No. 12004-16



18 cm
With lock

No. 12004-18

WOUND CLOSURE

Slim Elongated Needle Holder with Tungsten Carbide Jaws

**TUNGSTEN
CARBIDE**

For more information
see page 211.



15 cm
With tungsten
carbide jaws
With lock

No. 12005-15

Ryder Mini-Select Needle Holder

This needle holder has been uniquely fashioned with tungsten carbide dust tips, giving the clamping platform an extra secure grip.

**TUNGSTEN
CARBIDE**

For more information
see page 211.



15 cm
With tungsten
carbide dust tips
With lock

No. 12505-15

WOUND CLOSURE

Microsurgical Needles with Suture Thread Attached


The combination of proprietary needle design technology and state-of-the-art manufacturing techniques has enabled S&T to provide a microsurgical needle that is unmatched in the industry. S&T microsurgical needles provide frictionless tissue penetration. They are inspected under the microscope at critical stages during the manufacturing process, and a multi-point final inspection of each suture and needle combination ensures a high quality product. The suture-to-needle attachment is tested to higher standards than the USP specifications.

Features:

- Needle and thread combination comprising of non-absorbable black nylon polyamide monofilament thread and stainless steel 3/8 circle needle. Nylon is suitable for closing ophthalmic, neurological and microvascular wounds.
- 3/8 circle precision taper point. Stainless steel needle honed under microscope by hand. Superfine round tip with flattened body to improve stability in needle holder. Easy penetration. Precise stitch placement.
- Grinding geometry and suture needle attachment are directed toward frictionless tissue penetration.
- Each needle suture combination is individually packed and sealed in a peel-open blister pack.

Sterile

Pkg. of 12 disposable units



400% of actual size

No. 12051-11



No. 12051-10



No. 12051-08



Suture size	Suture length (cm)	Needle diameter (micron)	Needle diameter (mm)	Needle chord length (mm)	Circle	Arch (mm)	Item	Price
11/0	10	50	0.05	3	3/8	3.8	No. 12051-11	
10/0	10	70	0.07	3	3/8	3.8	No. 12051-10	
8/0	15	140	0.14	5	3/8	6.4	No. 12051-08	



Suture size	Suture length (cm)	Needle diameter (micron)	Needle diameter (mm)	Needle chord length (mm)	Circle	Arch (mm)	Item	Price
11/0	10	50	0.05	3.8	3/8	3.8	No. 12052-11	
10/0	10	70	0.07	3.8	3/8	3.8	No. 12052-10	
9/0	15	100	0.1	5	3/8	5.1	No. 12052-09	
8/0	15	140	0.14	5	3/8	6.4	No. 12052-08	




Suture Needles

Polished stainless steel
3/8 curved
Round with standard eye
Diameter 0.35 mm
Suitable for sutures up to 0.32 mm diameter

Non-sterile

Pkg. of 12 needles



Size	Item	Price
00	No. 12050-20	
0	No. 12050-10	
1	No. 12050-01	
2	No. 12050-02	
3	No. 12050-03	

Silk Suture

Silk suture has a smooth flow through tissue while maintaining knot security.

Braided silk

Non-sterile

Can be ETO sterilized



Size	Diameter (mm)	Spool length (m)	Item	Price
7/0	0.05	91	No. 18020-70	
6/0	0.08	23	No. 18020-60	
5/0	0.12	23	No. 18020-50	
4/0	0.17	23	No. 18020-40	
3/0	0.22	23	No. 18020-30	
2/0	0.32	23	No. 18020-20	
0	0.37	23	No. 18020-00	
1	0.45	23	No. 18020-01	
2	0.55	23	No. 18020-02	
3	0.65	23	No. 18020-03	

For Suture Tying Forceps, see pages 81, 82 and 83.

Nylon Monofilament Suture

Nylon is known for its uniform diameter flexibility and outstanding consistent knot security.

Nylon monofilament

Non-sterile

Can be ETO sterilized




Size	Diameter (mm)	Spool length (m)	Item	Price
8/0	0.04	91	No. 18030-80	
7/0	0.05	91	No. 18030-70	
6/0	0.07	91	No. 18030-60	
5/0	0.10	91	No. 18030-50	
4/0	0.15	91	No. 18030-40	
3/0	0.20	91	No. 18030-30	

Suturing Principles and Techniques in Laboratory Animals

Introduces the basic principles, materials and surgical instruments required for suturing and wound closure used on animals. The manual provides descriptions and pictures portraying proper tissue handling and aseptic technique, correct hand placement and use of surgical instruments, proper needle placement on needle holders, and provides an in-depth explanation of various suture patterns and associated principles for proper knot tying during wound closure.

The DVD provides descriptive narrative and step-by-step video demonstrations for each of the suturing techniques.

Manual and DVD




Includes: Fine Science Tools Item Number
Reference Page for all surgical instruments
used in the manual.

No. 23005-10

Michel Suture Clips

Anti-magnetic, acid-resistant
stainless steel
Pkg. of 1.000 clips

Size (mm)	Item	Price
7.5 x 1.75	No. 12040-01	
11 x 2	No. 12040-02	
12 x 2.5	No. 12040-03	



Applying Forceps



12.5 cm
For clip sizes 12040-02 and 12040-03

No. 12018-12

Applying and Removing Instruments



Curved
13 cm
For clip sizes 12040-02 and 12040-03

No. 12028-12



Angled
13 cm
For clip size 12040-01

No. 12029-12

WOUND CLOSURE



Reloadable Skin Stapler with Rotating Head

The 360° degree swivel nose and unique design offers maximum visibility at the delivery point. The stainless steel staples are non-sterile and feature a patented staple design which make for quick and easy removal. The disposable staple cartridge includes a printed staple counter. **The handle is reusable and autoclavable. Staples are non-sterile. Components sold separately or as a kit.**

Disposable staple cartridge contains 35 316L stainless steel staples with printed staple counter

Reusable autoclavable handle


360° rotation

Trigger with full-stroke ratchet facilitates accurate staple placement

75% of actual size

Lightweight, ergonomic pistol grip handle

Staple Dimensions:



Staple, actual size:



Surgical staple kit

- 1 Handle
- 1 Remover
- 12 Disposable staple cartridges

No. 12030-20

Single disposable cartridge

35 staples per cartridge
No. 12030-22

12 disposable cartridges
35 staples per cartridge
No. 12030-23

Handle
No. 12030-01

Surgical Staple Remover

Compatible with Reloadable Skin Stapler with Rotating Head and Manipler® Skin Stapler.



75% of actual size

10 cm
No. 12030-04

Manipler® Skin Stapler


Quality, slim, lightweight design with consistent actuation and staple count indicator. **Disposable, sterile, and not autoclavable.**

15 cm

35 staples per cartridge


No. 12035-00

NOT
AUTOCLAVABLE



75% of actual size

Staple Dimensions:



Staple, actual size:



AutoClip® System

The AutoClip® System is a safe, secure method of wound closure. Faster and easier than suture, this system is perfect when staples may be too thin to provide adequate closure. **Non-sterile. Components sold separately or as a kit.** We recommend using wet steam sterilization at 120 – 125°C for at least 30 minutes in an autoclave to sterilize the device.

MOST
POPULAR



Applier



Clips



Remover

WOUND CLOSURE

AutoClip® Kit

- 1 Applier
- 9 mm clips (100)
- 1 Remover
- Storage case

No. 12020-00

AutoClip® applier
11.5 cm

No. 12020-09

AutoClip® clips
9 mm
Pkg. of 100 clips

No. 12022-09

AutoClip® clips
9 mm
Pkg. of 1000 clips

No. 12022-19

AutoClip® remover
12.5 cm

No. 12023-00



Guthrie

Extra delicate pattern.



2.5 mm



13 cm
2 Pronged
Blunt

No. 17021-13

Fine Retractor



6 mm



13.5 cm
2 Pronged
Blunt

No. 17023-13

Blair



6 mm



13.5 cm
4 Pronged
Blunt

No. 17022-13

Fomon



80% of
actual size

13 mm



17 cm
2 Pronged
2 mm Ball at each tip

No. 17020-17


Slide Retractor with Blades



2 cm
Maximum spread: 1 cm
Atraumatic blades

No. 17004-03

Mini-Goldstein



2 cm
Maximum spread: 0.5 cm
3x3 Sharp teeth

No. 17002-02

Mini-Colibri



2 cm
Maximum spread: 1 cm

No. 17000-01


Slide Retractor with Teeth



2 cm
Maximum spread: 1 cm
2x2 Blunt teeth

No. 17005-03

Goldstein



3 cm
Maximum spread: 1.8 cm
3x3 Sharp teeth

No. 17003-03

Colibri

**MOST
POPULAR**

17000-03



3 cm
Maximum spread: 1.5 cm

No. 17000-03

4 cm
Maximum spread: 1.5 cm

No. 17000-04




3 cm
Maximum spread: 1.2 cm

No. 17000-02

Speculum

Moria



Moria 7699

4.5 cm

Maximum spread: 3.5 cm

Thin, curved blades and grooved finger grips

No. 17370-53

Fine Adjustable Wire Retractor



5 cm


Maximum spread: 3.5 cm

Thin, curved blades

No. 17004-05

Colibri

Moria




Moria 6346D

3.4 cm

Maximum spread: 1.5 cm

No. 17300-02




Moria 6346C

3.3 cm

Maximum spread: 1.5 cm

No. 17300-03




Moria 6346B

3.5 cm

Maximum spread: 2 cm

No. 17300-04

Agricola




4 cm

Maximum spread: 3.5 cm

3x3 Sharp teeth

No. 17005-04

Alm Retractor with Wire Teeth



7 cm
Maximum spread: 4 cm
Arms gently curved down

No. 17010-07

Alm Retractor with Blunt Teeth



7 cm
Maximum spread: 4 cm
Arms gently curved down

Blunt teeth
No. 17008-07

7 cm
Maximum spread: 4 cm
Arms gently curved down

Long blunt teeth
No. 17009-07

Alm Retractor with Blades




7.5 cm
Maximum spread: 4.5 cm
Arms gently curved down
Thin, curved blades

No. 17009-08

RETRACTORS


Spring-Loaded Retractor

Curved atraumatic blades



5.5 cm
Maximum spread: 3 cm
Blade dimensions: 14 x 10 mm


No. 17006-05



8 cm
Maximum spread: 4 cm
Blade dimensions: 22 x 16 mm

No. 17007-08


Bowman



8 cm
Maximum spread: 2.5 cm

No. 17001-07


Heiss



Maximum spread: 2.3 cm
4x4 Blunt teeth
10 cm

No. 17011-10


Gelpi



Maximum spread: 3 cm
Angled down
1x1 Sharp teeth
10 cm

No. 17017-10

Weitlaner-Locktite



2x3 Blunt teeth

11 cm

Maximum spread: 4.5 cm

No. 17012-11


3x4 Blunt teeth

13 cm

Maximum spread: 6.5 cm

No. 17012-13

Wullstein




Angled down
3x3 Blunt teeth

11 cm

Maximum spread: 4.5 cm

No. 17018-11



Magnetic Fixator Retraction System

This Small Animal Retraction System simplifies set-up procedure and provides the examiner with an excellent overview of the operative site. It consists of three components: **Base Plate** (Nos. 18200-03 & 18200-04); **Fixators** (Nos. 18200-01 & 18200-02); and **Retractors** (Nos. 18200-05 through 18200-12).

The **Base Plates** are made from magnetic stainless steel and are available in two sizes. The surface is nonreflective and both plates have a window in the center which allows the animal contact with body temperature control systems. The window sizes are 10 x 13 cm for the small base plate and 15 x 25 cm for the large.

The **Fixators** are movable anchors made from anodized aluminum with a surgical grade rare earth magnet in the base for attachment anywhere on the Base Plate. The magnets do not interfere with lab electronics and can be used in close proximity (3 cm) to ferro-magnetic items. They incorporate pushbutton-activated spring locks that grip either the Wire or Elastomer Retractors.

The **Retractors** are interchangeable Retractor Tips (Nos. 18200-08 through 18200-12) which attach to either Retractor Wire (Nos. 18200-05 & 18200-06) for static retraction or to Elastomer (No. 18200-07) for dynamic retraction. The Retractor Tips are light and atraumatic to delicate tissue or membrane.

All system components are autoclavable.

Kit for animals up to 200 g

Includes:

- 1 Small base plate (No. 18200-03)
- 2 Short fixators (No. 18200-01)
- 1 Tall fixator (No. 18200-02)
- 1 Elastomer, 2 m roll (No. 18200-07)
- 1 Package of retractors, blunt, 1 mm wide (No. 18200-09)
- 1 Package of retractors, blunt, 2.5 mm wide (No. 18200-10)

No substitutions

No. 18200-20

Kit for animals from 200 g up to 5 kg

Includes:

- 1 Large base plate (No. 18200-04)
- 2 Short fixators (No. 18200-01)
- 2 Tall fixators (No. 18200-02)
- 1 Elastomer, 2 m roll (No. 18200-07)
- 1 Package of retractors, blunt, 2.5 mm wide (No. 18200-10)
- 1 Package of retractors, blunt, 5 mm wide (No. 18200-11)

No substitutions

No. 18200-50

Individual parts:

Short fixator, 3 cm high
Each

No. 18200-01

Tall fixator, 6 cm high
Each

No. 18200-02

Small base plate, (20 x 30 cm)
Each

No. 18200-03

Large base plate, (25 x 35 cm)
Each

No. 18200-04

Wire handles, 10 cm long
Pkg. of 10

No. 18200-05

Wire handles, 14 cm long
Pkg. of 10

No. 18200-06

Elastomer, 2 m roll
No. 18200-07

Sharp retractors, 1 mm wide
Pkg. of 10

No. 18200-08

Blunt retractors, 1 mm wide
Pkg. of 10

No. 18200-09

Blunt retractors, 2.5 mm wide
Pkg. of 10

No. 18200-10

Blunt retractors, 5 mm wide
Pkg. of 10

No. 18200-11

Blunt retractors, 7.5 mm wide
Pkg. of 10



No. 18200-12

Clamp Size and Clamp Pressure

Clamp pressure is determined by the closing force of the clamp (in grams), divided by the area of the vessel wall that is compressed between the jaws (in square millimeters). Thus, the smaller the vessel, the higher the pressure exerted.

Despite the wide range of closing forces, the pressure exerted by each clamp, big or small, remains consistent throughout the series. Each size of clamp exerts a pressure of 5g/mm² when used on the largest vessel in its range, and 15g/mm² when used on the smallest vessel. Even at the higher range, S&T's micro clamps have the gentlest working pressure of any small vessel clamp available.

Clamp (ea)	L x W (mm)	Vessel Diameter Range (mm)
00396-01 & 18040-11	3.5 x 1.0	0.4 - 1.0 ◦ ◦
00398-02 & 18040-22	5.5 x 1.5	0.6 - 1.5 ◦ ◦
00400-03 & 18040-33	7.5 x 1.75	1.0 - 2.25 ◦ ◦
00325-00	10 x 2.15	2.0 - 5.0 ◦ ◦



Micro Clamps

S&T®



S&T B-1
No. 00396-01



S&T B-2
No. 00398-02



S&T B-3
No. 00400-03



S&T HD-S
No. 00325-00

Double Micro Clamps

For vascular approximation at anastomosis. These clamps are mounted on a 10 mm sliding bar and can easily be moved by applying gentle force. The distance between the jaws of the clamps is adjustable from 3 to 16 mm.



No. 18040-11



No. 18040-22




No. 18040-33

Micro Clamp Applying Forceps

S&T®



14 cm
Only compatible with
S&T Micro Clamps




With lock
No. 00071-14

Without lock
No. 00072-14


Micro Clamp Applying Forceps



14.5 cm
Compatible with S&T
Micro Clamps and
Double Micro Clamps



Without lock
No. 18040-14



CLAMPS

Micro Clip Applicator with Lock

MOST POPULAR



14 cm
For use with
our 18055 and
18555 series
micro serrefines

With lock
No. 18056-14

Forceps Style Clip Applicator

This applicator features special U-shaped side supports for improved seating of the clips.



14 cm
For use with
our 18055 and
18555 series
micro serrefines

Without lock
No. 18057-14

Stainless Steel Micro Serrefines

Used to obtain a clear surgical field for extended arterial cross-clamping.

MOST POPULAR

Delicate atraumatic serrations
Spring width: 2 mm



	No. 18055-01	-02	-03	-04
Jaw length (mm)	10	8	6	4
Jaw width (mm)	2	2	1	0.75
Total length (mm)	19	16	15	13
Jaw pressure (g)	60	85	100	125



	No. 18055-05	-06
Jaw length (mm)	6	4
Jaw width (mm)	1	0.75
Total length (mm)	17	16
Jaw pressure (g)	100	125

Titanium Micro Serrefines

TITANIUM

Lightweight with strong clamping pressure.

For more information
see page 211.

Delicate atraumatic serrations
Spring width: 2 mm



	No. 18555-01	-02	-03	-04
Jaw length (mm)	10	8	6	4
Jaw width (mm)	2	2	1	0.75
Total length (mm)	19	16	15	13
Jaw pressure (g)	60	85	100	125

Cautionary note: Micro Serrefines should never be compressed with fingers; use only the appropriate applicator No. 18056-14 or No. 18057-14.



Moria Vessel Clamp

Straight
33 mm
Finely serrated (atraumatic)
Light pressure
For vessels up to 2 mm in diameter
Calibrated to 15g/mm²
Jaw dimensions 13 x 1.6 mm



Moria 201/A

No. 18320-11

Moria Bulldog Type Clamps

53 mm
Non-serrated
Strong pressure
Jaw dimensions 16 x 2.5 mm



Straight
Moria MC43

No. 18374-43



Curved
Moria MC44

No. 18374-44

Bulldog Artery Spring Clamp

Can be used with a minimum of distortion for MRI investigations.

TITANIUM

For more information
see page 211.

Straight
30 mm
Serrated
Light pressure



No. 18144-30

Dietrich Bulldog Clamps

Serrated
Good access to deep seated vessels
Closing pressure: 50 g (light)
Weight: 3 g



Straight
52.5 mm

No. 18038-45



Angled
50 mm

No. 18039-45

Bulldog Type Serrefines

Serrated

Straight
28 mm
Medium pressure



No. 18050-28

Curved
28 mm
Medium pressure



No. 18051-28



Straight
35 mm
Strong pressure

No. 18050-35

Straight
50 mm
Strong pressure

No. 18050-50

MOST POPULAR

Curved
35 mm
Strong pressure

No. 18051-35



Curved
50 mm
Strong pressure

No. 18051-50

Schwartz Micro Serrefines

Non-serrated
Strong pressure
26 mm

MOST POPULAR

Straight



No. 18052-01

Light bend



No. 18052-02

Sharp bend



No. 18052-03

Biemer Clip

Serrated
Straight
Closing Pressure: 30 g - 40 g (light)

15 mm
Clamping Length: 6 mm

NEW ITEM

No. 18058-15



18 mm
Clamping Length: 9 mm

No. 18058-18



Mini Serrefines

28 mm
Smallest bulldog-type hemostatic clamps
Medium pressure
Gentle serrations
2 mm wide

Straight



No. 18054-28

Curved



No. 18053-28

Horizon™ Metal Ligation System

The Horizon™ System provides surgeons with a strong, secure clip coupled with an efficient, convenient easy-load cartridge system. The preformed chevron shape of the Horizon™ Clip engulfs tissue with precise tip-to-tip closure. Heart-shaped wire is designed to give each clip a firm grip on vessels, while the triangulated cross-section of the clip leg maximizes surface-to-surface contact between clip and jaw, practically eliminating clip fallout.



Clips

Horizon™
Ligation Clips

1.98 x 2.87 mm
Pkg. of 6 Clips
Sterile

No. 18070-10

Remover

Horizon™
Clip Remover

Straight
16.5 cm

No. 18073-00




Applicator

Horizon™
Ligation Applicator

Curved
20 cm

No. 18070-00



Silver Neuro Clips

These single-use, silver neuro clips are meant for permanent vessel occlusion.

Pkg. of 100 clips
No. 18040-00

Vascular Occluders

Applications

- Fast, dependable zero-flow baseline determination in blood flow studies.
- Partial to full occlusion of vessels for circulation research studies.
- Prolonged implantations, such as chronic blood flow studies.
- Constriction of soft organs in acute or chronic applications.

Operation


- Step 1** Apply the occluder cuff around the exposed blood vessel. Secure it in place with suture material through the eyelets.
- Step 2** Occlude the vessel to the desired degree by inflating the diaphragm with air or liquid injected into the actuating tube using a syringe and blunt needle. Clamp the tubing to maintain occlusion of the vessel over time.
- Step 3** To deflate, simply withdraw the air or liquid.

Benefits


- Occlusion is accomplished without traction on vessels or surrounding tissues.
- The actuating tube may be exteriorized from the occlusion site for remote actuation.
- Performance during implantations is reliable and consistent.
- Autoclavable or cold sterilized, and easily maintained.
- Made from soft, flexible 100% silicone rubber.
- Fully operational with instant response using air, liquids, or inert gases.

Selection

The lumen diameter when deflated is usually the determining factor in the selection of the proper device. Select the occluder size that provides a slightly loose fit around the subject vessel. The cuff width and thickness will vary, depending on models and sizes.



The actuating tube length is 90 cm and measures 0.76 mm ID x 1.6 mm OD. Detailed instructions are included.



VO-1.5 N

Lumen diameter: 1.5 mm
Cuff width: <3.5 mm
Cuff thickness: 1.5 mm

No. 18080-01

VO-2

Lumen diameter: 2 mm
Cuff width: 5 mm
Cuff thickness: 1.5 mm

No. 18080-02


VO-3

Lumen diameter: 3 mm
Cuff width: 5 mm
Cuff thickness: 1.5 mm

No. 18080-03

Vessel Dilators

Highly modified forceps with elongated, parallel tips which are highly polished. Designed for controlled intraluminal vessel dilation.



S&T®

S&T®




Angled 10°

11 cm
Tip diameter: 0.1 mm

No. 00126-11

Tip diameter: 0.2 mm


No. 00125-11



Angled 45°

13.5 cm
Tip diameter: 0.2 mm

No. 00276-13



Angled 10°

12 cm
Tip diameter: 0.1 mm

No. 18131-12

Tip diameter: 0.2 mm

No. 18132-12

V-Hook

Aids in feeding fine suture around blood vessels, works very similar to ligation aids.



300%



11 cm
Tip diameter: 0.4 x 0.2 mm


No. 18052-12

Ligation Aids

A handy instrument for leading a fine suture under and around a blood vessel for tying-off purposes. Also useful for ligating peripheral nerves. Grooves toward hole help threading.



18063-13



300%

Ultrafine



10.5 cm
Hole diameter: 0.4 mm

No. 18062-12



200%

200%



13.5 cm
Hole diameter: 1 mm

No. 18062-13



13.5 cm
Hole diameter: 1 mm

No. 18063-13

Micro Cannulation System

This micro cannula is most helpful for quick and easy insertion in arteries and veins. It can be used as an “indwelling” catheter during long term experiments. With care, thorough rinsing and sterilization, it can be reused several times. Detailed instructions are included.



Features

- Biocompatible Teflon® tubing.
- Cannula size 0.33 mm OD – 0.16 mm ID
- A pointed stainless steel stylus (trocar), to aid in vascular penetration and allow a maximum range of cannula manipulation during insertion.
- Contoured tip for easy insertion, fitted with shoulder for “tie-in” to prevent accidental removal.
- Female luer connection for linkage to infusion lines.

MOST
POPULAR

1 Approach

Cannulation Forceps (Item No. 18403-11) and Spinal Cord Hook (Item No. 10162-12) aid in the insertion process.



2 Insertion

Remove trocar and advance cannula.



3 Secure

Use shoulder hub and suture to “tie in” cannula to prevent accidental removal.



Instruments sold separately.


8 cm

Cannula size 0.33 mm OD - 0.16 mm ID

No. 18000-10

Vessel Cannulation Forceps

These vessel cannulation forceps are useful whenever a fine plastic tube has to be introduced into a small blood vessel of almost equal size. The hollowed jaws hold the tubing securely without deforming it. The tip of the tubing is directed exactly into the vessel opening without damage to the vessel from unwanted movement.



S&T®

DUMONT®
S W I S S M A D E



11 cm
For tubing of 0.35 mm OD

No. 00608-11

11 cm
For tubing between
0.5 and 1 mm OD

No. 00574-11



11 cm
For tubing of 0.35 mm OD

No. 11280-11

11 cm
For tubing of 0.5 mm OD

No. 11281-11

11 cm
For tubing of 1 mm OD

No. 11282-11



11.5 cm
For tubing of 0.35 mm OD

No. 18403-11

11.5 cm
For tubing of 0.6 mm OD

No. 18406-11

13.5 cm
For tubing of 0.6 mm OD

No. 18406-13



Accessories & Instrument Care

Animal Accessories	Pages	147 – 152
Instrument Care & Accessories	Pages	153 – 166
Surgical Accessories	Pages	167 – 170
Laboratory Accessories	Pages	171 – 183



Reusable Gavage Feeding Needles

Stainless steel feeding needles with luer lock hub. Also ideal for transcardiac perfusions with a fixative.



Gauge	Length (mm)	Tip diameter (mm)	Shape	Mice	Rats	Guinea pigs	Item	Price
24	25	1.25	Straight	>14 g			No. 18061-24	
22	25	1.25	Straight	15-20 g			No. 18061-22	
20	30	Barrel	Straight	20-25 g	50-75 g		No. 18060-20	
20	38	2.25	Straight	20-25 g	50-75 g		No. 18064-20	
20	38	2.25	Curved	20-25 g	50-75 g		No. 18065-20	
18	38	2.25	Straight	20-30 g	100-200 g	250-300 g	No. 18061-38	
18	50	2.25	Curved	25-30 g	100-200 g	250-300 g	No. 18061-50	
16	75	3.00	Curved		150-300 g	350-450 g	No. 18061-75	
16	100	3.00	Curved		150-300 g	350-450 g	No. 18061-10	

Single Use Gavage Feeding Needles

These economical feeding needles feature plastic luer hubs with silicone tips. They are nontoxic and nonpyrogenic. Needles can be easily formed to any desired shape. **Sterile.**



Pkg. of 5 needles


Gauge	Length (mm)	Tip diameter (mm)	Shape	Mice	Rats	Guinea pigs	Item	Price
20	38	1.75	Flexible	20-25 g	50-75 g		No. 18061-20	
18	50	2.50	Flexible	25-30 g	100-200 g		No. 18061-18	
15	75	3.00	Flexible		200-350 g	400-600 g	No. 18061-15	



Disposable Flexible PTFE Feeding Needles

These affordable needles feature flexible PTFE tube with silicon tip and plastic luer hub, delivered in sterile pouches. They are very flexible, and translucent for easy confirmation of reagent delivery. The soft silicone tips are non-toxic and non-pyrogenic and ensure that no damage occurs during the insertion. **Sterile.**

Pkg. of 5 needles



Gauge	Length (mm)	Tip diameter (mm)	Shape	Mice	Rats	Guinea pigs	Item	Price
20	38	Barrel 1.8	Flexible	20-25 g	50-75 g		No. 18961-20	
18	38	Barrel 2	Flexible	20-30 g	100-200 g	250-300 g	No. 18961-18	
17	52	Barrel 2.4	Flexible	25-30 g	100-200 g	250-300 g	No. 18961-17	
15	78	Barrel 2.6	Flexible		200-350 g	400-600 g	No. 18961-15	
18	75	Barrel 2	Flexible	25-30 g	150-250 g	250-300 g	No. 18961-75	
17	85	Barrel 2.4	Flexible	25-30 g	150-250 g	250-300 g	No. 18961-85	



GenoPunch

The interchangeable GenoPunch aids in the fast and simple collection of the 2 mm tissue sample for DNA analysis and/or genotyping. FST Exclusive Item.

Autoclavable.

**MOST
POPULAR**



70% of
actual size



Microtubes not included.

GenoPunch includes:

- 1 GenoPunch
- 1 0.5 ml tube holder
- 1 1.6 ml tube holder
- 1 Screwdriver
- 4 Screws



FST does not supply microtubes.

11.5 cm
Stainless steel and anodized aluminum
Punch diameter: 2 mm

No. 24215-02

Blue Ear Punch

The Ear Puncher relieves stress on the wrist during ID marking as it requires only a very gentle pressure to cut a hole. The stainless steel puncher has a sloped edge that provides a cut rather than a punch, which minimizes animal discomfort.

Autoclavable.

**NEW
ITEM**



14 cm
Punch diameter: 2 mm

No. 24916-02

Ear Punch with Replaceable Tip

Designed to ensure a fast and clean punch, this ear punch is lightweight and fits comfortably in the palm of your hand. The tip is replaceable. **Autoclavable.**



70% of
actual size

Handle and Tip

11.5 cm
Anodized aluminum handle
and stainless steel tip
Punch diameter: 2 mm

No. 24213-02

Replacement Tip

Punch diameter: 2 mm

No. 24213-12

Ear Punch

Designed to ensure a fast and clean punch, this ear punch is lightweight and fits comfortably in the palm of your hand. FST Exclusive Item. **Autoclavable.**



70% of
actual size

11.5 cm
Stainless steel and
anodized aluminum
Punch diameter: 2 mm

No. 24214-02

Finger Loop Ear Punch

This ear punch provides stability and control for researchers using the numbering system. The 1 mm ear punch offers greater numbering variations and/or patterns.



70% of
actual size

10.5 cm
Punch diameter: 1 mm

No. 24212-01

Punch diameter: 2 mm

No. 24212-02

Marking Pen

The Marking Pen was developed for easy, long lasting identification of laboratory animals. The markers contain no harmful chemicals and instead nontoxic pigment approved by the Japanese Ministry of Health for use in food, drugs and cosmetics. It is intended for use on the fur and not the skin and will last for 6-12 weeks.

NEW
ITEM



Fine Tip
4.5 x 7.5 mm
Black
10ml

No. 24202-06



Fine Tip
4.5 x 7.5 mm
Blue
10ml

No. 24202-02



Fine Tip
4.5 x 7.5 mm
Green
10ml

No. 24202-01



Fine Tip
4.5 x 7.5 mm
Red
10ml

No. 24202-04



Fine Tip
4.5 x 7.5 mm
Yellow
10ml

No. 24202-03



Fine Tip
4.5 x 7.5 mm
Orange
10ml

No. 24202-05

NEW
ITEM



Standard Tip
15 x 10 x 10 mm
Black
15ml

No. 24202-16



Standard Tip
15 x 10 x 10 mm
Blue
15ml

No. 24202-12



Standard Tip
15 x 10 x 10 mm
Green
15ml

No. 24202-11



Standard Tip
15 x 10 x 10 mm
Red
15ml

No. 24202-14



Standard Tip
15 x 10 x 10 mm
Yellow
15ml

No. 24202-13



Standard Tip
15 x 10 x 10 mm
Orange
15ml

No. 24202-15

ANIMAL
ACCESSORIES

Surgical Skin Marker

This marker features a versatile tip for precise fine (0.2 mm) line marking, or when held at an angle, a broad (2 mm) line marking.

The marker's violet ink is nontoxic, non-tattooing and surgical prep-resistant. Markings can be removed from the skin with isopropyl alcohol. A six-inch ruler calibrated in both centimeters and inches is included.

14 cm

No. 18000-30



50% of actual size



Self Piercing Ear Tags

Ideal for use in small animals such as mice and rats, these ear tags come numbered from 1-100 or 1-500. Silver colored tags with black numbers provide high visibility making them easy to read. Once applied, tags seal and cannot be removed, providing an easy to use, permanent identification method. These ear tags are safe for use in salt water.



Ear tags
Alloy: Monel
7.8 x 2.8 mm

Black numbers 1-100	Black numbers 1-500	Black numbers 501-1000
No. 24220-10	No. 24220-50	No. 24220-90




Ear Tags (enlarged view)

Custom alphanumeric sequences and numbers above 1000 are available by special order.

1 to 6 numbers only:	1 to 6 letters and numbers:
\$50.00 per 100 ear tags	\$62.00 per 100 ear tags
\$145.00 per 500 ear tags	\$160.00 per 500 ear tags

For special order, use item No. 70000-10 and indicate sequence. Please allow 4 to 5 weeks for delivery.



Applicator
Stainless steel
14 cm

No. 24220-00

80% of
actual size

Animal Microtattoo System

A quick, efficient and affordable method of permanently identifying laboratory animals (mice as early as 1 day old). Designed and tested by laboratory animal technicians, the system utilizes a hypodermic needle at one end of a stainless steel forceps and a small metal cup containing green tattoo paste at the other side of the forceps.

By squeezing the forceps together, the needle penetrates the toe, footpad or ear of the animal and injects a deposit of green tattoo paste into the animal. A grid location pattern provided enables a numbering system that extends over 1 million.

Use of the microtattoo system is humane and in compliance with regulatory agencies for the care and use of laboratory animals. Detailed instructions are included. **Both the microtattoo forceps and green tattoo paste are autoclavable.**

Animal microtattoo system includes:

- 1 Pair plated steel microtattoo forceps
- 1 Tube (1 oz.) of green tattoo paste
- 1 Aluminum planchette
- 2 Hypodermic needles
- 1 Plastic holding case



13 cm
Animal microtattoo system

No. 24201-00
Green tattoo paste



1 oz / 29.6 ml

No. 24201-01



Silicone Seal and Lubricant

This stiff non-melting silicone base maintains its consistency from -40°C to 200°C (40°F to 392°F) with less than 2% evaporation after 24 hours of exposure to 150°C (302°F). Typical applications include lubrication of stopcock rotating parts and other lab items. Seals vacuum and low pressure systems. Compatible with glass, plastics, metals, synthetic rubber gaskets and seals. **Autoclavable.**

15 ml container

No. 29051-45

Demagnetizer

This safe and easy to operate tabletop demagnetizer has a large coil opening of 8 x 4 cm in a rigid, molded housing. Can be used to demagnetize or magnetize instruments.

12 x 5.5 x 9 cm

No. 18000-15



Instrument Sharpening Stones

Natural Arkansas oil stones feature unequalled fineness, hardness and structural density. When used with mineral oil, they will produce a sharper cutting edge.


6 mm x 9 cm

Square stone

No. 29008-01

Triangular stone

No. 29008-12



Optical Cleaning Kit and Lens Paper

This convenient kit contains everything you need to clean lens surfaces safely. Perfect for microscopes, camera lenses, binoculars, telescopes, graphic art optics, and all other fragile lenses. Storage case included.

Kit includes:

- 1 Bottle of lens cleaner (30 ml)
- 1 Ultra soft duster brush
- 1 Cleaning cloth (20 x 20 cm)
- 3 Books of lens paper (25 sheets each)

Lens Paper
15 x 10 cm
Book of 50 sheets

Kit

No. 29000-10

No. 29015-50



Sharpening Stone for Fine Forceps

This natural Arkansas stone assists in resharpener the tips of fine forceps. The stone has two grooves, 0.8 mm and 1.6 mm, and comes in a cedar box with ten O-rings.



4 x 1 x 10 cm

No. 29008-22

Instrument Oil

Physiologically inert oil for lubricating surgical instruments, box locks, ratchets and any overlapping joints.



50 ml bottle

No. 29055-00

O-Rings for Forceps

These rubber O-rings fit our forceps and keep them closed with variable degrees of pressure on the tips.



Pkg. of 10

No. 11200-00

Fine Forceps Repair Kit

Realign and repair fine forceps with this convenient kit. Bent forceps tips can be restraigtened with the chain nose pliers. The sharpening stone has two grooves, 1.6 mm and 0.8 mm, to assist in resharpener the forceps tips. O-rings clamp the forceps shut to ensure that both shanks are equally aligned and sharpened. Instrument oil assists in producing a smooth sharp edge. Detailed instructions are included.

**MOST
POPULAR**



Kit includes:

- 1 Sharpening stone for fine forceps with ten O-rings (No. 29008-22)
- 1 Instrument oil, 50 ml bottle (No. 29055-00)
- 1 Chain nose pliers

No. 29000-00

Instrument Marking Tape

Organize instruments quickly and easily with this economical, non-toxic, pressure sensitive tape. Color is unaffected by boiling, cold sterilization or autoclaving. 8 colors available. **Autoclavable.**




Color	Roll size (cm)	Material	Item	Price
Green	290 x 0.6 cm	Vinyl	No. 29071-01	
Blue	290 x 0.6 cm	Vinyl	No. 29071-02	
Yellow	290 x 0.6 cm	Vinyl	No. 29071-03	
Red	290 x 0.6 cm	Vinyl	No. 29071-04	
White	290 x 0.6 cm	Vinyl	No. 29071-05	
Black	290 x 0.6 cm	Vinyl	No. 29071-06	
Brown	290 x 0.6 cm	Vinyl	No. 29071-07	
Orange	290 x 0.6 cm	Vinyl	No. 29071-08	

Instrument Marking Tape
8 Assorted Colors

Organize instruments quickly and easily with this economical, non-toxic, pressure sensitive tape. Color is unaffected by boiling, cold sterilization or autoclaving. Includes 8 assorted color rolls: Yellow, Red, Black, White, Green, Brown, Blue and Orange. **Autoclavable.**

1 each of 8 colors above 107 x 0.6 cm (each roll) Vinyl No. 29080-00



9 colors available

Organize instruments quickly and easily with this economical, non-toxic, pressure sensitive tape. Color is unaffected by boiling, cold sterilization or autoclaving. 8 colors available. **Autoclavable.**



Color	Roll size (cm)	Material	Item	Price
Green	510 x 0.6 cm	Vinyl	No. 29070-01	
Blue	510 x 0.6 cm	Vinyl	No. 29070-02	
Yellow	510 x 0.6 cm	Vinyl	No. 29070-03	
Red	510 x 0.6 cm	Vinyl	No. 29070-04	
White	510 x 0.6 cm	Vinyl	No. 29070-05	
Black	510 x 0.6 cm	Vinyl	No. 29070-06	
Brown	510 x 0.6 cm	Vinyl	No. 29070-07	
Orange	510 x 0.6 cm	Vinyl	No. 29070-08	
Purple	510 x 0.6 cm	Vinyl	No. 29070-09	

Instrument Tip Protectors

These tip protectors are a convenient, color-coded way to protect surgical instrument tips and edges. They provide exceptional protection and are vented to prevent rusting from condensation. Instrument tip protectors are recommended during handling, storage, and sterilization. **Autoclavable.**

**MOST
POPULAR**

29060-00



1.6 x 19.1 mm
Pkg. of 25
Material: Platisol

No. 29060-01



2 x 19 mm
Pkg. of 25
Material: Platisol

No. 29060-02



2.8 x 19.1 mm
Pkg. of 25
Material: Platisol

No. 29060-03



3.2 x 25.4 mm
Pkg. of 25
Material: Platisol

No. 29060-04



4.8 x 25.4 mm
Pkg. of 25
Material: Platisol

No. 29060-05



2 x 9.5 x 25.4 mm
Pkg. of 25
Material: Platisol

No. 29060-06



Assorted pack, five of each size
Pkg. of 30
Material: Platisol

No. 29060-00

Double Tip Protectors

These vented tip protectors are designed to hold hemostats and rongeurs firmly while allowing the jaws, box hinge and tips to stay open for thorough sterilization. **Autoclavable.**



12.7 x 20 mm
Pkg. of 10
Material: Platisol

No. 29066-01



9 x 25.5 mm
Pkg. of 10
Material: Platisol

No. 29066-02



15 x 25 mm
Pkg. of 10
Material: Platisol

No. 29066-03



25 x 26 mm
Pkg. of 10
Material: Platisol

No. 29066-04



Assorted pack, three of each size
Pkg. of 12
Material: Platisol

No. 29066-00

Self Sealing Sterilization Pouches

Preformed pouches with self adhering tape are blue tinted on one side for visualization of contents, and paper-backed on the other side. Pouches will work with either steam autoclave or ethylene oxide sterilization.

Material properties:

- Protects instruments during sterilization.
- Provides sterile storage until use.
- Write on pouches for easier identification during sterilization.



10 x 18 cm
For instruments up to 13 cm long

Pkg. of 100 pouches

No. 28000-07

13 x 26 cm
For instruments up to 23 cm long

Pkg. of 100 pouches

No. 28000-10

18 x 30 cm
For instruments up to 26 cm long

Pkg. of 100 pouches

No. 28000-12

Hot Bead Sterilizer

The sterilizer provides a safe, effective and convenient method for sterilizing your surgical instruments prior to and during surgery or tissue culture. Without using potentially dangerous gases, flames or chemicals, you can ensure that your instruments will be free of pathogens and microbial contaminants.

The beads take 15–20 minutes to reach 240°C to 270°C (464°F to 518°F), and then the sterilizer is ready for use. The temperature is thermostatically maintained, and the unit can be left on all day. Instruments require approximately 20 seconds of contact with the beads for complete sterilization. The sterilizer is safe to use even in laminar flow hoods.

Sterilization test results conducted by the Pasteur Institute in Lille, France, are available upon request. Available in 110V and 220V. CE Certified and UL Approved.

Sterilizer includes:

- Sterilizer unit
- 1 Bag of glass beads
- 1 Dust cover for well
- 1 Small heat-tempered glass dish for small objects (only with FST 250)



FST 250 shown.
Instruments not included.

FST 250 Sterilizer

Well diameter: 4 cm
Well depth: 8 cm
Well volume: 100 ml
Total unit size: 14.5 x 12.5 x 13.5 cm

No. 18000-45

Replacement glass beads for FST 250

Weight: 150 gr

No. 18000-46

FST 350 Sterilizer

Well diameter: 4 cm
Well depth: 14 cm
Well volume: 175 ml
Total unit size: 20.5 x 12.5 x 13.5 cm

No. 18000-50

Replacement glass beads for FST 350

Weight: 300 gr

No. 18000-51

Micro Bead Sterilizer with Glass Beads

Micro Bead Sterilizer is ideal for the sterilization of small and large research tools (forceps, scissors, etc.). When the chamber is filled with the included glass beads, high temperatures (up to 300° C) can be used to eliminate the presence of bacteria, spores and other micro-organisms.



Small Sterilizer

110V

Well diameter: 4 cm

Well depth: 8 cm

Well volume: 100 ml

Total unit size: 13 x 14.5 x 15.5 cm

No. 18090-45

Small Sterilizer

220V

Well diameter: 4 cm

Well depth: 8 cm

Well volume: 100 ml

Total unit size: 13 x 14.5 x 15.5 cm

No. 18090-46

Replacement glass beads for small sterilizer

Weight: 150 gr

No. 18000-47



Tall Sterilizer

220V

Well diameter: 4 cm

Well depth: 14 cm

Well volume: 175 ml

Total unit size: 14 x 14.5 x 21.5 cm

No. 18090-51

Replacement glass beads for tall sterilizer

Weight: 300 gr

No. 18000-52



Small sterilizer shown.
Instruments not included.

Tall Sterilizer

110V

Well diameter: 4 cm

Well depth: 14 cm

Well volume: 175 ml

Total unit size: 14 x 14.5 x 21.5 cm

No. 18090-50

Autoclave Tape Dispenser

Easy loading core with heavy duty steel construction and a non-skid base. Serrated cutting blade cuts tape fast and cleanly.




Tape sold separately.

23.5 cm
Coated steel
No. 28001-00

Autoclave Tape

Tape will permanently indicate diagonal stripes after exposure to steam autoclave temperature between 121°C and 130° C during a 40-60 minute time period. Use with sterilization pouches, sterilization wraps and sterilization cases.



2 cm x 55 m
No. 28001-02

Disposable Sterilization Wraps

These biodegradable cellulose fiber wraps are resistant to tears and conform easily to maintain a breathable yet impervious barrier to airborne bacteria, saline, blood and water. Wrapping your instrument case securely will ensure the sterility of your instruments until ready for use. Available in two sizes.




Cases not included.

38 x 38 cm
Pkg. of 25 wraps
No. 28015-15
51 x 51 cm

Pkg. of 25 wraps
No. 28020-20

Silicone Mat

High quality, extra soft mat for safe and secure placement of delicate instruments. This mat can easily be cut along the premarked grooves to fit in various sized instrument cases. **Autoclavable.**



30 x 20 cm

No. 20325-00

Magnetic Sterilization Mat

Used during sterilization and for safe anti-slip placement around surgical settings. **Autoclavable.**




Instruments not included.

30 x 20 cm

No. 20350-00

Silicone Mat

Large, economical silicone mat.
Autoclavable.



46 x 25 cm

No. 20325-10


Sterilization Container

This plastic sterilization container includes a silicone mat for safe placement of instruments. Perforated top is clear for visual identification of instruments. **Suitable for autoclave or ethylene oxide sterilization.**



19 x 10 x 2 cm

No. 20810-01



27 x 16 x 4 cm

No. 20810-02

Two Tiered Sterilization Container

This plastic sterilization container has two tiers of silicone slots that will accommodate up to 12 different instruments. Hinged top and bottom lock tight. Container is perforated. **Suitable for autoclave or ethylene oxide sterilization.**



25 x 12 x 3 cm


No. 20820-00

Sterilization Container

This sterilization container is made from Ultem® polymer to ensure strength and long lasting durability. The transparent perforated lid provides easy identification of your surgical instruments. Silicone mat is included for a safe and secure hold. Trays are also stackable for convenience. **Suitable for autoclave or ethylene oxide sterilization.**


**MOST
POPULAR**

20840-03




19 x 7 x 2 cm
Single tier

No. 20840-01




17 x 10 x 2 cm
Single tier

No. 20840-02



25 x 15 x 4 cm
Double tier

No. 20842-03



25 x 15 x 2 cm
Single tier

No. 20840-03

Dual Clamping Stainless Steel Sterilization Container

This container will assist in the sterilization and storage of your fine surgical instruments. It comes with a custom fit silicon mate to keep instruments in place while the sterilizing process and storage. The textile filters are necessary for keeping instruments sterile while they remain in the container.

Suitable for autoclave or ethylene oxide sterilization.



30 x 14 x 4 cm

No. 20850-00

5 Long-term textile filters
No. 20850-10

One Long-term textile filter
No. 20850-11

Stainless Steel Sterilization Container

Removable perforated interior plates hold long-term textile filters which keep the instruments sterile while they remain in the container. Lid can be locked in place. Comes with two textile filters installed. **Suitable for autoclave or ethylene oxide sterilization.**



20 x 10 x 4 cm

No. 20890-51

10 Long-term textile filters
No. 20890-72

One Long-term textile filter
No. 20890-71



Utility Instrument Case

Comes with a silicone mat for safe placement of instruments. **Case and silicone insert are autoclavable but should not be used for sterilizing surgical instruments.**



18 x 9 x 3 cm

No. 20311-21

Colored Aluminum Cases

This instrument case comes with a spiked silicone mat for secure storage of surgical instruments.

Seven colors available but may vary due to lot to lot variations.

The case and silicone insert are autoclavable but should not be used for sterilization of surgical instruments.

NEW
ITEM



18 x 9 x 3 cm
Blue

No. 20330-00



18 x 9 x 3 cm
Green

No. 20330-01



18 x 9 x 3 cm
Red

No. 20330-02



18 x 9 x 3 cm
Yellow

No. 20330-03

Instrument Case

This plastic case is compact, safe, secure, and slotted for placement of individual surgical instruments, aiding in the prevention of tip damage. Seven colors available. **Case is autoclavable but should not be used for sterilizing surgical instruments.**

MOST
POPULAR




Instruments
not included.




17 x 8 x 2 cm
Blue

No. 20830-00



17 x 8 x 2 cm
Green

No. 20830-01



17 x 8 x 2 cm
Clear

No. 20830-02



17 x 8 x 2 cm
Yellow

No. 20830-03



17 x 8 x 2 cm
Pink

No. 20830-04



17 x 8 x 2 cm
Orange

No. 20830-05



17 x 8 x 2 cm
Purple

No. 20830-06

Roll Up Travel Case

Vinyl dissection roll up case with Velcro strap to hold the case closed. Holds up to 10 tools, one ruler holder, and one Velcro sealed pouch. **Instruments not included.**

Dimensions: 36 x 23 cm
Color: Black
Alloy / Material: Vinyl

No. 20831-10



Instrument Beaker with Silicone Bottom

Instruments are placed in the beaker with their tips immersed in distilled water when not in immediate use. This keeps the instruments clean and functional and ready to grasp. The instrument tips are protected from damage by the soft silicone rubber bottom. Segmented lid keeps instruments organized and secure.

S&T®




Instrument not included.

Diameter: 10 cm
Height: 8 cm

No. 00081-00

Instrument Holding Spring

For the safe placement of delicate surgical instruments during use. Pin the sharp ends into the drape to secure the mounting spring.



Instruments not included.

Length: 4 cm (closed)
Diameter: 2 cm

No. 18090-00

Stainless Steel Burrs

Length: 44 mm
Shaft diameter: 2.3 mm
Pkg. of 10 burrs



Diameter (mm)	Item	Price
0.7*	No. 19008-07	
0.9**	No. 19008-09	
1.4	No. 19008-14	

* Use this size for screws No. 19010-10 (page 50).

** Use this size for screws No. 19010-00 (page 50).

Carbon Steel Burrs

Length: 44 mm
Shaft diameter: 2.3 mm
Pkg. of 10 burrs



NOT
AUTOCLAVABLE

MOST
POPULAR

19007-07

Diameter (mm)	Item	Price
0.5	No. 19007-05	
0.7*	No. 19007-07	
0.9**	No. 19007-09	
1.4	No. 19007-14	
2.1	No. 19007-21	
2.9	No. 19007-29	

* Use this size for screws No. 19010-10 (page 50).

** Use this size for screws No. 19010-00 (page 50).

Tungsten Carbide Burrs

Length: 44 mm
Shaft diameter: 2.3 mm
Pkg. of 5 burrs



TUNGSTEN
CARBIDE

For more information
see page 211.

Diameter (mm)	Item	Price
0.5	No. 19009-05	
0.7*	No. 19009-07	
0.9**	No. 19009-09	

* Use this size for screws No. 19010-10 (page 50).

** Use this size for screws No. 19010-00 (page 50).

Stainless Steel Trephines

Side opening for clearing of material.

Length: 44 mm
Shaft diameter: 2.3 mm
Sold individually



1.8 - 2.7 mm

5 mm

Outer Diameter (mm)	Item	Price
1.8	No. 18004-18	
2.3	No. 18004-23	
2.7	No. 18004-27	
5	No. 18004-50	

Stainless Steel Circular Saw

For cutting bone and other hard substances.
Attaches to mandrel (No. 18000-18), right.

Diameter: 16 mm
Thickness: 0.1 mm

Pkg. of 10 saws
No. 18000-20



Stainless Steel Mandrel

Screw allows attachment of discs and circular saws for use with high speed drills.

Length: 45 mm
Shaft diameter: 2.3 mm

No. 18000-18



CAUTERIZERS

High Temperature Cautery Kit

This high temperature cauterizer is a great alternative to disposable cautery units. Temperature at tips is approximately 1000°C (1832°F). Replacement cautery tips are available.

Not autoclavable.



Plastic body
Stainless steel tips: 0.2 mm diameter
Operation temperature: 1000°C (1832°F)
Total weight: 70 g
Length: 16 cm (without tip)

- Cautery kit includes:
- 1 Cautery handle
 - 2 AA Batteries
 - 2 Standard tips
 - 1 Storage case
 - 2 Fine tips

65% of actual size

MOST POPULAR



Replacement tips
Straight standard
Sterile
Single use

Box of 10 tips

No. 18010-01

MOST POPULAR



Replacement tips
Straight fine
Sterile
Single use

Box of 10 tips

No. 18010-02

MOST POPULAR

Cautery kit

No. 18010-00

Low Temperature Cautery Kit

This low temperature cautery kit is a great alternative to disposable cautery units. Temperature at the tips is approximately 649°C. Replacement cautery tips are available.

Not autoclavable.



Plastic body
Stainless steel tips: 0.2 mm diameter
Operation temperature: 649°C (1200°F)
Total weight: 60 g
Length: 12 cm (without tip)

- Cautery kit includes:
- 1 Cautery Handle
 - 1 AA Batteries
 - 2 Fine Tips
 - 1 Storage Case
 - 2 Elongated Fine Tips



Replacement tips
Straight Fine
Sterile
Single use

Box of 10 tips

No. 18019-01



Replacement tips
Elongated Straight Fine
Sterile
Single use

Box of 10 tips

No. 18019-02

Cautery kit

No. 18019-00



Small Vessel Cauterizer

This small hand-held unit keeps bleeding to a minimum and therefore provides a surgical field clear of clamps and hemostats. The cauterizer should be activated momentarily so the delicate tips do not burn out. Temperature at tips is approximately 1000°C (1832 °F). Replacement cautery tips are available. **Autoclavable.**



Heavy gauge stainless steel body
Platinum-iridium tips: 0.3 mm diameter
Total weight: 100 g
Length: 13.5 cm (without tip)

Cautery kit includes:

- 1 Cautery handle
- 1 Straight fine tip
- 1 Angled fine tip
- 2 AA Batteries
- 1 Storage Case

Cautionary note:

Remove batteries before autoclaving.

80% of
actual size



Replacement tip
Straight fine

No. 18000-01



Replacement tip
Angled fine

No. 18000-02



Replacement tip
Straight knife

No. 18000-03



Replacement tip
Straight knob

No. 18000-04

Cautery kit

No. 18000-00

Neuro Punches

N.I.H. style neuro punches for punch removal of frozen brain microregions.



ID (mm)	OD (mm)	Gauge	Length (cm)	Item	Price
0.31	0.61	24	4.2	No. 18036-24	
0.41	0.70	22	4.5	No. 18036-22	
0.69	1.00	19	4.5	No. 18036-19	

Absorption Spears and Triangles

These synthetic surgical sponges absorb fluids twice as fast as the best cotton sponges and have three times their fluid-holding capacity. They are made from strong, soft, lint-free biocompatible-proven material that is non-irritating to delicate tissue and leaves no fibrous residue that might cause wound contamination. The Absorption Spears are sterilized by radiation.

MOST POPULAR



Absorption Spears
7 cm
Sterile

Box of 200 spears
No. 18105-01




Absorption Triangles
2 cm
Sterile

Box of 500 triangles
No. 18105-03

Sample Corers

For quantitative analysis. Comes with plunger.

8.5 cm



ID (mm)	OD (mm)	Gauge	Item	Price
0.35	0.80	21	No. 18035-35	
0.50	1.00	19	No. 18035-50	
0.80	1.45	17	No. 18035-80	
1.00	1.80	15	No. 18035-01	
2.00	3.00	11	No. 18035-02	
3.00	4.00	8	No. 18035-03	
5.00	6.00	4	No. 18035-05	

Fiber Optic Swabs



Straight

15 cm
Tip diameter: 2.5 mm
Pack of 100

No. 18106-01

Micro Cleaning Brush



70 mm
Nylon


Bag of 25

No. 18196-10



Miniature File Set

Comes with 8 different file profiles in a vinyl pouch.



10 cm
Carbon Steel

No. 30076-14

4-in-1 Screwdriver

With 4 hardened,
interchangeable blades
stored in handle:
1.5, 2, 2.5, and 3 mm.



Handle 9.5 cm
With attachment 11.5 cm
Nickel handle

No. 30051-10

Ceramic Blade Cutter

Ceramic edge stays sharp 100 times
longer than a steel edge. Rust and
corrosion free. No trace metal
contamination. **Autoclavable.**



Straight

13 cm
Cutting Edge: 58 mm
Ceramic blade
with plastic handle

No. 10025-70

Replacement Blade

Straight


Cutting Edge: 58 mm
Ceramic Blade

No. 10025-71

UTILITY SCISSORS

Utility Scissors

These scissors are extremely hard (54 on the Rockwell scale). Useful for cutting tin or aluminum sheets, bone, plastics, etc. The strong, 3 mm thick blades are magnetic. The plastic handles are anatomically shaped.



75% of
actual size

21 cm
Stainless steel
with plastic handle

No. 37500-00

Universal Scissors


The scissor blades are made of high quality stainless-steel and guarantee a perfect cut. Handles are made of glass fiber reinforced polyamide.




13 cm
Stainless steel
with plastic handle

No. 37500-05

Ruler with Gauge Measurements



Front



Back

90% of actual size

Stainless steel


15 cm (6")

No. 30085-15

Ruler with Metric Conversion Table



Front



Back

50% of actual size

Stainless steel

30 cm (12")

No. 30085-30

Ruler Label

Used for stable measurements in all surgical platforms.

6 cm

Pkg. of 25 labels
No. 29027-00




NOT
AUTOCCLAVABLE

LABORATORY
ACCESSORIES



Plastic Vernier Caliper

Tough polymer is unbreakable under normal conditions. Measures inside, outside, step and depth, metric and inch to 0.1 mm or 1/64". Maximum measurement: 153 mm.



75% of
actual size

Plastic

21 cm

No. 30087-20

Digital Electronic Caliper

Wide screen LED display with the ability to measure in millimeters, inches and fractions. Measures inside, outside, step and depth. Battery, spare battery and plastic storage case included.



70% of
actual size

Stainless steel

23.5 cm

No. 30087-00

Castroviejo Surgical Caliper

Used for precise measurement during surgery.



0-20 mm with 0.5 mm divisions
Tip diameter: 0.5 mm

8.5 cm

No. 18000-35

Magnifying Loupe with Micrometer and LED

High quality loupe features a removable micrometer and ultra-bright LED lights surrounding the circumference for a defined image and clear contrast.

Magnification: 10x
Field of view: 30 mm
Working distance: 10 mm
(without scale)
Illumination: Ultra-bright LED
38 x 38 x 40 mm

No. 29026-10



Stage Micrometers

These are highly accurate stage micrometers for use with transmitted light in both compound and stereo microscopes. Comes with a plastic case.

76 x 26 mm

10 mm with 100 divisions (0.1 mm)
No. 29025-01

1 mm with 100 divisions (0.01 mm)
No. 29025-02



Electronic Clock / Triple Timer

Three activities can be timed up or down simultaneously or individually. Time can be displayed either in 12 or 24 hours and features a memory function. Maximum countdown time is 19 hours, 59 minutes, 59 seconds. Minimum time interval is 1 second. The timer housing includes a powerful magnet for mounting.

LCD display: 4.5 x 4.5 cm
7 x 8.5 x 1.5 cm
AAA battery included

No. 27000-01



Gold Wire Contacts


Matching pin and socket. Contacts are crimp terminated, but also can be used for solder connections.

Total length: 16 mm (when connected together)
Diameter: 1.2 mm
Opening for wire: 0.63 mm

Pkg. of 50 male contacts
No. 19003-00

Pkg. of 50 female contacts
No. 19003-01

Enlarged 225%



Headband Magnifier

Precision ground and polished optical glass lenses. The padded headband is lightweight and fully adjustable. Can be worn with spectacles.



Headband magnifier shown with VisorLIGHT™ (sold separately).

Magnification: 2.5x
Working distance: 200 mm (8")

No. 28030-02

Magnification: 2.75x
Working distance: 150 mm (6")

No. 28030-03

Magnification: 3.5x
Working distance: 100 mm (4")

No. 28030-04

VisorLIGHT™

Small, portable light source with 26 cm cord for attachment to headband. It comes with a battery pack that holds two AA batteries. Completely adjustable. Replacement bulbs are available upon request.



No. 28030-10

Interchangeable Magnifier Headset with LED

Economical and fully interchangeable headband magnifier with LED light.


Includes:

- Multiple Lens Magnifications (1.0x, 1.5x, 2.0x, 2.5x, 3.5x)
- LED Light Source
- Tilting Functionality
- Cushioned Nose Pads
- Adjustable Headband
- Interchangeable Lens Frames
- Requires 3 AAA Batteries (Batteries not included)

MOST
POPULAR



Can be used with or without the adjustable head strap (included).



Magnification: 1x, 1.5x, 2x, 2.5x, and 3.5x

Field of view: Variable

Working distance: Variable

No. 28080-10

Galilean Loupes

These loupes are lightweight and easy to use. Made from the finest optical coated lenses which deliver excellent clarity and high resolution. The loupes are mounted onto a strong yet flexible wraparound safety frame with a headband for stability and comfort. Ability to flip loupes up for use as safety glasses. Comes with mini screwdriver for fine adjustments, micro cloth, and storage case.



Magnification: 3x
Working distance: 400 mm (16")
Weight: 72 g

No. 28050-30

Magnification: 3.5x
Working distance: 300 mm (12")
Weight: 77 g

No. 28050-35

Eschenbach Magnifier Spectacles

These magnifier spectacles allow full adjustments on almost all parts. Headband keeps spectacles steady and in place. Leather case and Headband included.



Magnification: 2.5x
Working distance: 350 mm (14")
Weight: 70 g
Plastic frame reinforced
with fiberglass

No. 28040-30

Spectacles Headband

Compatible with the Eschenbach Max Detail Spectacles (Item No. 28030-20) and Eschenbach Magnifier Spectacles (Item No. 28040-30).



Material: Neoprene

No. 28080-90

Eschenbach Max Detail Spectacles

These spectacles are portable, lightweight, and easily adjustable. Designed with frosted objective lens housing which eliminates distracting reflections. Bendable ear pieces for a secure, comfortable fit. Protective case is included.



Max Detail Spectacles shown with Eschenbach Clip-On LED Light (sold separately).

Magnification: 2x
Field of view: 110 mm (4")
Working distance: 400 mm (16")
Weight: 49 g

No. 28030-20

Eschenbach Clip-On LED Light

A compact and lightweight light source with two high-performance SMD LED's and a lens that concentrates the light producing a more powerful, bright and homogenous field of view. Light can be set high or low. Compatible with the Max Detail Spectacles and Headband Magnifiers. Comes with 3 AA batteries and storage case.



Gross Weight: 106 g (including batteries)

No. 28030-25

Eschenbach Vario Flex with LED

The Vario LED Flex ensures ease and precision by its smooth flexible neck and tiltable magnifying lens. This magnifier's innovative features provide a spacious working platform suitable for any application. Mounting clamp provides uncompromised workspace due to its sturdy, slim design. The magnification lens is illuminated with shadow-free full or half ring optimum bright LEDs.

Magnification: 2.5x
 Diopter: 6D
 Lens size: 76 mm
 Lens shape: Aspheric
 Working distance: Variable
 Lens material: PXM® lightweight lens with patented Ceratec® scratch-resistant coating
 Illumination: Latest SMD LED technology
 Power source: 120V & 220V

No. 28015-25



Eschenbach Scribolux Magnifier

This magnifier provides an illuminated platform suitable for any working condition. The open design allows for a spacious working platform. Supplied in a microfiber pouch for protecting and cleaning the lens.

Magnification: 2.8x
 Diopter: 7/11D
 Lens size: 100 x 75 mm
 Lens shape: Aspheric
 Working distance: 75 mm (3")
 Lens material: PXM® lightweight lens with patented Ceratec® scratch-resistant coating
 Illumination: Latest SMD LED technology
 Power source: 4 AA batteries (included)

No. 28020-28



Optical Cleaning Kit

This convenient kit contains everything you need to clean lens surfaces safely. Perfect for microscopes, camera lenses, binoculars, telescopes, graphic art optics, and all other fragile lenses. Storage case included.

Kit includes:

- 1 Bottle of lens cleaner (30 ml)
- 1 Ultra soft duster brush
- 1 Cleaning cloth (20 x 20 cm)
- 3 Books of lens paper (25 sheets each)

No. 29000-10



Lens Paper

This premium grade optical lens tissue is extremely soft and safe for any glass or plastic optical lens surface.

15 x 10 cm

Book of 50 sheets
No. 29015-50



Eschenbach mobilux® DIGITAL inspection

The reflection-free and high-contrast 4.3-inch display ensures relaxed work. The HD camera arranged centrally under the display enables easy orientation. A magnification of up to 15x can be selected continuously or in increments by touching the magnifying glass symbol. The integrated LED lighting offers great variability in lighting and exposure settings for a wide variety of applications. The mobilux® offers measurement and comparison functions via adjustable scales and templates as well as simultaneous comparison measurements of the target and actual status via a split screen on the PC.

With the photo function, the live image seen through the magnifying glass can be saved as a photo on an inserted SD card. The images can also be easily transferred to a computer via a USB connection. In addition, the USB connection to the computer enables the live image of the magnifying glass to be transferred to the PC monitor, so the mobilux® can also be used as a screen reader. The "mobilux® digital" program supplied must first be installed on the computer (Windows Vista, Windows 7, 8 or Windows 10).



Delivery incl. USB cable length 2m, SD memory card (incl. software), hand strap, manual, case for storage, calibration plate. Mains adapter for EU, GB, US, AUS included.

- Magnification: 4-15x
- Field of view: Variable
- Working distance: Variable
- Screen size: 11 cm (4.3")
- Screen resolution: 480 x 272 px
- User input: Touchscreen

No. 28070-50

Eschenbach laboCOMFORT


With the laboCOMFORT, both hands remain free to work. The screen can be folded up when not in use. Various locking options for individual height adjustment of the magnifying screen. The headband magnifier can also be used by people who wear glasses.



Can be used with the Eschenbach Clip-On LED light.

- Magnification: 3x
- Working distance: 130 mm (5")

No. 28030-13



Student Instruments

Scissors	Pages	186 – 191
Cutter	Page	191
Scalpel Handles	Page	192
Forceps	Pages	193 – 198
Hemostat, Artery Clamps, Pin & Needle Holders, Retractor, Vessel Dilator & Clamp	Pages	199 – 207





FST Student Quality Instruments

One of the hallmarks of FST has always been to accurately assess the needs of our customers. We gather information not only from the lab, but from conferences, journals and researchers. Whether it is designing new tools or finding new applications for existing instruments, we believe our best information comes directly from you.

Our customers wanted reduced costs and quantity discounts without sacrificing the precision and quality inherent in German instruments. To meet their needs, we have developed a full line of "student" instruments. They were created for use in the classroom where students are learning proper instrument care.

Unlike our competitors, the quality of these instruments does not drop dramatically with the price. Our student line uses quality stainless steel and maintains the precision you expect from FST. In addition they carry our unconditional satisfaction guarantee while being offered at a significantly reduced price.

Not intended as a substitute for our highest quality instruments, the student line may require extra care as the alloys used are more susceptible to corrosion. All of our shipments come with an instruction pamphlet describing the use and care of surgical instruments. Visit our website at **finescience.com** for more information.

Features:

- Economy
- Quantity discounts
- Quality
- Less hand finishing
- Less expensive alloys

Vannas Spring Scissors

Ideal for introductory courses in microdissection. The manufacturer, material and general pattern are the same as our No. 15003-08 but with much of the costly hand finishing omitted.

**MOST
POPULAR**

91500-09



Fine Scissors

**MOST
POPULAR**

91460-11



Straight
Sharp/Sharp

11,5 cm
Cutting edge: 20 mm

No. 91460-11



Curved
Sharp/Sharp

11,5 cm
Cutting edge: 20 mm

No. 91461-11



Straight
Sharp/Sharp

14.5 cm
Cutting edge: 30 mm

No. 91408-14

**%
DISCOUNT**

**Quantity discount
for student
instruments:**

5-9 = 5 %
10+ = 10 %

*Per item, selection
cannot be assorted
for discount.*

STUDENT



Straight
Sharp/Sharp

9 cm
Cutting edge: 5 mm
Tip Ø: 0.35 mm

No. 91500-09



Curved
Sharp/Sharp

9 cm
Cutting edge: 5 mm
Tip Ø: 0.35 mm

No. 91501-09

Straight
Sharp/Sharp

12 cm
Cutting edge: 20 mm

No. 91460-12

Curved
Sharp/Sharp

12 cm
Cutting edge: 20 mm

No. 91461-12


Surgical Scissors



Length (cm)	Cutting edge (mm)	Straight Sharp/Sharp	Price	Straight Sharp/Blunt	Price	Straight Blunt/Blunt	Price
10.5	35	No. 91402-10		No. 91401-10		No. 91400-10	
12	40	No. 91402-12		No. 91401-12		No. 91400-12	
13	40	No. 91402-13		No. 91401-13			
14.5	45	No. 91402-14		No. 91401-14		No. 91400-14	



Length (cm)	Cutting edge (mm)	Curved Sharp/Sharp	Price	Curved Sharp/Blunt	Price
11.5	40	No. 91405-11			
12	40			No. 91404-12	
13	40	No. 91405-13		No. 91404-13	
14.5	45	No. 91405-14		No. 91404-14	



**%
DISCOUNT**

Quantity discount
for student
instruments:

5-9 = 5 %
10+ = 10 %

*Per item, selection
cannot be assorted
for discount.*

STUDENT

Wagner



Straight
Sharp / Sharp
11.5 cm
Cutting edge: 25 mm
No. 91468-12

Spencer Ligature



Straight
Sharp / Sharp
9 cm
Cutting edge: 20 mm
No. 91476-09

%

DISCOUNT

Quantity discount
for student
instruments:

5-9 = 5 %
10+ = 10 %

*Per item, selection
cannot be assorted
for discount.*

STUDENT

Lister Scissors

Longer blunt blade prevents damaging tissue underneath skin without losing the cutting line.



Angled to side
Blunt/Blunt

14 cm
Cutting edge: 35 mm
No. 91413-14



Angled to side
Blunt/Blunt

18 cm
Cutting edge: 45 mm
No. 91413-18



Angled to side
Blunt/Blunt

20 cm
Cutting edge: 50 mm
No. 91413-20

Mayo




90% of
actual size



Curved
Sharp/Blunt

14.5 cm
Cutting edge: 50 mm
No. 91409-15



Straight
Blunt/Blunt

17 cm
Cutting edge: 50 mm
No. 91410-17



Curved
Blunt/Blunt

17 cm
Cutting edge: 50 mm
No. 91411-17

**%
DISCOUNT**

Quantity discount
for student
instruments:

5-9 = 5 %
10+ = 10 %

*Per item, selection
cannot be assorted
for discount.*

STUDENT



Metzenbaum Baby



Curved
Blunt/Blunt

14.5 cm
Cutting edge: 30 mm

No. 91419-14

Metzenbaum



Straight
Blunt/Blunt

14.5 cm
Cutting edge: 35 mm

No. 91416-14



Curved
Blunt/Blunt

18 cm
Cutting edge: 35 mm

No. 91417-18

%
DISCOUNT

Quantity discount
for student
instruments:

5-9 = 5 %
10+ = 10 %

*Per item, selection
cannot be assorted
for discount.*

STUDENT

Heavy Scissors


Curved
Heavy Blades
Sharp/Sharp
10.5 cm
Cutting edge: 30 mm
No. 91405-10

Bone Scissors

For cutting fine bone.



Curved
9 cm
Cutting edge: 9 mm
No. 91604-09

**Bone Cutter**

Angled 30°
11 cm
Cutting edge: 19.5 mm
Blue Plastic Handle
No. 91601-11



**%
DISCOUNT**

**Quantity discount
for student
instruments:**

5-9 = 5 %
10+ = 10 %

*Per item, selection
cannot be assorted
for discount.*

STUDENT

Scalpel Handle #4



For scalpel blades,
see page 59.

#4

13 cm

No. 91004-13

Standard Scalpel Handle #3



For scalpel blades,
see page 60.

#3

12 cm

No. 91003-12

%

DISCOUNT

Quantity discount
for student
instruments:

5-9 = 5 %
10+ = 10 %

*Per item, selection
cannot be assorted
for discount.*

STUDENT

Dumont #5

MOST
POPULAR



Standard tip
Straight

11 cm
Inox
0.1 x 0.06 mm

No. 91150-20

Dumont #7

MOST
POPULAR



Standard tip
Curved

11 cm
Inox
0.17 x 0.1 mm

No. 91197-00

%
DISCOUNT

Quantity discount
for student
instruments:

5-9 = 5 %
10+ = 10 %

*Per item, selection
cannot be assorted
for discount.*

STUDENT

Fine Forceps Straight

Fine Forceps Broad Shanks

Fine Forceps Curved

Fine Forceps Angled



**%
DISCOUNT**

Quantity discount
for student
instruments:

5-9 = 5%
10+ = 10%

Per item, selection
cannot be assorted
for discount.

STUDENT



Straight

11 cm
0.2 x 0.1 mm

No. 91115-10



Broad Shanks

12 cm
0.2 x 0.2 mm

No. 91113-10



Curved

12 cm
0.2 x 0.2 mm

No. 91117-10



Angled

11 cm
0.2 x 0.2 mm

No. 91110-10

Feilchenfeld



SERRATED


Straight

9.5 cm
Tip Ø: 0.75 mm

No. 91139-09



Straight

11.5 cm
Tip Ø: 1 mm

No. 91139-12

Splinter Forceps



SERRATED
Straight
Sharp10.5 cm
Tip Ø: 0.3 mm

No. 91156-11



DISCOUNT
Quantity discount
for student
instruments:5-9 = 5 %
10+ = 10 %*Per item, selection
cannot be assorted
for discount.*


STUDENT

Micro Adson

80% of
actual size



Serrated
12 cm
Tip width: 0.7 mm
No. 91118-12



1x2 teeth
12 cm
Tip width: 1.1 mm
No. 91119-12

Adson


Wide, strong grip with narrow tips.



80% of
actual size



Serrated
12 cm
Tip width: 1.5 mm
No. 91106-12




1x2 teeth
12 cm
Tip width: 1.5 mm
No. 91127-12

Adson-Brown

Shark teeth
12 cm
Tip width: 2.5 mm
No. 91162-12

**Adson
with Cross Serrations**

1x2 teeth
Cross-serrations
12 cm
Tip width: 1.3 mm
No. 91427-12



**%
DISCOUNT**

Quantity discount
for student
instruments:

5-9 = 5 %
10+ = 10 %

Per item, selection
cannot be assorted
for discount.

STUDENT

Standard Pattern


Broad pattern with strong spring action.

**MOST
POPULAR**

91100-12

Anatomical Standard PatternStraight
Serrated


Tip width (mm)	Length (cm)	Item	Price
2.5	11.5	No. 91100-12	
2.7	13	No. 91100-13	
3	14.5	No. 91100-14	
3.5	16	No. 91100-16	
4	17	No. 91100-17	

Surgical Standard PatternStraight
1x2 teeth

Tip width (mm)	Length (cm)	Item	Price
2.2	12	No. 91121-12	
2.4	13	No. 91121-13	
2.6	14.5	No. 91121-14	
2.8	15.5	No. 91121-15	
3	16	No. 91121-16	
3.5	18	No. 91121-18	
4	20	No. 91121-20	
4.5	25	No. 91121-25	

**%
DISCOUNT****Quantity discount
for student
instruments:**5-9 = 5 %
10+ = 10 %*Per item, selection
cannot be assorted
for discount.***Anatomical Narrow Pattern**Straight
Serrated

Tip width (mm)	Length (cm)	Item	Price
1.5	11.5	No. 91102-12	
2.1	13	No. 91102-13	
2.2	14.5	No. 91102-14	
2.3	16	No. 91102-16	

Surgical Narrow PatternStraight
1x2 teeth

Tip width (mm)	Length (cm)	Item	Price
2	11.5	No. 91123-12	
2.2	14.5	No. 91123-14	
2.4	16	No. 91123-16	

STUDENT

Semken



Straight

11.5 cm

Tip width: 1.2 mm

No. 91108-12

Straight

14.5 cm

Tip width: 2.2 mm

No. 91108-14

Gillies

80% of
actual size

1x2 teeth

Cross-Serrated

15.5 cm


Tip width: 2.1 mm

No. 91128-15

Russian



5.7 mm



15 cm

Tip dimensions: 7.6 x 5.7 mm

No. 91126-15

McIndoe



Serrated

15 cm

Tip width: 1.2 mm

No. 91138-15

%
DISCOUNT

Quantity discount
for student
instruments:

5-9 = 5 %
10+ = 10 %

Per item, selection
cannot be assorted
for discount.

STUDENT

Halsted-Mosquito



Straight
Serrated

12.5 cm
Tip width: 1.4 mm

No. 91308-12



Curved
Serrated

12.5 cm
Tip width: 1.4 mm

No. 91309-12



Curved
1x2 teeth and
Serrated

12 cm
Tip width: 1.9 mm

No. 91331-12

Hartmann



Curved
Serrated

10 cm
Tip width: 1.6 mm

No. 91303-10

**%
DISCOUNT**

**Quantity discount
for student
instruments:**

5-9 = 5 %
10+ = 10 %

*Per item, selection
cannot be assorted
for discount.*


STUDENT

Crile

Kelly

80% of
actual size**%
DISCOUNT****Quantity discount
for student
instruments:**5-9 = 5 %
10+ = 10 %*Per item, selection
cannot be assorted
for discount.*Straight
Serrated14 cm
Tip width: 1.3 mm

No. 91304-14

Curved
Serrated14 cm
Tip width: 1.3 mm

No. 91305-14

Straight
Serrated16 cm
Tip width: 1.7 mm


No. 91304-16

Curved
Serrated16 cm
Tip width: 1.7 mm

No. 91305-16

Straight
Serrated14.5 cm
Tip width: 1.6 mm

No. 91318-14

Curved
Serrated14.5 cm
Tip width: 1.8 mm

No. 91319-14

Rochester-Pean

Pean



80% of
actual size



Straight
Serrated

14 cm
Tip width: 2 mm

No. 91316-14



Curved
Serrated

14 cm
Tip width: 2 mm

No. 91317-14

Straight
Serrated

16 cm
Tip width: 2.5 mm

No. 91316-16

Curved
Serrated

16 cm
Tip width: 2.5 mm

No. 91317-16



Straight
Serrated
Narrow

14 cm
Tip width: 2 mm

No. 91322-14



Curved
Serrated
Narrow

14 cm
Tip width: 2 mm

No. 91323-14

%
DISCOUNT

Quantity discount
for student
instruments:

5-9 = 5 %
10+ = 10 %

Per item, selection
cannot be assorted
for discount.

STUDENT

Ochsner-Kocher

Kocher


80% of
actual size

%
DISCOUNT

Quantity discount
for student
instruments:

5-9 = 5%
10+ = 10%

Per item, selection
cannot be assorted
for discount.



Straight
Serrated
1x2 teeth

14 cm
Tip width: 2.2 mm

No. 91328-14

Curved
Serrated
1x2 teeth

14 cm
Tip width: 2.2 mm

No. 91329-14

Straight
Serrated
1x2 teeth

16 cm
Tip width: 3 mm

No. 91328-16

Curved
Serrated
1x2 teeth

16 cm
Tip width: 3 mm

No. 91329-16



Straight
Serrated
Narrow 1x2 teeth

14 cm
Tip width: 2.2 mm

No. 91330-14

Curved
Serrated
Narrow 1x2 teeth

14 cm
Tip width: 2.2 mm

No. 91331-14

Backhaus Towel Clamp

Tohoku Towel Clamp



**%
DISCOUNT**

**Quantity discount
for student
instruments:**

5-9 = 5 %
10+ = 10 %

*Per item, selection
cannot be assorted
for discount.*



9 cm

No. 91195-09



11 cm

No. 91195-11



13 cm

No. 91195-13



Serrated

10 cm

Tip width: 2.4 mm

No. 91194-10



Serrated

13 cm

Tip width: 2.8 mm

No. 91194-13

STUDENT

Lorna Towel Clamp

Babcock



Serrated
13 cm
Tip width: 7 mm
No. 91196-13



Serrated
16 cm
Tip width: 6 mm
No. 91393-16

**%
DISCOUNT**

**Quantity discount
for student
instruments:**

5-9 = 5 %
10+ = 10 %

*Per item, selection
cannot be assorted
for discount.*

STUDENT

Allis Clamp



60% of
actual size

5x6 Teeth
15 cm
Tip Width: 6 mm
No. 91191-15

Hose Clamp



60% of
actual size

Cross-Serrated
15 cm
Tip Width: 4 mm
No. 91198-15

Lister Sine Clamp



60% of
actual size

Serrated
16 cm
Tip Width: 3 mm
No. 91199-16

**%
DISCOUNT**

**Quantity discount
for student
instruments:**

5-9 = 5 %
10+ = 10 %

*Per item, selection
cannot be assorted
for discount.*

STUDENT

Pin Holder



Halsey

**MOST
POPULAR**



80% of
actual size

Mayo-Hegar



80% of
actual size

%

DISCOUNT

**Quantity discount
for student
instruments:**

5-9 = 5 %
10+ = 10 %

*Per item, selection
cannot be assorted
for discount.*

For pins, see
page 115.

For suture needles,
see page 122 & 123.

For suture needles,
see page 122 & 123.



Straight

13 cm
Tip width: 1.5 mm

clamping length: 18 mm
with lock
without scissors

No. 91201-13



Straight

16 cm
Tip width: 2.6 mm

clamping length: 21 mm
with lock
without scissors

No. 91204-16

Nickel-plated

7.5 cm

Jaw opening: 0-1 mm

No. 91606-07

STUDENT



Senn-Miller



16 cm
3 sharp teeth 7 x 8 mm
1 blunt tooth 18 x 6 mm


No. 91790-16



16 cm
3 blunt teeth 7 x 8 mm
1 blunt tooth 18 x 6 mm

No. 91791-16


Vessel Dilator



Angled 10°
11 cm
Tip diameter: 0.3 mm

No. 91815-11

Spring-Loaded Retractor



Curved atraumatic blades

8.5 cm
Maximum spread: 3 cm
Blade dimensions: 14 x 10 mm

No. 91706-05

Barraquer



3 cm
Maximum spread: 1.1 cm
Tip dimensions: 5 x 7 mm

No. 91700-03

Dieffenbach



Straight
35 mm
Strong pressure

No. 91850-35

**%
DISCOUNT**

Quantity discount
for student
instruments:

5-9 = 5 %
10+ = 10 %

Per item, selection
cannot be assorted
for discount.

STUDENT




Reference Pages

Worldwide Locations	Page	209
Scissors Test	Page	210
Features and Alloys	Page	211
Maintenance and Care	Pages	212 – 214
Quality Control	Page	215
Selection	Page	216
Dumont	Page	217
Numerical Index	Pages	218 – 221
Alphabetical Index	Pages	222 – 227
Additional Information	Page	228

Fine Science Tools Around the World

Commitment to excellence

For decades, we've demonstrated our commitment to excellence with genuine quality and a 100% satisfaction guarantee. As a result, our products continue to be the preferred instruments among scientists and biomedical researchers worldwide.



We have offices and dealers throughout the world
and have been shipping globally since 1974.



Offices

finescience.com
finescience.de
finescience.ca

USA
Europe
Canada



Dealers

To see a complete list of Fine Science Tools
dealers, please visit us at
finescience.com/dealers

WORLDWIDE



Does paying more for a pair of scissors really buy more value and a longer cutting life?

Pictured below is a scissors testing device used to compare various alloys and cutting edge styles. The scissors repeatedly cut through a continuous feed of cotton cloth, and a counter keeps track of the number of cuts made to evaluate when the scissors begin to show a decrease in cutting quality.

The results verify that the addition of various features dramatically increases the cutting life of the scissors. Most notably, the cutting life is more than doubled with the addition of ToughCut blades to stainless steel, and over six times longer with CeramaCut blades.

See the chart below for a comparison of four different scissors sold by FST.



The cutting life is more than doubled with the addition of ToughCut blades to stainless steel, and over six times longer with CeramaCut blades.

Alloy/Material	Lasts longer than stainless steel by:
Tungsten Carbide	1.9x
Stainless Steel with ToughCut	2.3x
Tungsten Carbide with ToughCut	4.1x
CeramaCut (Ceramic Coated Tungsten Carbide with ToughCut)	6.6x

See page 211 for more information on ToughCut, Tungsten Carbide and CeramaCut.





Tungsten Carbide Instruments


Golden handles (short gold plating)

Last approx. 1.9x longer than stainless steel

Is welded onto the cutting edges of scissors or tips of forceps and needles holders

Available instruments: bone cutters, scissors, forceps, needles, needle holders, burrs

Look for this symbol



ToughCut® Scissors

Black handles

Last approx. 2.3x longer than stainless steel


One cutting edge has micro serrations to minimize tissue slippage

One cutting edge has increased sharpness
(cutting edge with a 30° instead of 15° angle)

Look for this symbol



ToughCut is a registered trademark of Fine Science Tools (USA) Inc.



Tungsten Carbide & ToughCut® Scissors

Golden handles (long gold plating)

Last approx. 4.1x longer than stainless steel

One cutting edge has micro serrations to minimize tissue slippage

One cutting edge has increased sharpness
(cutting edge with a 30° instead of 15° angle)

Look for this symbol



CeramaCut® Scissors

Golden handles and black coating

Last approx. 6.6x longer than stainless steel

Cutting edges with Tungsten Carbide and Tough Cut plus ceramic coating

Ceramic is one of the hardest materials on earth

Reduced glare

Look for this symbol



CeramaCut is a registered trademark of Fine Science Tools (USA) Inc.



Ceramic Instruments

Ceramic coating


Last approx. 2.3x longer than stainless steel

Ceramic is one of the hardest materials on earth

Reduced glare

Available instruments: Dumont forceps and spring scissors

Look for this symbol



Titanium Instruments

Approx. 40% lighter than stainless steel

Softer alloy than stainless steel

Corrosion resistance (cannot rust)

Non-Magnetic

High temperature resistance up to 440°C / 824°F

Available instruments: scissors, forceps, probes, hooks, spatula, vascular clamps

Look for this symbol



Maintenance and Care

Proper care of your surgical instruments will improve their longevity and function. Below are different cleaning, sterilization, and maintenance processes to guide you through your techniques.

General

Guidelines to extend the life of your surgical instruments.

- Clean and thoroughly dry your instruments as soon as possible after each use, paying special attention to joints, hinges, and anywhere there is metal to metal contact.
- Handle your instruments delicately and with care.
- Use your instruments for their intended purpose.
- Store your instruments with tip protectors, and always place them so that they do not touch each other.



Cleaning

Fine surgical instruments should be cleaned immediately after use. Blood or saline solutions left on instruments for any length of time can quickly start corrosive action. Time, temperature, and agitation play important roles in the cleaning process. Time affects the efficiency of cleaning solutions as most are effective after a certain time period. Higher temperature cleaning solutions result in better cleaning. During manual or ultrasonic cleaning it is helpful to loosen any surgical residue. Before any of the below procedures, rinse your instruments under warm running water to remove all blood and tissue. Instruments can be cleaned manually or ultrasonically, but always:

- ⚠ Use a neutral pH (pH 7) cleaning solution.
- ⚠ Clean instruments in the open position to ensure a thorough and effective cleaning process.
- ⚠ Use soft textile or paper cloths, soft plastic brushes made of nylon, or water spray guns.
- ⚠ Do NOT use steel wool, wire brushes, or scouring pads as these are abrasive to the instruments.



Manual Cleaning

- ⚠ Make sure all instruments are visibly clean and free from stains, wiping them carefully to remove all blood and tissue matter.
- ⚠ Rinse instruments thoroughly with distilled water, paying close attention to joints and hinges as these areas can accumulate unwanted material.
- ⚠ Air dry your instruments completely and use a can of compressed air to blow out any water at the joints and hinges. Then store them only in clean and dry environments.

Ultrasonic Cleaning

Ultrasonic cleaning is the most effective cleaning method. The vibrating sound waves create micron-sized bubbles in the solution that grow with the alternating pressure. When the bubbles reach a particular size, they collapse creating a force that dislodges dirt and particles, even in the smallest of crevices.



NOT recommended for delicate and micro instruments.



Follow the manufacturer's guidelines for specific instructions and cleaning cycle times. Instruments should be processed for the full recommended cycle time.

Place instruments in the open position in the ultrasonic cleaner.



- Do NOT allow instruments with sharp blades to touch other instruments.
- Do NOT place dissimilar metals (stainless, copper, chrome plated) in the same cleaning cycle.
- Make sure all instruments are completely submerged.



After the ultrasonic cleaning cycle is complete, rinse instruments thoroughly to remove all ultrasonic cleaning solution.



Dry instruments thoroughly with a clean towel.



Use a spray lubricant in the hinges to minimize the risk of corrosion and maintain functionality.



Sterilization

It is important that instruments are free from all traces of organic or other matter prior to sterilization.

Steam Sterilization/Autoclaving

The autoclave process utilizes moist heat (or steam) under pressure for sterilization. The steam used must be from distilled water and free of all impurities.



Lubricate all instruments that have any metal to metal interaction such as; scissors, rongeurs, needle holders, hemostats, and retractors. Do NOT use WD-40 or other industrial lubricants.

Instruments may be autoclaved individually or in sets.



- Individual instruments: Disposable wraps or sterilization pouches are ideal. Make sure the pouch size is sufficient for the instrument to be in an open (unlocked) position.
- Instrument sets: Open and unlock all instruments. Place the heavier instruments on the bottom of the set when two layers are needed.



Do NOT lock instruments during autoclaving. This will prevent the steam from reaching and sterilizing the metal to metal surfaces, and heat expansion during autoclaving can cause cracks in the hinge areas.



Do NOT over load the autoclave chamber as this may hinder steam penetration.



Place a towel on the bottom of the pan to absorb excess moisture during autoclaving. Make sure the towel has no detergent residue and is pH neutral if immersed in water.



At the end of the autoclave cycle (before the drying cycle) unlock the autoclave door and open it slightly. Run the dry cycle for the recommended time period by the autoclave manufacturer.

Please note: If the autoclave door is fully opened before the drying cycle, cold air will rush into the chamber, which can cause condensation on the instruments. This will result in water stains on the instruments.





Hot Bead Sterilization

Recommended for speed and convenience when instrument tips or blade sterilization is required. The Hot Bead Sterilizer does not use dangerous gases, flames, or chemicals. Highlights:


- ⚠ Bench top set up.
- ⚠ Only 20 seconds of contact required to ensure your instruments are free of pathogens and microbial contaminants.
- ⚠ Beads reach temperature of 240° - 270°C (464° - 518°F) within 15-20 minutes heating time.

Please see page 158 – 159 for more information on the FST Hot Bead Sterilizers.




Ethylene Oxide (ETO) Sterilization

This method is recommended for instruments that will not tolerate high temperatures or moisture (e.g., catheters, cannulae, etc.). This is a process consisting of 4 primary variables; gas concentration, humidity, temperature and time. Sterilization pouches and wraps available, see pages 157 and 160.



Storage

Surgical instruments should be properly stored in a clean and dry environment. It is highly recommended to use tip protectors and instrument cases to avoid possible damage to your instruments. Instrument tip protectors are available, see page 156. Instrument cases are available, see pages 162 – 165.



Oxidation (Rust)

All FST stainless steel surgical instruments are manufactured from medical grade stainless steel under strict European standards. It is very important to properly take care of your instruments to extend their lifespan.

Although stainless steel is corrosive resistant, it can still rust or stain if handled improperly. Under unfavorable conditions instruments may oxidize because stainless steel that is exposed to physical, thermal, or chemical manipulations may lose some of its stainless properties.

Quality Control

The high quality of Fine Science Tools surgical and microsurgical instruments is the result of our relentless attention to detail.

Almost every instrument we sell is manufactured by skilled European craftsmen, designed to exacting specifications made from the finest German stainless steel alloys, and forged from the strongest, lightest materials available, and tested to ensure precision performance and ergonomics.

We are dedicated to quality control, with technicians in our German office inspecting most FST instruments. Aside from checking instrument dimensions and specifications, we thoroughly inspect tip sharpness, cutting edges, springs, joints, and other various components. Only after passing our detailed inspections, instruments are approved and sealed with our "FST Inspected" sticker.

We are proud to guarantee all of our products with your 100% satisfaction. If, for any reason, you are not completely satisfied with your purchase, you may return it for a full refund.



We Proudly Stock



Fine Science Tools is proud to offer a large selection of left-handed surgical instruments to the research community. To find our left-handed instruments in this catalog, look for the “left-handed” icon on the pages below.

Scissors: pages 17, 29

Hemostatic Forceps: page 99

Needle Holders: pages 119 – 120

Ligation Aid: page 143



FST features a selection of scissors with larger than normal finger loops. Most of these loops are easily adjustable to fit larger fingers more comfortably. To find our large loop scissors please look for the “large loop” icon on the pages below.

Scissors: pages 19, 28 and 31



Fine Science Tools has noted which items are most frequently purchased for use in a variety of surgical procedures. To find our most popular items, look for the “most popular” icon throughout the catalog.



Fine Science Tools offers a wide selection of the latest and most popular Dumont forceps. Hand crafted in Switzerland for more than a century, these forceps are known for their consistent and uncompromised fineness. Dumont forceps come in a wide array of styles and alloys. On page 217, you will find detailed descriptions to help guide you in choosing the right Dumont forceps best suited for your needs.



Moria of France is one of the most respected and well known ophthalmic instrument manufacturers in the world, offering some of the finest surgical instruments in the industry for almost 200 years.

Only quality Swedish and German stainless alloys are selected; and many hours of highly skilled labor are put into the manufacturing process, which includes hand crafted sharpening, balancing, and polishing, often done under 40x magnification. Moria’s product line includes scissors, spring scissors, forceps, spoons, vessel clamps, and more.



This Swiss manufacturer has established itself as one of the premier suppliers of superb microsurgical instruments worldwide. Unique designs, precise instrument balance, and optimum angles gives S&T instruments the “right feel” which is important for all procedures. S&T’s product line includes forceps, needle holders, scissors, vessel clamps, sutures, vessel cannulation forceps, vessel dilators, and more.



Finding the Dumont forceps best suited for your needs:



Alloys	Hardness	Magnetic	Temperature resistance	Autoclavable	Advantages
Titanium	Least Hard	No	Up to 430° C	Yes	Resistant to corrosion from nitric acid, chloride, and salt water. Titanium is 40% lighter than stainless steel.
Dumoxel	Hard	No	400° C	Yes	The most popular alloy available for Dumont forceps offers the best resistance to corrosion, sulphuric environments, hydrochloric acids, and all other mineral and organic acids.
Inox	Harder	Yes	400° C	Yes	Available for most Dumont forceps. Contains chromium added to carbon steel, which results in some loss of hardness but offers good stainless qualities and resistance to corrosion.
Dumostar	Harder	No	500° C	Yes	More durable and corrosion resistant than the best stainless steels. Highly resistant to mineral and organic acids, and salt water. Dumostar lasts an average of four times longer than Dumoxel and Inox. Most cost effective alloy for laboratory use.
Carbon	Hardest	Yes	N/A	No	Extremely hard; ensuring strong tips. Easily stains and rusts without proper care. Carbon cannot be immersed in a water bath or sterilized.

Tip profiles: Dimensions vary. See each style for specific dimensions (width x thickness).

Standard	Made for high precision and consistently precise work under a microscope.
Biology	Twice as fine as "Standard Tips." Especially produced for high precision laboratory work under the microscope.
Super Fine Tips	Four times finer than the "Standard Tips." These tips are extremely delicate for the finest work under the microscope. Extra care is needed for these tips as they are very fragile.

Styles

#2	Straight forceps with wide yet fine tips, referred to as Mouse Laminectomy Forceps because of their popularity in breaking off delicate bone from mouse skulls.
#2AP	Epoxy coated with flat wide blunt tips.
#3	Long straight forceps with coarse tips. Popular in low magnification procedures.
#3C	Shorter version of #3.
#4	Similar to the #5 but with broader shanks and stronger tips.
#5	Most popular style of Dumont straight forceps with fine tips which come in several styles.
#55	Similar to the #5 but with lighter shanks, giving the forceps a lighter spring action.
#5CO	Similar to the #55 but with even finer shanks producing the lightest spring action and longest meeting surface of any Dumont style.
#5L	Medical #5 forceps with slide sleeve for a secure hold and retention.
#5SF	The finest tips ever produced by Dumont.
#5XL	Extra Long #5 forceps.
#5/45	Tips angled at 45°.
#5/45C	Designed to pick up cover slips from multi-well plates.
#5/90	Tips angled at 90°.
#5AC	Self-closing Anti-Capillary forceps.
#6	Sharply angled, broad tips.
#7	Most popular style of Dumont curved forceps with fine tips which come in several styles.
#7B	Curved serrated tips.
AA	Strong broad tips.
M	Mini forceps.
Medical	Denotes distinctive ribbed handle to maximize grip.
SS	Long and narrow shanks with thin tips.
WA	One piece design with no soldering grooves allows the forceps to be thoroughly and easily cleaned preventing biofilm residue.



Item No.	Page No.					
		10030-13..... 106	10100-30 56	11002-18 91	11040-08 84	11200-10 74
		10031-13 106	10100-45 56	11002-20 91	11041-08 84	11200-12 74
		10032-13 106	10110-01 55	11002-25 91	11042-08 84	11200-14 74
00071-14..... 137		10033-13..... 106	10110-03 55	11003-12 91	11043-08 84	11200-33..... 73
00072-14..... 137		10035-00 58	10110-05 55	11003-13 91	11049-10 85	11203-23..... 73
00081-00 166		10035-05 58	10110-07 55	11003-14 91	11050-10 85	11203-25..... 73
00108-11 80		10035-10 58	10130-05 115	11003-16 91	11051-10 85	11210-10 73
00109-11 80		10035-12 58	10130-10 115	11003-18 91	11052-10 85	11210-20 73
00125-11 142		10035-15 58	10130-20 115	11003-20 91	11053-10 85	11215-01 42
00126-11 142		10035-20 58	10140-01 107	11006-12 89	11054-10 85	11215-02 42
00272-13 82		10035-25 58	10140-02 107	11006-15 83	11055-10 85	11220-21 72
00276-13 142		10035-30 58	10140-03 107	11008-13 92	11062-10 86	11223-20 72
00325-00 136		10050-00 57	10140-04 107	11008-15 92	11063-07 82	11229-08 74
00396-01 136		10052-11 57	10152-30 54	11009-13 92	11064-07 84	11229-10 74
00398-02 136		10053-09 57	10157-13 54	11009-15 92	11065-07 84	11231-20 70
00400-03 136		10053-13 57	10157-15 54	11010-17 97	11066-07 84	11231-30 70
00574-11 145		10055-12 52	10157-18 54	11011-17 97	11067-07 84	11241-30 72
00608-11 145		10056-12 52	10160-13 109	11012-18 97	11069-08 84	11242-40 72
00632-11 80		10058-15 53	10162-12 105	11012-21 97	11070-08 84	11251-10 67
00649-11 80		10059-13 52	10165-11 108	11012-25 97	11071-10 86	11251-20 67
10000-10 62		10059-15 53	10166-11 108	11013-18 97	11072-11 88	11251-21 68
10000-11 62		10060-00 62	10167-11 108	11013-21 97	11073-10 87	11251-23 67
10000-15 62		10060-13 62	10315-12 58	11014-18 96	11074-02 87	11251-30 67
10002-00 61		10061-12 107	10316-14 58	11015-18 96	11075-00 87	11251-33 69
10002-50 61		10062-12 107	10317-14 58	11016-17 97	11076-15 92	11251-35 69
10003-12 60		10063-15 106	10318-14 58	11017-17 97	11080-02 96	11252-00 65
10003-13 60		10064-14 107	10321-08 113	11018-12 89	11083-07 81	11252-20 67
10004-13 59		10065-15 106	10360-13 113	11019-12 89	11084-07 81	11252-21 68
10006-12 63		10066-15 106	10370-13 53	11020-12 89	11090-09 81	11252-23 67
10007-12 61		10073-14 52	10370-17 113	11021-12 94	11090-10 81	11252-30 67
10007-16 61		10075-16 51	10370-18 113	11021-14 94	11091-15 103	11252-40 67
10009-13 59		10080-05 51	10370-19 113	11021-15 94	11092-12 103	11252-50 65
10010-00 60		10081-10 51	11000-12 91	11022-12 89	11093-10 81	11253-10 68
10010-10 63		10082-15 51	11000-13 91	11022-14 94	11095-09 102	11253-20 66
10011-00 60		10083-20 51	11000-14 91	11022-15 94	11095-13 102	11253-21 66
10011-10 63		10087-12 110	11000-16 91	11023-10 94	11096-10 103	11253-25 66
10012-00 60		10088-15 109	11000-18 91	11023-12 94	11096-13 103	11253-27 69
10015-00 60		10089-11 110	11000-20 91	11023-14 94	11101-09 88	11253-29 66
10015-10 63		10090-13 109	11000-25 91	11023-15 94	11103-09 88	11254-20 65
10020-00 59		10090-17 109	11000-30 91	11024-18 97	11106-09 88	11255-20 67
10021-00 59		10091-12 110	11001-12 91	11025-18 97	11150-10 85	11258-20 74
10022-00 59		10092-12 110	11001-13 91	11026-15 95	11151-10 85	11260-20 70
10023-00 59		10093-13 110	11001-14 91	11027-12 89	11152-10 85	11270-20 71
10025-23 56		10094-13 110	11001-16 91	11028-15 95	11153-10 85	11271-30 71
10025-43 56		10095-12 51	11001-18 91	11029-14 94	11154-10 85	11272-30 71
10025-44 56		10096-16 51	11001-20 91	11030-12 90	11155-10 85	11272-40 71
10025-45 56		10097-16 51	11002-12 91	11031-15 95	11158-10 85	11272-50 71
10025-50 56		10098-06 111	11002-13 91	11032-12 89	11159-10 85	11273-20 66
10025-70 171		10099-12 112	11002-14 91	11036-20 97	11160-10 85	11273-22 66
10025-71 171		10099-15 112	11002-16 91	11036-90 97	11200-00 154	11274-20 71



11280-11145	11917-1275	12061-01116	14002-1429	14060-0917	14111-1534
11281-11145	11923-1376	12061-02116	14002-1629	14060-1017	14111-1734
11282-11145	11972-2076	12074-12116	14003-1229	14060-1117	14116-1433
11293-0070	11980-1376	12075-12116	14003-1329	14061-0917	14116-1833
11294-0072	11988-0176	12075-14116	14003-1429	14061-1017	14117-1433
11295-0067	11988-0276	12076-12116	14003-1629	14061-1117	14117-1833
11295-1067	11988-0376	12102-12119	14003-1829	14062-0917	14130-1730
11295-2065	11990-1475	12500-12118	14003-2029	14062-1017	14131-1431
11295-5167	11991-1475	12501-13118	14004-1229	14063-0917	14160-1017
11297-0071	11992-1275	12502-12119	14004-1329	14063-1117	14161-1017
11297-1071	11992-2076	12502-14119	14004-1429	14064-1124	14171-1028
11370-3178	12001-13118	12503-15120	14004-1629	14065-1124	14173-1225
11370-3278	12002-12119	12504-15120	14004-1829	14066-1124	14184-0915
11370-4078	12002-14119	12505-15121	14005-1229	14067-1124	14185-0915
11370-4278	12003-15120	12510-14117	14005-1329	14068-1219	14200-2135
11373-1278	12004-16120	12512-12119	14005-1429	14069-1219	14370-2218
11373-2278	12004-18120	12565-14117	14005-1629	14070-1219	14370-2318
11383-5079	12005-15121	13002-10102	14007-1430	14071-1219	14501-1430
11383-5679	12010-14117	13003-10102	14008-1429	14072-1027	14502-1430
11390-2579	12018-12125	13004-14100	14010-1534	14074-0923	14504-1430
11393-0482	12020-00127	13005-14100	14010-1734	14074-1123	14505-1430
11393-0582	12020-09127	13006-1298	14011-1534	14075-0923	14508-1532
11399-8078	12022-09127	13007-1298	14011-1734	14075-1123	14509-1532
11399-8778	12022-19127	13008-1299	14012-1535	14076-0926	14510-1534
11412-1177	12023-00127	13009-1299	14012-1735	14077-0924	14510-1734
11413-1177	12028-12125	13010-1299	14013-1535	14077-1024	14511-1534
11445-1277	12029-12125	13011-1299	14013-1735	14078-1022	14511-1734
11480-1177	12030-01126	13012-1299	14014-1735	14079-1022	14512-1534
11485-1177	12030-04126	13013-14101	14015-1735	14080-1127	14512-1734
11487-1177	12030-20126	13014-14101	14016-1433	14081-0926	14518-1432
11506-1289	12030-22126	13015-14101	14016-1833	14082-0926	14518-1832
11515-0243	12030-23126	13018-14100	14017-1433	14083-0815	14519-1432
11602-1491	12035-00126	13019-14100	14017-1833	14084-0815	14519-1832
11602-1696	12040-01125	13020-1298	14018-1332	14084-0915	14531-0931
11608-1592	12040-02125	13021-1298	14018-1432	14085-0815	14558-0921
11616-1590	12040-03125	13108-1299	14018-1832	14085-0915	14558-1121
11617-1290	12050-01123	13109-1299	14019-1332	14086-0927	14559-0921
11626-1169	12050-02123	14000-1229	14019-1432	14088-1018	14559-1121
11627-1290	12050-03123	14000-1329	14019-1832	14090-0916	14568-0920
11650-1085	12050-10123	14000-1429	14024-1433	14090-1116	14568-1220
11651-1085	12050-20123	14000-1629	14028-1022	14091-0916	14569-0920
11652-1085	12051-08122	14000-1829	14029-1022	14091-1116	14569-1220
11700-0087	12051-10122	14000-2029	14037-1028	14094-1116	14574-0923
11700-0187	12051-11122	14001-1229	14040-1019	14095-1116	14574-1123
11700-0287	12052-08122	14001-1329	14041-1019	14101-1431	14575-0923
11700-0387	12052-09122	14001-1429	14054-1330	14105-1225	14575-1123
11700-0487	12052-10122	14001-1629	14058-0920	14106-0928	14958-0921
11900-1483	12052-11122	14001-1829	14058-1120	14108-0928	14958-1121
11911-1175	12060-01116	14002-1229	14059-0920	14110-1534	14959-0921
11915-1175	12060-02116	14002-1329	14059-1120	14110-1734	14959-1121



15000-00.....4	15370-508	16152-11..... 46	18000-51158	18051-28.....139	18132-12142
15000-016	15370-528	16152-12 46	18000-52159	18051-35.....139	18144-30139
15000-026	15371-92.....12	16152-15 46	18004-18.....167	18051-50.....139	18155-13 86
15000-033	15396-005	16220-14 36	18004-23167	18052-01139	18196-10170
15000-043	15396-015	16221-14 36	18004-27167	18052-02139	18200-01135
15000-083	15400-12..... 7	17000-01129	18004-50167	18052-03139	18200-02135
15000-104	15401-12 7	17000-02129	18010-00 168	18052-12 143	18200-03135
15000-116	15514-1210	17000-03129	18010-01 168	18053-28139	18200-04135
15000-126	15610-086	17000-04129	18010-02 168	18054-28139	18200-05135
15001-083	15615-086	17001-07132	18019-00 168	18055-01138	18200-06135
15002-083	15617-08..... 6	17002-02129	18019-01 168	18055-02138	18200-07135
15003-084	15650-1111	17003-03129	18019-02 168	18055-03138	18200-08135
15004-084	15651-1111	17004-03129	18020-00123	18055-04138	18200-09135
15005-084	15750-11 7	17004-05130	18020-01123	18055-05138	18200-10135
15006-098	15751-11 7	17005-03129	18020-02123	18055-06138	18200-11135
15007-085	16000-14..... 40	17005-04130	18020-03123	18056-14138	18200-12135
15008-084	16001-1537	17006-05132	18020-20123	18057-14138	18200-20135
15009-088	16002-18..... 39	17007-08132	18020-30123	18058-15139	18200-50135
15010-0911	16004-16..... 40	17008-07131	18020-40123	18058-18139	18320-11139
15010-1011	16005-16..... 40	17009-07131	18020-50123	18060-20147	18374-43139
15011-1210	16015-1737	17009-08131	18020-60123	18061-10147	18374-44139
15012-1210	16016-1737	17010-07131	18020-70123	18061-15147	18403-11145
15013-1210	16020-1436	17011-10133	18025-10 82	18061-18147	18406-11145
15015-1111	16021-1436	17012-11134	18026-10 83	18061-20147	18406-13145
15017-1010	16022-1539	17012-13134	18030-30123	18061-22147	18555-01138
15018-104	16023-1539	17017-10133	18030-40123	18061-24147	18555-02138
15019-104	16025-1449	17018-11134	18030-50123	18061-38147	18555-03138
15020-157	16030-1246	17020-17128	18030-60123	18061-50147	18555-04138
15021-157	16030-1646	17021-13128	18030-70123	18061-75147	18601-15 93
15023-109	16044-1046	17022-13128	18030-80123	18062-12143	18602-15 93
15024-109	16050-1547	17023-13128	18035-01170	18062-13143	18603-14 93
15025-109	16060-1150	17300-02130	18035-02170	18063-13143	18961-15148
15027-1812	16101-1044	17300-03130	18035-03170	18064-20147	18961-17148
15028-1812	16102-1144	17300-04130	18035-05170	18065-20147	18961-18148
15030-1413	16103-1143	17370-53130	18035-35170	18067-11105	18961-20148
15031-1413	16104-1448	18000-00169	18035-50170	18070-00140	18961-75148
15032-0814	16104-1948	18000-01169	18035-80170	18070-10140	18961-85148
15032-1314	16105-1648	18000-02169	18036-19170	18073-00140	19003-00176
15033-099	16106-1448	18000-03169	18036-22170	18080-01141	19003-01176
15036-1413	16107-1441	18000-04169	18036-24170	18080-02141	19007-05167
15037-1413	16109-1441	18000-10144	18038-45139	18080-03141	19007-07167
15040-119	16120-1436	18000-15153	18039-45139	18090-00166	19007-09167
15042-119	16121-1436	18000-18167	18040-00141	18090-45159	19007-14167
15070-085	16130-1547	18000-20167	18040-11136	18090-46159	19007-21167
15071-085	16140-1145	18000-30151	18040-14137	18090-50159	19007-29167
15110-0812	16141-1145	18000-35174	18040-22136	18090-51159	19008-07167
15111-0812	16142-1145	18000-45158	18040-33136	18105-01170	19008-09167
15123-126	16143-1245	18000-46158	18050-28139	18105-03170	19008-14167
15124-126	16144-1345	18000-47159	18050-35139	18106-01170	19009-00 50
15300-0014	16150-2449	18000-50158	18050-50139	18131-12142	19009-05167



19009-07.....167	24212-01.....150	28001-02.....160	29070-09.....155	91127-12.....196	91402-10.....187
19009-09.....167	24212-02.....150	28015-15.....160	29071-01.....155	91128-15.....198	91402-12.....187
19010-00.....50	24213-02.....150	28015-25.....181	29071-02.....155	91138-15.....198	91402-13.....187
19010-01.....50	24213-12.....150	28020-20.....160	29071-03.....155	91139-09.....195	91402-14.....187
19010-10.....50	24214-02.....150	28020-28.....181	29071-04.....155	91139-12.....195	91404-12.....187
19010-11.....50	24215-02.....149	28030-02.....177	29071-05.....155	91150-20.....193	91404-13.....187
20311-21.....164	24220-00.....152	28030-03.....177	29071-06.....155	91156-11.....195	91404-14.....187
20325-00.....161	24220-10.....152	28030-04.....177	29071-07.....155	91162-12.....196	91405-10.....191
20325-10.....161	24220-50.....152	28030-10.....177	29071-08.....155	91191-15.....205	91405-11.....187
20330-00.....165	24220-90.....152	28030-20.....180	29080-00.....155	91194-10.....203	91405-13.....187
20330-01.....165	24916-02.....149	28030-25.....180	30051-10.....171	91194-13.....203	91405-14.....187
20330-02.....165	26000-25.....115	28040-30.....179	30076-14.....171	91195-09.....203	91408-14.....186
20330-03.....165	26000-30.....115	28050-30.....179	30085-15.....173	91195-11.....203	91409-15.....189
20350-00.....161	26000-35.....115	28050-35.....179	30085-30.....173	91195-13.....203	91410-17.....189
20810-01.....162	26000-40.....115	28080-10.....178	30087-00.....174	91196-13.....204	91411-17.....189
20810-02.....162	26000-45.....115	28080-90.....179	30087-20.....174	91197-00.....193	91413-14.....189
20820-00.....162	26000-50.....115	29000-00.....154	37500-00.....172	91198-15.....205	91413-18.....189
20830-00.....165	26000-55.....115	29000-10.....153	37500-05.....172	91199-16.....205	91413-20.....189
20830-01.....165	26000-60.....115	29000-10.....182	91003-12.....192	91201-13.....206	91416-14.....190
20830-02.....165	26000-65.....115	29008-01.....153	91004-13.....192	91204-16.....206	91417-18.....190
20830-03.....165	26000-70.....115	29008-12.....153	91100-12.....197	91303-10.....199	91419-14.....190
20830-04.....165	26001-25.....115	29008-22.....154	91100-13.....197	91304-14.....200	91427-12.....196
20830-05.....165	26001-30.....115	29015-50.....153	91100-14.....197	91304-16.....200	91460-11.....186
20830-06.....165	26001-35.....115	29015-50.....182	91100-16.....197	91305-14.....200	91460-12.....186
20831-10.....166	26001-40.....115	29025-01.....175	91100-17.....197	91305-16.....200	91461-11.....186
20840-01.....163	26001-45.....115	29025-02.....175	91102-12.....197	91308-12.....199	91461-12.....186
20840-02.....163	26001-50.....115	29026-10.....175	91102-13.....197	91309-12.....199	91468-12.....188
20840-03.....163	26001-55.....115	29027-00.....173	91102-14.....197	91316-14.....201	91476-09.....188
20842-03.....163	26001-60.....115	29051-45.....153	91102-16.....197	91316-16.....201	91500-09.....186
20850-00.....164	26001-65.....115	29055-00.....154	91106-12.....196	91317-14.....201	91501-09.....186
20850-10.....164	26001-70.....115	29060-00.....156	91108-12.....198	91317-16.....201	91601-11.....191
20850-11.....164	26002-10.....115	29060-01.....156	91108-14.....198	91318-14.....200	91604-09.....191
20890-51.....164	26002-15.....115	29060-02.....156	91110-10.....194	91319-14.....200	91606-07.....206
20890-71.....164	26002-20.....115	29060-03.....156	91113-10.....194	91322-14.....201	91700-03.....207
20890-72.....164	26003-15.....115	29060-04.....156	91115-10.....194	91323-14.....201	91706-05.....207
23005-10.....124	26007-01.....115	29060-05.....156	91117-10.....194	91328-14.....202	91790-16.....207
24201-00.....152	26007-02.....115	29060-06.....156	91118-12.....196	91328-16.....202	91791-16.....207
24201-01.....152	26007-03.....115	29066-00.....156	91119-12.....196	91329-14.....202	91815-11.....207
24202-01.....151	26007-04.....115	29066-01.....156	91121-12.....197	91329-16.....202	91850-35.....207
24202-02.....151	26007-05.....115	29066-02.....156	91121-13.....197	91330-14.....202	
24202-03.....151	26016-12.....114	29066-03.....156	91121-14.....197	91331-12.....199	
24202-04.....151	26018-17.....114	29066-04.....156	91121-15.....197	91331-14.....202	
24202-05.....151	26029-10.....88	29070-01.....155	91121-16.....197	91393-16.....204	
24202-06.....151	26030-10.....88	29070-02.....155	91121-18.....197	91400-10.....187	
24202-11.....151	26100-00.....50	29070-03.....155	91121-20.....197	91400-12.....187	
24202-12.....151	27000-01.....176	29070-04.....155	91121-25.....197	91400-14.....187	
24202-13.....151	28000-07.....157	29070-05.....155	91123-12.....197	91401-10.....187	
24202-14.....151	28000-10.....157	29070-06.....155	91123-14.....197	91401-12.....187	
24202-15.....151	28000-12.....157	29070-07.....155	91123-16.....197	91401-13.....187	
24202-16.....151	28001-00.....160	29070-08.....155	91126-15.....198	91401-14.....187	



Alphabetical Index

A

Absorption Spears and Triangles	170
Adson forceps.....	89-90
Adson.....	89
Adson-Brown	90
Adson DeBakey.....	90
Adson-Graefe.....	90
Micro Adson.....	89
Micro Adson Fenestrated.....	89
Agricola retractor	130
Allis hemostatic forceps	103, 205
Alm retractors	131
Applicators	
Horizon ligation system	140
Micro serrefine	137-138
Suture clips	125-127
Applying forceps, clamp.....	137-138
Arc blade.....	58
Arteriotomy knives.....	52-53, 55-56
Artery scissors	27
Austin Chisel.....	51
AutoClip® System	127

B

Baby-Beyer	39
Baby-Mixer hemostatic forceps.....	101
Backhaus towel forceps.....	102
Balanced Instruments	93
Ball Tipped	
Spring Scissors	9
Scissors.....	27
Beebee bone scissors	46
Beyer rongeurs	39
Biemer spring scissors	14
Biemer vascular clip.....	139
Bishop-Harman forceps.....	84
Bonn-Strabismus scissors.....	15
Blade	
Breakers.....	57
Cartridges	63
Holders.....	56-63
Blades.....	
Breakable.....	57
Ceramic.....	56
Diamond.....	56
Obsidian.....	55
Scalpel	58-60, 62-63
Blair retractor.....	128
Boehler bone cutter.....	47
Bone	
Cutters	41-48

Delicate scraper.....	51
Forceps.....	50
Nipper	44-45
Pliers	49
Rongeurs.....	36-40
Scissors.....	45-46
Scissors, Student.....	191
Scraper.....	51
Screws, self-tapping.....	50
Shears.....	49
Wax	50
Bone cutters.....	
Beebee.....	46
Bone Trimmers.....	41
Boehler.....	47
Cartilage Cutter	42-43
Cleveland	48
Dumont carbon steel	42
Dumont epoxy coated.....	42
Liston	48
Littauer.....	46
Malleus Nipper.....	45
Micro.....	43
Offset Bone Nipper.....	44
Skull Flap	47
Spring Scissors.....	45
Tungsten Carbide.....	43, 46
Bone Nipper	44
Bonn	
Artery	27
Forceps.....	79, 81
Micro probes.....	106
Moria	79
Scissors.....	15, 27
Strabismus.....	15
Book and DVD-Suturing Principles.....	124
Bowman retractor	132
Brush	170
Bulldog clamps.....	139
Burrs	167

C

Calipers.....	
Castroviejo	174
Digital electronic.....	174
Plastic Vernier	174
Cane blade	58
Cannulation aids.....	145
Cartilage Cutter	42-43
Cases, instrument	162-166
Castroviejo.....	
Caliper	174
Needle holders.....	116-117

Spring scissors.....	8-11
Cauterizer.....	
High Temperature	168-169
Low Temperature	168
Tips	168-169
CeramaCut, scissors.....	21
Ceramic	
About.....	211
Blades.....	56
Cutter.....	171
Dumont forceps.....	65, 71
Scissors	21
Spring scissors.....	7, 11
Titanium Spring Scissors.....	11
Chisels.....	
Austin	51
Dissecting.....	51
Circle forceps.....	88
Circle knife	53
Clamps	
Applying forceps	137-138
Bulldog Artery Spring Clamps	139
Bulldog Type Serrefines.....	139
Dietrich Bulldog Clamps	139
Double Micro Clamps.....	136
Horizon Ligation Clamps	140
Micro Serrefines	138
Mini Serrefines	139
Moria	139
S&T	136
Schwartz Micro Serrefines	139
Silver Neuro Clips	141
Student.....	199-105, 207
Titanium	138-139
Towel	102-103, 203-204
Vascular	136, 138-141
Vascular Occluders	141
Cleveland bone cutters	48
Clip-On LED Light.....	180
Clipper style scissors	14
Cohan-Vannas spring scissors	6
Colibri retractor	
Colibri	129
Mini.....	129
Moria	130
Combination Probe and Spatula	109
Combination Spoon and Spatula	109
Components forceps, Dumont	74
Contacts, Gold wire.....	176
Corers, sample.....	170
Cover glass forceps.....	87
Cover slip forceps.....	69
Crile hemostatic forceps.....	100



Crile-Wood needle holders	120
Curettes, micro	51
D	
DeBakey	
Adson	90
Round Handle	92
Decapitation scissors	35
Demagnetizer	153
Diamond coated forceps	75
Diamond knives	56
Dietrich bulldog clamps	139
Digital Electronic Caliper	174
Dilator, vessel	142
Disposable safety scalpels	62-63
Disposable scalpel box	61
Dissecting Chisel	51
Dissecting knives	52-53
Double-Ended Micro Spatula	110
Double Micro Clamps	136
Double pronged tissue pick	105
Double tip protectors	156
Dowell spring scissors	9
Dressing forceps	81, 84-92
Dumont	
Bone Cutter	42
Ceramic	65, 71
Components forceps	74
Coverslip	69
Epoxy	72-73
Forceps	42, 65-74, 193
Forceps sharpening stones	154
Laminectomy	72
Mini Forceps	74
Slide Lock	69
Super Fine Tip	65
Teflon	69
Titanium	67, 71
Tweezers	65-74, 193
Dura cutting knife	52
Dura hook	105

E	
Ear	
Punches	149-150
Tags	152
Tattoo system	152
Electronic timers	176
Etched micro needles	115
Eschenbach magnifiers	179-181
Extra Fine Bonn	15
Explorers	107

F	
Feeding needles	147-148
File set	171
Filters, sterilization	164
Fine	
Bonn	15
Forceps	75-85
Hemostats	98-99
Iris Scissors	16-21
Scissors	15-28
Spring scissors	3-14
Fixation forceps, Pierse	86
Fomon retractor	128
Forceps	
Adson	89-90, 196
Adson-Brown	90, 196
Adson DeBakey	90
Adson-Graefe	90
Applying and removing	125
Bishop-Harman	84
Bone	50
Bonn	79, 81
Cannulation	145
Ceramic	65, 71
Circle	88
Components	74
Cover glass	87
Cover slip	69
Cross action	77, 87
DeBakey, round handle	92
Diamond coated	75
Dressing	81, 84-92
Dumont	42, 65-74, 193
Epoxy coated	72-73
Fine	75-85
Fixation	86
Gerald	96
Gillies	95
Gold plated	75
Graefe	84-85
Grasping	83
Hemostatic	98-102
Insect handling	88
Laminectomy	72
London	96
Micro	65-78
Mirror Finish	67, 77
Moria	78-79, 82
Mouse laminectomy	72
Mouse handling	97
Multipurpose	93
Narrow Pattern	91
Octagon	84

Organ holding	88, 95
Paufigue forceps	79
Pierse fixation	86
Plastic	87
Potts-Smith	97
Repair kit	154
Replaceable Plastic Tip	76
Ring	88
Round Handle	83, 92-93
Russian	95
S&T	80, 82, 145
Self-Closing	77, 87
Semken	92
Standard Forceps	86-97
Standard Pattern	91
Student	193-198, 207
SuperGrip	80
Suture tying	81-83
Taylor	97
Titanium	67, 71, 78, 85, 91-92, 96
Troutman	82
Tungsten carbide	43, 89
Vitro Grasping	83
Vial	83
Friedman rongeur	40
Friedman-Pearson rongeur	36

G	
Galilean Loupes	179
Gavage feeding needles	147-148
Gelpi retractor	133
GenoPunch	149
Gerald forceps	96
Gillies forceps	95
Gold plated forceps	75
Gold wire contacts	176
Goldstein	
retractor	129
retractor Mini	129
Graefe	
Forceps	85
Knife	52
Grasping forceps	83
Grease, silicone	153
Gross anatomy	
Knives	54
Probe	109
Scalpel	62
Scissors	29-35
Guthrie retractor	128

H	
Halsey needle holders	118, 206



Halsted-Mosquito hemostatic forceps	99, 199	Marker	151	Lister sine clamp	205
Handles, scalpel	56-63	Tattoo system	152	Liston gross anatomy cutter	48
Hardened Fine Iris Scissors	16	Insect		Littauer bone cutter	46
Hartman hemostatic forceps	102, 199	Handling forceps	88	Live Insect Handling Forceps	88
Headband magnifier	177	Pins	115	Long-term textile filter	164
Headband, spectacles	178-179	Insert		Lorna clamp	103, 204
Heiss retractor	133	Pin holders	114, 206	Low Temperature Cauterizer	168
Hemostatic forceps		Pins	115	Lubricant, silicone	153
Allis Clamp	103, 205	Instrument		Luer rongeur	37
Babcock	204	Beaker	166		
Baby-Mixer	101	Cases	162-166	M	
Backhaus Towel Clamp	102, 203	Holding spring	166	Magnetic sterilization mat	161
Crile	100, 200	Oil	154	Magnifiers	
Fine	98	Sharpening Stones	153-154	Eschenbach Clip-On LED Light	180
Halsted-Mosquito	99, 199	Tape, identification	155	Galilean Loupes	179
Hartman	102, 199	Tip protectors	156	Headband	177
Hose Clamp	205	Iridectomy scissors	4-13, 16-21	Interchangeable Headset with LED	178
Kelly	100, 200	Iris Spatulae	110	Magnifying Loupe with Micrometer	
Kocher	202			and LED	175
Left-handed	99	K		Spectacles	178-180
Lister Sine Clamp	205	Kaye scissors	28	Stands	181
Lorna Towel Clamp	103, 204	Kelly hemostatic forceps	100	Scribolux	181
Micro-Mosquito	99	Knives		Vario Flex	181
Ochsner-Kocher	202	Cataract	52	Malleus Nipper	45
Pean	201	Circle	53	Mandrel	167
Providence-Hospital	101	Diamond	56	Manipler®, skin stapler	126
Rochester-Pean	201	Dura cutting	52	Manual and DVD, Suturing Principles	
Smooth	98	Gross anatomy	54	and Techniques in Laboratory Animals	124
Student	199-205	Gross anatomy (blade)	62	Marker, skin, fur	151
Tohoku Towel Clamp	203	Micro	52-53	Mat, silicone	161
Ultra Fine	98	Obsidian	55	Mathieu needle holder	117
Hippocampal dissecting tools	112	Sichel	52	Max Detail spectacles	180
Holders		Side Cut	53	Mayo scissors	34, 189
Blade	56-63	Stone age	55	Mayo-Hegar needle holder	116
Ceramic blade	56, 171	Von Graefe	52	Mayo-Noble scissors	35
Micro needle	114, 206			Mayo-Stille scissors	35
Needle	116-121, 206	L		Metzenbaum scissors	
Pin	114, 206	LaGrange scissors	25	Baby scissors	32
Scalpel blade	56-63	Laminectomy forceps, mouse	72	Fino	32
Student	206	Large Loops	19, 28, 31	Scissors	33
Hooks		Left-handed		Student	190
Micro	105-108	Fine scissors	17	ToughCut	33
Spinal cord	105	Hemostatic forceps	99	Tungsten Carbide	32
Y-Hook	108	Ligation aid	143	Michel	
V-Hook	143	Needle holders	119-120	Suture Clips	125
Horizon Ligation System	140	Surgical scissors	29	Applying and Removing	125
Hose Clamp	205	Lempert rongeur	40	Micro	
Hot bead sterilizers	158-159	Lens paper	153, 182	Bone cutter	43-45
		Lexer-Baby scissors	22	Cannulation System	144
I		Ligation aid	143	Cleaning Brush	170
Identification		Ligation system	140	Curettes	51
Ear punches	149-150	Ligature scissors	26, 188	Dissecting knives	52-53
Ear tags	152	Lister scissors	31, 189	Dissection scissors	3-14

Forceps	65-78
Hooks	106-107
Needles, etched	115
Needle holders	116
Needles and sutures	122-123
Points	106, 108
Probes	106, 108
Rongeurs	36-37
Serrefine applicators	137-138
Serrefines	136, 138-139
Spatulae	108, 110-111
Vannas	3-4
Micrometers	175
Micro-Mosquito Hemostat	99
Mini-Biemer spring scissors	14
Mini-Colibri retractor	129
Mini-Lister	31
Mini-Vannas spring scissors	3-5
Minutien pins	115
Mirror finish	
Cutting spoon	113
Forceps	67, 77
Micro spatula	110
Moria	
Forceps	78-79, 82
Instrument case	164
Pin holders	114
Retractors	130
Scissors	18
Spoons	113
Spring scissors	5, 8, 12
Vascular clamps	139
Mosquito hemostatic forceps	99, 199
Mouse	
Feeding needles	147-148
Laminectomy forceps	72
Handling forceps	97
Multipurpose forceps	93

N

Narrow Pattern Forceps	91
Needle Holders	
Castroviejo	116-117
Crile-Wood	120
Halsey	118
Mathieu	117
Mayo-Hegar	120
Olsen-Hegar with Suture Cutter	119
Round Handled	116
Ryder Mini	121
Slim Elongated	121
with Suture Cutter	116, 119
Needles	

Etched, micro	115
Feeding	147-148
Micro needles and sutures	122-123
Neuro punches	170
Neuro clips, silver	141
Noyes spring scissors	10
Nylon suture thread	123

O

Obsidian scalpels	55
Occluders, vascular	141
Octagon Forceps	84
Offset Bone Nipper	44
Oil, instrument	154
O-rings for forceps	154
Olsen-Hegar needle holders	19
Optical cleaning kit	153, 182
Organ holding forceps	88, 95

P

Pascheff-Wolff spring scissors	12
Paufique forceps	79
Pearson rongeur	37
Pen, Marker	151
Perforated Spoons	113
Pick, Double Pronged	104
Pierse fixation forceps	86
Pin holders	114, 206
Pins	
Etched Tungsten Micro Needles	115
Insect	115
Insert	115
Minutien	115
Plastic cases	165
Plastic forceps	87
Plastic sterilization container	162-163
Plastic Vernier Caliper	174
Potts-Smith forceps	97
Pouches, sterilization	157
Probes	
Bonn Micro	106
Combination Probe and Spatula	109
Gross Anatomy	109
Micro Hooks	106-107
Micro Points	106, 108
Probes and Explorers	107
Vessel Dilating	109
Providence-Hospital hemostatic forceps	101
PTFE feeding needles	148
Punches	
Ear	149-150
Neuro	170

R

Repair kit, forceps	154
Replaceable	
Forceps	76
Ear punch	150
Retractors	
Agricola	130
Alm	131
Blade	129-132
Blair	128
Bowman	132
Colibri	129-130
Fomon	128
Hand	128
Heiss	133
Gelpi	133
Goldstein	129
Guthrie	128
Large	131-134
Mini-Goldstein	129
Mini-Colibri	129
Moria	130
Slide	129
Small	129-130
Speculum	130
Spring-Loaded	130, 132
Student	207
Systems	135
Weitlaner-Locktite	134
Wire	129-130, 132
Wullstein	134
Ring forceps	88
Roll up travel case	166
Rongeurs	
Baby-Beyer	39
Beyer	39
Bone	36-41
Friedman	40
Friedman-Pearson	36
Lempert	40
Luer	37
Micro	36
Pearson	37
Round Handled	
DeBakey forceps	92
Multipurpose forceps	93
Needle holder	116
Spring scissors	7
Suture tying forceps	83
Rulers	
Label Tape	173
Steel	173
Russian forceps	95



S

S&T		Standard Pattern.....	29, 31	Spring scissors	
Cannulation forceps.....	145	Stevens Tenotomy.....	24	Angled	3-4, 6, 8-13
Forceps.....	80, 82, 137, 142, 145	Strabismus	23	Ball Tipped	9
Instrument beaker	166	Student.....	186-191	Biemer	14
Micro needles and suture.....	122	Student Lister.....	189	Bone Cutter	45
SuperGrip forceps	80	Surgical.....	29-35	Castroviejo	8-11
Suture tying forceps	82	Titanium	6, 11	Ceramic coated	7, 11
Vascular clamps	136	ToughCut	6, 15, 20-21, 30, 33-34	Clipper Scissors II	14
Vessel dilator	142	ToughCut with tungsten carbide.....	21	Cohan-Vannas	6
Safety scalpel.....		Tungsten carbide.....	10, 20-21, 23, 30-32, 34, 46	Dowell	9
Blade cartridges.....	63	Universal	172	Extra fine.....	3-7, 13-14
Disposable.....	62	Utility.....	172	Iridectomy.....	3-14
Handle	63	Vitrectomy.....	13	Micro-Vannas.....	3-4
Sample corers.....	170	Walton.....	24	Mini-Vannas	5
Saw, Circular.....	167	Screwdrivers.....	171	Moria.....	5, 8, 12
Scalpel		Screws, self-tapping	50	Noyes.....	10
Blade handles.....	56-63	Secure scalpel handle	60	Pascheff-Wolff.....	12
Blade removers	61	Self closing forceps	77, 87	Round Handled.....	7
Blades.....	56-60, 62-63	Self-Sealing Sterilization Pouches	157	Serrated.....	5
Ceramic blades.....	56	Semken forceps	92	Student Vannas.....	186
Disposal Box.....	61	Serrefines	138-139	Titanium Vannas	6, 11
Disposal Safety.....	62	Sharpening stones.....	153-154	ToughCut	6
Gross anatomy	62	Shea scissors.....	25	Trident II	12
Obsidian.....	55	Shears, bone.....	49	Vannas.....	3-8, 186
Safety.....	62-63	Sichel knife	52	Vannas-Miniature	6
Stone age	55	Silicone lubricant.....	153	Vannas-Tubingen.....	4
Schwartz micro serrefine.....	139	Silicone mats	161	Vannas-Wolff	8
Scissors.....		Silicone tips, forceps.....	97	Vessels	14
Bone.....	45-46	Silk sutures	123	Vitrectomy.....	13
Bonn.....	15, 27	Skin marker.....	151	Wescott.....	11
CeramaCut.....	21	Skin staplers	125-127	Spring, instrument holding.....	166
Clipper	14	Skull flap cutter	47	Stage micrometers	175
Decapitation.....	35	Slide retractors.....	129	Standard Pattern Forceps	91
Dissector	26	Spatulae.....		Standard Pattern Scissors	
Dowell	9	Combination Spoon and Spatula.....	109	Large Loops	31
Fine	15-28	Combination Probe and Spatula.....	109	Scissors	29-31
Kaye.....	28	Double-Ended Micro Spatula	110	Serrations.....	30
LaGrange	25	Hippocampal Dissecting Tool	112	ToughCut	30
Large loops.....	19, 28, 31	Iris Spatulae	110	Tungsten Carbide	30
Left-handed.....	17, 29	Micro Spatula.....	108, 110-111	Staplers, skin	125-127
Lexer-Baby.....	22	Micro Spatula Kit.....	111	Sterilization	
Ligature	26, 188	Mini Hippocampal Dissecting Tool	112	Container.....	162-164
Lister.....	31, 189	Mirror Finish Micro Spatula	110	Hot Bead Sterilizer.....	158-159
Mayo.....	34, 189	Spears, absorption	170	Mats	161
Mayo-Noble	35	Spectacles Headband	179	Pouches	157
Mayo-Stillé.....	35	Spectacles, magnifier	178-180	Tape	160
Metzenbaum	32-33, 190	Spencer Ligature	26, 188	Wraps	160
Mini-Lister.....	31	Spinal Cord Hook.....	105	Stevens tenotomy scissors	24
Moria	5, 8, 12, 18	Spoons		Stone Age Scalpels	55
Shea.....	25	Mini Perforated.....	113	Strabismus.....	23
Spencer Ligature.....	26, 188	Mirror Finish Cutting.....	113	Student	
Spring.....	3-14	Moria	113	Adson, micro, -Brown forceps.....	196
		Perforated	113	Allis clamp.....	205



Babcock clamp	204	Nylon	123	Forceps	43, 89
Backhaus towel clamp	203	S&T micro needles and suture	122	Mayo	34
Barraquer retractor	207	Suturing Principles and Techniques in		Metzenbaum Fino	32
Bone Scissors	191	Laboratory Animals, Manual and DVD	124	Needle holders	117-121
Bone Cutter	191	Thread	122-123	Noyes	10
Clamps	207	Tying forceps	79-83	Scissors	10, 20-21, 23, 30-32, 34, 46
Crile hemostat	200	With needle and thread	122	Scissors with ToughCut	21
Dieffenbach clamp	207	Swabs, Fiber Optic	170	Standard Pattern	30
Dumont forceps	193			Strabismus	23
Feilchenfeld forceps	195	T		Tweezers, Dumont	43, 65-74, 145, 193
Forceps	193-198	Tags, Ear	152		
Gillies forceps	198	Tape		U	
Halsey needle holder	206	Dispenser	160	Ultra Fine Clipper Scissors II	14
Halsted-Mosquito hemostat	199	Identification	155	Ultra Fine Hemostat	98
Hartmann hemostat	199	Sterilization	160	Utility scissors	172
Hemostatic forceps	199-205	Ruler Label	173		
Hose clamp	205	Tattoo system	152	V	
Instruments, About	185	Taylor forceps	97	Vannas	
Kelly hemostat	200	Timers	174	Cohan-Vannas	6
Kocher hemostat	202	Tip protectors	156	Micro	3-4
Lister scissors	189	Tissue		Microserrations	5
Lister sine clamp	205	Pick	105	Mini	5
Lorna towel clamp	204	Scissors	27	Round handled	7
Mayo scissors	189	Titanium		Spring scissors	3, 8, 186
Mayo-Hegar needle holder	206	About	211	Student	186
McIndoe forceps	198	Artery clamp	139	Titanium	6
Metzenbaum, baby scissors	190	Ceramic coated spring scissors	11	Vannas-Tübingen	4
Needle holder	206	Forceps	67, 71, 79, 84, 91-92, 96	Vannas-Wolff	8
Ochsner-Kocher hemostat	202	Micro Point	108		
Pean hemostat	201	Micro Spatula	108	Vascular clamps	136, 138-139
Pin holder	206	Scissors	6, 11	Vascular occluders	141
Retractor	207	Serrefines	138	Vernier caliper	174
Rochester-Pean hemostat	201	Vascular Clamps	138-139	Vessel cannulation aids	93, 142, 145
Russian forceps	198	Y-Hook	108	Vessel cauterizer	168-169
Sanvenero scissors	186	Tools	171	Vessel dilating probe	109
Scalpel handle	192	ToughCut		Vessel dilators	93, 109, 142
Scissors	186-191	About	211	Vessel spring scissors	14
Semken forceps	198	Bonn-Strabismus	15	Vetro grasping forceps	83
Senn-Miller retractor	207	Mayo	34	Vial forceps	83
Spencer ligature scissors	188	Metzenbaum	33	VisorLight	177
Splinter forceps	195	Scissors	6, 15, 20-21, 30, 33-34	Vitrectomy scissors	13
Spring scissors, Vannas	186	Spring scissors	6	V-Hook	143
Tohoku towel clamp	203	Scissors with tungsten carbide	21	Von Graefe knife	52
Vessel dilator	207	Standard Pattern	30		
Wagner scissors	188	Travel case	166	W	
SuperGrip forceps	80	Trephines	167	Wagner	19
Surgical scissors	29-35	Trident II spring scissors	12	Walton	24
Left-handed	29	Troutman tying forceps	82	Wax	50
Surgical table	135	Tungsten needles, etched	115	Weitlaner-Locktite retractor	134
Suture		Tungsten carbide		Westcott spring scissors	11
Clips, AutoClip	127	About	211	Wire contacts, gold	176
Clips, Michel	125	Burrs	167	Wire teeth retractor	131
Needles	122-123	Cutter	42-43	Wound Closure	116-127
				Wraps, sterilization	160
				Wullstein retractor	134



Fine Science Tools Online

Helping you find and buy the right tools

Whether you contact us at our offices, through dealers, or online—our priority is customer service. As part of that service, we have a variety of features to help you research, quote, and purchase Fine Science Tools products at **finescience.com**. These features enhance and streamline your shopping experience by helping you:

Quickly identify products by type and attributes with advanced search
Get detailed specs and enlarged product views
Use the extensive FAQs and pop-up glossary
Save quotes and convert to orders online
Pay with credit card or purchase order*
View your online order history
Track your shipments

*Payment by purchase order is available only for customers with a Net 30 account.

Our website is more engaging and informative than ever.

-  Zoom Feature
-  High-Resolution Images
-  Multi-Language Support
-  Updated Event Listings

We are continuously adding new products to our inventory.
Visit **finescience.com** to view all of our products.

All of our European suppliers are ISO 9001 certified.


All FST surgical instruments are made from the finest German stainless steel alloys (unless otherwise noted) and manufactured by skilled European craftsmen.

Most surgical instruments are shown actual size. As these instruments are handcrafted, dimensions may vary slightly from those stated in this catalog.

THE INFORMATION IN THIS CATALOG IS ACCURATE TO THE BEST OF OUR KNOWLEDGE. DESIGNS, STYLES AND DIMENSIONS DEPICTED IN THIS CATALOG ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL RECOMMENDATIONS OR SUGGESTIONS ARE MADE WITHOUT GUARANTEE, AND WE DISCLAIM ANY LIABILITY INCURRED IN CONNECTION WITH ANY RECOMMENDATION. WITH THE PURCHASE OF ANY PRODUCT FROM THIS CATALOG THE USER ASSUMES ALL RISKS AND LIABILITIES WHATSOEVER IN THE USE OF SUCH PRODUCTS. NEITHER SELLER NOR MANUFACTURER SHALL BE LIABLE IN TORT OR CONTRACT FOR ANY LOSS OR DAMAGE (DIRECT, INCIDENTAL, OR CONSEQUENTIAL) ARISING OUT OF THE USE, MISUSE, OR INABILITY TO USE SUCH PRODUCT.

FST IS A REGISTERED TRADEMARK OF FINE SCIENCE TOOLS INC. FINE SCIENCE TOOLS, TOUGH CUT, CERAMA CUT, AND FINE SURGICAL INSTRUMENTS FOR RESEARCH ARE TRADEMARKS OF FINE SCIENCE TOOLS INC. FST, TOUGH CUT, AND CERAMA CUT ARE REGISTERED TRADEMARKS OF FINE SCIENCE TOOLS (USA) INC. FINE SCIENCE TOOLS AND FINE SURGICAL INSTRUMENTS FOR RESEARCH ARE TRADEMARKS OF FINE SCIENCE TOOLS (USA) INC. FINE SCIENCE TOOLS AND FST ARE REGISTERED TRADEMARKS OF FINE SCIENCE TOOLS GMBH.

© COPYRIGHT 2023 THE TEXT, PHOTOS AND DRAWINGS CONTAINED IN THIS CATALOG ARE PROPRIETARY TO FINE SCIENCE TOOLS INC. AND MAY ONLY BE COPIED, DUPLICATED OR OTHERWISE REPRODUCED WITH THE WRITTEN CONSENT OF FINE SCIENCE TOOLS INC.



Scissors, Bone Instruments,
Knives & Scalpels
pages 3 – 63



Forceps & Hemostats
pages 65 – 103



Probes, Needle Holders, Thread,
Retractors & Clamps
pages 105 – 145



Surgical & Laboratory
Accessories
pages 147 – 183



Student Quality Instruments
pages 186 – 207



Reference Pages
pages 209 – 227



Fine Science Tools Inc.

410-197 Forester Street
North Vancouver, British Columbia
Canada V7H 0A6

Telephone +1 800-665-5355 / +1 604-980-2481

Fax +1 800-665-4544 / +1 604-987-3299

E-Mail canada@finescience.com

Web finescience.ca



Fine Science Tools (USA) Inc.

4000 East 3rd Avenue, Suite 100
Foster City, CA 94404-4824
USA

Telephone +1 800-521-2109 / +1 650-349-1636

Fax +1 800-523-2109 / +1 650-349-3729

E-Mail info@finescience.com

Web finescience.com



Fine Science Tools GmbH

Vangerowstraße 14
69115 Heidelberg
Germany

Telephone +49 62 21 - 90 50 50

Fax +49 62 21 - 90 50 590

E-Mail europa@finescience.de

Web finescience.de

Phymep

21 rue Campo Formio
75013 Paris
France

Telephone +33 (0) 1 44 24 25 18

E-Mail info@phymep.com

Web www.phymep.com

