
Safety Scalpel Blade Cartridges

The Safety Scalpel Handle #3 is compatible with all Safety Scalpel Blades. The handle is reusable and made of Teflon coated stainless steel which provides a non-stick surface. The Blade Cartridges are color-coded with clear windows for easy identification. The protective cartridge completely covers the blade for safe, fast, and easy disposal. **Handle is reusable and autoclavable. Blades are single-use and non-sterile.**





No. 10006-12

No. 10015-10

No. 10010-10

No. 10011-10

FORCEPS, TWEEZERS, HEMOSTATS & VASCULAR INSTRUMENTS





Dumont #5SF

The finest tips ever produced by Dumont.





Dumont #5 Fine Tips

Finished under magnification and polished on the inside, the tips close flat to 3 mm and are less likely to open under excess pressure.



0.05 mm

Biology

11 cm 0.05 x 0.01 mm Inox

No. 11254-20

Dumont #5 Ceramic Coated

These forceps are non-reflective.
The scratch and corrosion resistant coating guarantees durability.





Dumont #5CO

These forceps have been honed down to make this the lightest and most precise Dumont forceps available.





11 cm 0.05 x 0.01 mm Ceramic coated Inox

No. 11252-50



11 cm 0.05 x 0.01 mm Dumostar

No. 11295-20

Super fine

11 cm

0.025 x 0.005 mm

Inox

No. 11252-00

0.025 mm



Dumont Medical Micro-Blunted Atraumatic Tipped Forceps

The sides of these forceps are distinctively ribbed to provide a better holding surface for maximum control of the instrument. The shanks are arched toward each other to transmit more holding strength to the points. The smooth inside surfaces at the tips will close flat to 5 mm with gentle pressure, increasing the total holding area considerably. The microscopically matched tips are gently blunted to prevent tissue puncture and are recommended as micro needle holders.









Standard Straight

11 cm 0.1 x 0.06 mm Inox

No. 11253-20

Medical #5A



Standard

Off-Center 11.5 cm 0.13 x 0.08 mm Inox

No. 11253-21

Medical #7S



Standard Curved

12 cm 0.17 x 0.1 mm Inox

No. 11273-22

Medical #7



Standard Curved

11.5 cm 0.17 x 0.1 mm Inox

No. 11273-20

Medical #5/45



Standard Angled 45°

11 cm 0.1 x 0.06 mm Inox

No. 11253-25

Medical #5/90



Standard Angled 90°

11 cm 0.1 x 0.06 mm Inox

No. 11253-29






Dumont #55

Bevelled, like #5 but with extra light and fine shanks.

Dumont #5 Mirror Finish Forceps

The last 5 mm on the inside of the tips are highly polished to help prevent tissue from sticking. Ideal for embryos, nerves or any other adhesive tissue.






11 cm 0.05 x 0.02 mm Inox

No. 11255-20

11 cm 0.05 x 0.02 mm Dumostar

No. 11295-51



11 cm 0.1 x 0.06 mm Inox

No. 11251-23



11 cm 0.05 x 0.02 mm Inox

No. 11252-23

Dumont #5

These are the most widely used Dumont forceps. Bevelled, very fine shanks for best visibility.











11 cm 0.1 x 0.06 mm Inox

No. 11251-20

Dumoxel

No. 11251-30

Dumostar **No. 11295-00**

Standard

11 cm

0.08 x 0.04 mm

Carbon steel

No. 11251-10

0.08 mm



Biology

11 cm 0.05 x 0.02 mm Inox

No. 11252-20

Dumoxel

No. 11252-30

Dumostar

No. 11295-10

Titanium

No. 11252-40








Dumont WA #5

These specially designed forceps offer improved stability with an ergonomic body that allows the forceps to fit more comfortably in your hand. A domed end with no soldering grooves allows the forceps to be thoroughly and easily cleaned, preventing biofilm residues.








Dumont #5XL





No. 11253-10





Dumont #L5

Slide sleeve keeps tips together so specimens may be securely held and retained. Slide may be locked in place so that forceps can be used in regular fashion.



0.10 mm

Standard 11 cm 0.1 x 0.06 mm

Inox

No. 11253-27

Dumont #5 Teflon® Coated

These antimagnetic forceps are ideal for use in cryogenic environments and for EM samples. Teflon® coating provides a non-stick surface.





11 cm 0.1 x 0.06 mm

Teflon coated Inox

No. 11626-11

Dumont #5/45

45° tips for improved visibility and control.







Standard

11 cm 0.1 x 0.06 mm

Dumoxel

No. 11251-35

Dumont #5/45 Cover Slip Forceps

Designed to pick up cover slips out of multi-well plates. The tip width is squared for a better grip.





1 mm from tip to bend

11.5 cm Upper tip: 0.1 x 0.08 mm, Lower tip: 0.1 x 0.02 mm Dumoxel

No. 11251-33



Dumont #3

Tapered and sturdy shanks.



Dumont #6

Sharply angled tips for access to difficult areas.











12 cm 0.17 x 0.1 mm Dumoxel

No. 11231-30



12 cm 0.17 x 0.1 mm Dumostar

No. 11293-00



11 cm 0.17 x 0.1 mm Inox

No. 11231-20



Standard

11.5 cm 0.17 x 0.1 mm Inox

No. 11260-20

Dumont #7B



Dumont #7 **Fine Tips**

Finished under magnification and polished on the inside, the tips close flat to 3 mm and therefore less likely to open under excess pressure.







Biology

11.5 cm 0.07 x 0.03 mm Inox

No. 11274-20













Biology

0.07 mm

Durnoxel®

0.07 mm

Standard

11.5 cm 0.17 x 0.1 mm Dumoxel

No. 11271-30

Dumostar

No. 11297-00

11.5 cm 0.07 x 0.04 mm Dumoxel



Dumostar

No. 11297-10

Titanium No. 11272-40

Dumont #7 **Ceramic Coated**











Biology

11.5 cm 0.07 x 0.04 mm Ceramic coated Inox

No. 11272-50



Standard

11.5 cm 0.17 x 0.1 mm Inox

No. 11270-20

F · S · T by DUMONT 9

Dumont #4

Similar to #5, but with broader shanks.

Dumont #2 **Laminectomy Forceps**

These forceps can be used to break off delicate bone during mouse laminectomies, as well as fine skull bone removal.

Dumont #2AP Epoxy Coated

Provides good insulation for up to 220 AC voltage work and highly impervious to chemical solutions. Frozen or super cold sections will not adhere to the gripping surfaces.












11 cm 0.13 x 0.08 mm Dumoxel

No. 11241-30


Dumostar

No. 11294-00




11 cm 0.06 x 0.04 mm Dumoxel

No. 11242-40



12 cm 0.4 x 0.02 mm Inox

No. 11223-20



12 cm 1.5 x 0.7 mm Epoxy coated Inox

No. 11220-21



Dumont AA

Dumont AA Epoxy Coated

Slip-proof acid and electric shock resistant epoxy coating covering 17.5 mm from the tips.



Dumont SS


The tips are smooth on the inside for a gentle grip. Applying full strength will not separate tips and a strong hold on the smallest specimen is ensured.













12.5 cm 0.4 x 0.2 mm Inox

No. 11210-20



12.5 cm 0.4 x 0.2 mm Epoxy coated Inox

No. 11210-10



Straight 13.5 cm 0.2 x 0.12 mm Inox

No. 11203-23



||| Standard

Angled 45° 13.5 cm 0.2 x 0.12 mm Inox

No. 11203-25



Straight 13.5 cm 0.1 x 0.06 mm Dumoxel

No. 11200-33

Dumont Mini Forceps

F · S · T


Dumont #5AC


















Mini #4









No. 11200-10


Balanced #5 Forceps

These forceps feature an ergonomic design and ultra fine tips for optimal comfort and accuracy. The balanced action of the forceps ensures seamless efficiency during prolonged tasks, providing ease in rotational pivoting with the rounded handle and a counterweight technology providing enhanced control and stability.












0.1 x 0.06 mm



0.05 x 0.02 mm

No. 11852-20

Gold Plated Forceps

Gold-plating gives corrosion resistance to most chemicals, salts and acids. These forceps are perfect for any application where corrosion resistance and toughness are primary requirements.









11 cm 0.1 x 0.06 mm Gold plated Stainless Steel

No. 11915-11



12 cm 0.2 x 0.1 mm Gold plated Stainless Steel

No. 11917-12



Angled 30°

11 cm 0.1 x 0.06 mm Gold plated Stainless Steel

No. 11911-11



Diamond Coated Forceps

Diamond coating provides increased corrosion resistance and greater protection from wear and tear, which extends the operational life of the forceps, as well as providing a stronger grip at the tips.

Mirror Finish Broad Shanks

These forceps have long and narrow shanks with thin, highly polished tips to prevent tissue from sticking. Ideal for embryos, nerves, or other adhesive tissues.





Straight

13 cm

0.3 x 0.15 mm

No. 11923-13



Forceps with Replaceable Tips

Stainless steel body with replaceable plastic tips. Tips are made of polyvinylidene fluoride (PVDF) and are electrostatic discharge (ESD) safe. Body and plastic tips are corrosion and abrasion resistant.





Pkg. of 2 tips and 3 screws Replacement plastic tips

Straight / Fine

4 cm 0.6 x 0.6 mm

No. 11988-01



Pkg. of 2 tips and 3 screws Replacement plastic tips

Straight / Very fine

4 cm 0.5 x 0.5 mm

No. 11988-02

Replacement plastic tips

Curved / Very fine

4 cm

0.5 x 0.5 mm

No. 11988-03



Straight


13 cm Stainless Steel body with plastic tips 0.5 x 0.5 mm

No. 11980-13

Fine Forceps Mirror Finish

The last 5 mm on the inside of the tips are highly polished to help prevent tissue from sticking. Ideal for embryos, nerves or other adhesive tissue.





11 cm 0.1 x 0.06 mm No. 11412-11

Straight 11 cm 0.05 x 0.02 mm


0.05 mm

No. 11413-11


Fine Forceps Broad Shanks

Straight forceps with sturdy coarse tips.





No. 11445-12





#2A Forceps

Fine Forceps Self-Closing


Ideal for lifting and holding EM grids. Consistent pressure at tips. Correctly tensioned "cross-over" shanks come to a microscopically matched point.













1.5 x 0.1 mm No. 11992-20



12 cm 1.5 x 0.1 mm

No. 11972-20



11.5 cm 0.08 x 0.04 mm

No. 11480-11



Straight 11 cm

0.1 x 0.06 mm No. 11485-11

Curved 11.5 cm 0.2 x 0.12 mm

0.20 mm

No. 11487-11








Moria Ultra Fine Forceps


These forceps have the most finely executed points available. They are extremely light, superbly balanced and have a gentle spring action. The shanks are specially designed with an arch which ensures maximum force to the tips. The tips close flat for 6 mm from the points to give a large holding area. The tips have been expertly finished under magnification.



Moria MC40 Moria MC40/B








Moria Iris Forceps

Balanced with gentle spring action and tips that are perfectly matched.





Moria Bonn Forceps

Moria Paufique Forceps









Moria 7835



Straight
Tying platform with
1x2 teeth

7.5 cm Tip width: 0.3 mm Tying platform: 4 mm Stainless Steel

No. 11383-50

Moria TI7835



Straight
Tying platform with
1x2 teeth

7.5 cm Tip width: 0.3 mm Tying platform: 4 mm Titanium

No. 11383-56

Moria 3225



Straight
Tying platform with
1x2 teeth

8.5 cm Tip width: 0.12 mm Tying platform: 5 mm Stainless Steel

No. 11390-25



Fine Forceps

SuperGrip Forceps


The tips are processed with MicroCrystals®, a method developed by S&T® to infuse Tungsten Carbide on stainless steel. The formation of this ultra-fine coating guarantees atraumatic handling of tissue while improving the grip dramatically. The recommended use is where forceps are utilized as needle holders or when slippery tissues might be encountered.







300% The gripping surface is similar to a match head.





No. 00108-11







Bonn

The 1x2 teeth forceps No. 11084-07 are the finest of their kind with 0.1 mm wide teeth. The smooth forceps No. 11083-07 have a narrow 5 mm long platform. Both forceps have a pin inside the shanks to limit the applied pressure.



Mirror Finish Bonn Forceps


The fine Bonn forceps features a tying platform and is also available with additional 1x2 teeth. It's designed for tissue manipulation and suturing. The wide handle ensures safe handling. The fine and precise tips make it suitable for work under a high magnification.



Mirror Finish Suture Tying Forceps with Teeth


A unique tip style fusing a suture tying platform and a 1x2 teeth tip for tissue manipulation.





7 cm Tip width: 0.3 mm Tying platform: 5 mm

No. 11083-07



7 cm Tip width: 0.3 mm Teeth width: 0.1 mm

No. 11084-07



Straight Tying platform with 1x2 teeth

10.5 cm Tip width: 0.12 mm Tying platform: 5 mm

No. 11090-10



Straight **Smooth with platform**

10.5 cm Tip width: 0.3 mm Tying platform: 5 mm

No. 11093-10



Straight Tying platform with 1x2 teeth

9 cm Tip width: 0.3 mm Tying platform: 6 mm

No. 11090-09





Moria Suture Tying Forceps

Used to suture after surgery is complete. This requires the manipulation of a calibrated nylon thread and the use of a specific instrument: a tying forceps, straight or curved, without teeth.





Moria 9604



Straight Smooth with platform

 $9.5\,\mathrm{cm}$ Tip Ø: 0.3 mm Tying platform: 8 mm

No. 11393-04





0.4 mm

Analed 45°

Smooth with

platform

 $9\,\mathrm{cm}$

Tip Ø: 0.4 mm

Tying platform: 6 mm

No. 11063-07

Moria 9605



Curved Smooth with platform

 $8.5\,\mathrm{cm}$ Tip Ø: 0.3 mm Tying platform: 7.5 mm

No. 11393-05

McPherson Forceps Suture Tying Forceps

The platform tips close flat. This ensures a reliable grip on sutures.





Straight Smooth with platform

13.5 cm Tip Ø: 0.3 mm Tying platform: 6 mm

No. 00272-13

Suture Tying Forceps

The platform tips close flat. This ensures a reliable grip on sutures.





Straight Smooth with platform

10 cm Tip Ø: 0.5 mm Tying platform: 5 mm

No. 18025-10

Round Handled Suture Tying Forceps

Round handles allow easy fingertip adjustments.

Vial Forceps

Tips taper for 6 cm allowing easy access to specimens in vials.





Curved Smooth with platform

10.5 cm Tip Ø: 0.35 mm Tying platform: 5.5 mm

No. 18026-10







15 cm Tip Ø: 0.5 mm

No. 11006-15



Graefe Forceps

Bishop-Harman

Octagon Forceps

The octagon shaped grip provides a particularly secure finger hold.







Straight


1x2 Teeth

8.5 cm

0.5 x 0.5 mm


No. 11070-08



















9.5 cm 0.8 x 0.5 mm No. 11043-08










No. 11066-07





0.6 mm

Curved

Serrated

7 cm

0.6 x 0.5 mm

No. 11065-07



0.5 mm

Straight

Serrated

8.5 cm

0.5 x 0.5 mm

No. 11069-08

Extra Fine Graefe Forceps


Graefe Forceps





11650-10 - 11652-10

The length of all forceps is 10 cm



0.8 x 0.7 mm

No. 11050-10



Curved Serrated


0.8 x 0.7 mm





Straight 1x2 Teeth

0.8 x 0.7 mm No. 11053-10



1.2 x 0.9 mm Titanium

No. 11650-10



Slightly curved Serrated

0.8 x 0.7 mm





Angled Serrated

0.8 x 0.7 mm

No. 11049-10



Slightly curved 1x2 Teeth

0.8 x 0.7 mm

No. 11054-10



Slightly curved Serrated

> 1.2 x 0.9 mm Titanium


No. 11651-10



The length of all forceps is 10 cm The dimensions of all tips are 0.5 x 0.5 mm



Serrated No. 11150-10



No. 11158-10



1x2 Teeth

No. 11153-10



0.5 mm

Slightly curved

Serrated

No. 11151-10

0.5 mm

Slightly curved 1x2 Teeth

No. 11154-10



MOST

POPULAR

Curved **Serrated**

No. 11152-10



Smooth No. 11160-10

> 0.5 mm Curved

1x2 Teeth No. 11155-10





1x2 Teeth

0.8 x 0.7 mm

1.2 x 0.9 mm Titanium


No. 11652-10

Sliding Lock Forceps

Episcleral Forceps

Pierse Fixation Forceps

For exceptional gripping power with no damage to sclera, vascular sheath and epineurium.










Tissue retention hole of 0.3 mm behind tips.




11 cm 1 x 0.75 mm

No. 11062-10



No. 11071-10



13 cm 1 x 0.5 mm

No. 18155-13





Plastic Forceps

These forceps are non-magnetic, acid resistant and able to withstand temperatures up to 240 °C (464 °F). Tips do not spread under pressure. Plastic forceps are made of Acetyl and will be sold in packages of 10 pieces.

Cross Action Forceps

These tissue transport forceps have a gentle action.

Cover Glass Forceps













11.5 cm

No. 11700-00





Curved Sharp 11.5 cm

0.3 x 0.2 mm No. 11700-01



Angled 45° Sharp

11.5 cm 0.3 x 0.2 mm

No. 11700-02



Straight **Blunt**

11.5 cm 1.5 x 0.4 mm

No. 11700-03

Curved

Blunt

11.5 cm

1.5 x 0.4 mm


No. 11700-04



Angled Cross serrated

10 cm 4 x 8 mm


No. 11075-00



Straight Smooth

10.5 cm 4 x 10 x 0.6 mm

No. 11074-02



Angled Smooth

10.5 cm 4 x 10 x 0.6 mm

No. 11073-10





Ring Forceps

For transport of tissue and organs. With limit screw to prevent excessive applied pressure.

Circle Forceps

Cupped forceps for atraumatic gripping of organs and tissues.

Live Insect Handling Forceps

Very delicate.















8.5 cm ID: 1 mm OD: 1.5 mm x 0.5 mm

No. 11101-09



Straight
Ring

9 cm ID: 2.2 mm OD: 3 mm x 1.3 mm

No. 11103-09



Straight Ring

9 cm ID: 4.8 mm - OD: 6 mm x 1.5 mm

No. 11106-09



Straight Circle

11.5 cm 7 x 0.5 mm

No. 11072-11



Narrow

10 cm 0.9 x 0.15 mm

No. 26029-10



Straight Wide

10 cm 2.3 x 0.3 mm

No. 26030-10





Micro-Adson

Our most delicate version of the popular Adson forceps.

Micro-Adson with Fenestrated Handle

Our delicate Micro-Adson forceps, with five windows to aid in stability and easy finger adjustments.

Adson

Wide, strong grip with narrow tips.




















<u> 0.8 mm</u>





No. 11032-12





12 cm 1.5 x 2 mm

No. 11027-12



Straight **Cross Serrated Tungsten Carbide**

12 cm 1.5 x 1.3 mm

No. 11506-12

Adson DeBakey

Ideal for gentle, atraumatic gripping of vessels, tissue and other delicate structures. Two rows of atraumatic teeth interfit with one opposite row of atraumatic teeth.



Adson-Brown







Atraumatic DeBakey Serrations

This tooth pattern, as shown, consists of one row of atraumatic teeth meshed with two opposite rows of atraumatic teeth.

These two forceps are ideal for gentle, atraumatic gripping of vessels, tissue and other delicate structures.








12.5 cm 4.5 x 1.25 mm

No. 11030-12





12 cm 2 x 1.4 mm

No. 11627-12



Straight DeBakey serrations

12.5 cm 1.75 x 1.5 mm

No. 11617-12



Straight

DeBakey

serrations

15 cm 1.75 x 1.5 mm

No. 11616-15



Standard Pattern

Broad pattern with strong spring action.

F-S-T



Straight Serrated

Length (cm)	Tip width	ltem
12	2.5	No. 11000-12
13	2.8	No. 11000-13
14.5	3.25	No. 11000-14
16	3.3	No. 11000-16
18	3.7	No. 11000-18
20	3.75	No. 11000-20
25	3.9	No. 11000-25
30	4	No. 11000-30



Curved Serrated

Length (cm)	Tip width	Item
12	2.5	No. 11001-12
13	2.8	No. 11001-13
14.5	3.25	No. 11001-14
16	3.3	No. 11001-16
18	3.7	No. 11001-18
20	3 75	No. 11001-20

Narrow Pattern

Lighter spring action than standard pattern for grasping more delicate tissue.









Straight Serrated

Length (cm)	Tip width	Item
12	2	No. 11002-12
13	2.15	No. 11002-13
14.5	2.25	No. 11002-14
14.5	2.25	No. 11602-14
16	2.35	No. 11002-16
18	2.4	No. 11002-18
20	2.75	No. 11002-20
25	3.2	No. 11002-25

TITANIUM



Curved Serrated

Length (cm)	Tip width	Item
12	2	No. 11003-12
13	2.15	No. 11003-13
14.5	2.25	No. 11003-14
16	2.35	No. 11003-16
18	2.4	No. 11003-18
20	2.75	No. 11003-20



Semken

The Semken tweezers are characterized by their slim shape and fine tips. Their anatomical (toothing) or surgical (1x2 teeth) tips make them ideal for grasping tissue. The serrated grip surface ensures a secure hold during use.





Straight Serrated

13 cm Tip width: 1.3 mm

No. 11008-13

15 cm Tip width: 1.5 mm

No. 11008-15

15 cm Tip width: 1.5 mm Titanium

No. 11608-15





15 cm Tip width: 1.5 mm

No. 11009-15

Curved

Serrated

13 cm Tip width: 1.3 mm

No. 11009-13



12.5 cm Tip width: 1.3 mm

No. 11024-12

DeBakey Round Handle Forceps

Ideal for gentle, atraumatic gripping of vessels, tissue and other delicate structures. Two rows of atraumatic teeth interfit with one opposite row of atraumatic teeth. The round handles allow easy fingertip adjustments.





Straight DeBakey serrations

15 cm Tip width: 1.2 mm

No. 11076-15

Multipurpose Forceps

Balanced instruments are designed to put the center of gravity between the thumb and index finger. This is accomplished by adding a slight counter weight to the proximal end of the instruments. The design enhances tactile feel, aiding in better control and precision.

The tips of these multipurpose forceps are configured to enable their use as dilators at the front, as well as needle holders and tying forceps further in the back. The platform at the tips close parallel ensuring a reliable grip.





14.5 cm Tip Ø: 0.1 mm

No. 18601-15




Straight For Dilating and Suture tying

15 cm Tip Ø: 0.3 mm

No. 18602-15





14.5 cm Tip Ø: 0.2 mm

No. 18603-14





Tissue Forceps



Straight 1x2 Teeth / Narrow

10 cm

No. 11023-10 Straight 1x2 Teeth / Standard

12 cm 12 cm

No. 11023-12 No. 11021-12 Straight 2x3 Teeth / Standard

14.5 cm 14.5 cm 14.5 cm

No. 11023-14 No. 11021-14 No. 11022-14

15.5 cm 15.5 cm 15.5 cm No. 11023-15 No. 11021-15 No. 11022-15

Tissue Forceps

Used with rongeur No. 16021-14 in laminectomy to securely hold spinal column.







No. 11029-14

Gillies

Russian

Organ Holding Forceps

Special cupped pattern for superior grip.

With limit screw to prevent excessive applied pressure.










Straight 1x2 Teeth & cross serrated

> 15 cm 1.5 x 2 mm


No. 11028-15



Straight **Cupped teeth**

> 15 cm 6 x 11 mm

No. 11026-15




14.5 cm 8 x 11 mm

No. 11031-15



London Forceps



16 cm 1 x 0.9 mm

No. 11080-02

Titanium Forceps







16 cm 0.3 x 0.5 mm

No. 11602-16

Gerald Forceps



Taylor Forceps Potts-Smith Forceps Mouse Handling Forceps Serrated and smooth versions available. Long handles make picking up small rodents easy and help prevent bites. **Straight** Serrated Straight 18 cm Serrated 1.25 x 1 mm 17 cm No. 11012-18 1.5 x 1 mm No. 11010-17 21 cm 1.8 x 1.5 mm No. 11012-21 25 cm 2 x 1.6 mm Straight Smooth No. 11012-25 17 cm 1.5 x 1 mm No. 11016-17 Curved Serrated 18 cm 1.25 x 1 mm Curved No. 11013-18 21 cm Serrated Forceps with serrated silicone tips 17 cm 21 cm 15 x 20 mm 1.5 x 1 mm F-S-T 11010-1.8 x 1.5 mm No. 11036-20 No. 11011-17 No. 11013-21 F-S-T (D) [[H] Curved Straight Curved Smooth 1x2 Teeth 1x2 Teeth 17 cm Replacement silicone tips 18 cm 18 cm 1.5 x 1 mm 1.25 x 1 mm 1.25 x 1 mm Pkg. of 2 tips No. 11017-17 No. 11024-18 No. 11025-18 No. 11036-90






Ultra Fine Hemostat

These are the finest hemostats in our product line.


Fine Hemostat







No. 13020-12







Micro-Mosquito

Halsted-Mosquito








13108-12 13108-12












No. 13012-12



Left handed

No. 13108-12




No. 13109-12

No. 13010-12

Crile Kelly





No. 13005-14





Tip width: 1.5 mm

No. 13018-14



14 cm Tip width: 1.5 mm

No. 13019-14

Straight

Serrated

14 cm

Tip width: 1.5 mm

No. 13004-14





Curved Serrated

14 cm Tip width: 1.3 mm

No. 13013-14



14 cm Tip width: 1.5 mm

No. 13014-14



Curved Serrated

14 cm Tip width: 1.5 mm

No. 13015-14

Hartmann






Backhaus Towel Clamp





10 cm Tip width: 1 mm

No. 13002-10



10 cm Tip width: 1 mm

No. 13003-10



9 cm

No. 11095-09



Curved Round tips

13 cm

No. 11095-13


Allis Clamp

Tissue and organ holding forceps.

Lorna Towel Clamp







15 cm Tip width: 4 mm

No. 11091-15



12 cm Tip width: 3 mm

No. 11092-12



10 cm Tip width: 7 mm

No. 11096-10



Curved Serrated

13 cm Tip width: 7 mm

No. 11096-13